Universe Parameters

Definition

Name: Advertising Orders

Description:

Connection: Personify740

General information

Created: 9/27/2011 by Administrator
Modified: 1/24/2012 by Administrator

Comments:

Statistics: 53 Classes

490 Objects 27 Tables 28 Aliases 61 Joins 0 Contexts 0 Hierarchies 3 Conditions

Strategies

Join strategy: Edit Manually (none)
Table strategy: (Built-in) Standard

Object strategy: (Built-in) Standard Renaming

Controls

Limit size of result set to:

Limit size of long text objects to:

Limit execution time to:

Warn if cost estimate exceeds:

5000000 rows

1000 characters

10 minutes

unchecked

SQL parameters

Query

Allow use of subqueries:

Allow use of union, intersect and minus operators:

Allow complex conditions in Query Panel:

Cartesian products:

yes

yes

warn

Multiple paths

Generate several SQL statements for each context:

Generate several SQL statements for each measure:

yes
Allow selection of multiple contexts:

no

Links

No links for this universe

Object List

Insertion Order Info

General Order Info

Order No

Order Line No

Order No Line No

Parent Product

Product Code

Short Name

Subsystem

Long Name

Product Class Code

Product Type Code

Product Type Description

Product Type Sort Order

Product Class

Product Class Description

Product Status Code

Product Status Date

Product Available Date

Product Expiration Date

Ad Type Code

Ad Type Description

Ad Size Code

Ad Size Description

Ad Color Webmedia Code

Ad Color and Webmedia Description

Ad Premium Position Code

Ad Premium Position Description

Rate Code

Rate Structure

Base Total Amount

Order Quantity

Invoice Date

Invoiced Month

Order Date

Fiscal Year Begin

Fiscal Year End

Cycle Begin Date

Cycle End Date

Order Line Status Info

Order Line Status Code

Order Line Status Date

Order Line Status Reason Code

Order Line Fulfill Status Code

Order Line Fulfill Status Date

Misc Order Line Info

Order Line Description

Order Line Comments

Original Order Number

Original Order Line Number

Transfer From Order Number

Transfer From Order Line Number

Transfer To Order Number

Transfer To Order Line Number

Order Line Type Code

Order Line Level

Related Order Line Number

Line Complete?

GL Account Info

AR GL Account Number

PPL GL Account Number

Revenue Distribution Begin Date

Advertising Order Creation & Modification Info

Order Creation Date

Order Creation User

Order Modification Date

Order Modification User

Logged User ID

Logged User Name

Insertion Details

Insertion Order No

Ad Type Code

Ad Type Description

Ad Size Code

Ad Size Description

Ad Color Webmedia Code

Ad Color and Webmedia Description

Ad Premium Position Code

Ad Premium Position Description

New Reuse Code

Invoice Rule Code

Advertisement Text

Advertisement Type Code

Advertisement Status Code

Adv Rate Card Year Code

Linked Subproduct Id

Available To Invoice Date

Earned Page Pct

Ad Size Pct

Comments

Frequency Credit Qty

Credits Fulfill Frequency?

Ad Details

Ad Date

Issue Sequence

Supplement Sequence

Issue Description

Issue Date

Position Request

Special Instructions

Section Code

Reader Service Card No

Booth No

Bleed Instructions

Advertisement Id

Advertisement Description

Exhibition Code

Directory Description

House Ad?

Psa Ad?

Ad Creative Info

Advertisement Id

Advertisement Description

Ad Text Info

Directory Name

Word Count

Web Ad Info

Web Delivery Method Code

Redirect Url

Ad Material

Art Due Date

Art Received Date

Copy Due Date

Copy Received Date

Camera Ready Due Date

Camera Ready Received Date

Digital File Due Date

Digital File Received Date

Proofs and Tear Sheets

Signature Date

Proof Sheet Sent Date

Tear Sheet Sent Date

Advertiser Tear Sheet Qty

Agency Tear Sheet Qty

Linked Product Info

Linked Product Id

Linked Product Subsystem

Linked Parent Product

Linked Product Code

Linked Product Type Code

Page information

Page Orientation Code

Page Position Code

Start Page

End Page

Advertiser Info

Advertiser ID

Advertiser Customer Id

Advertiser Sub Customer Id

Advertiser Class Code

Advertiser Class Description

Advertiser Status Code

Advertiser Status Description

Advertiser Status Date

Advertiser Directory Name

Advertiser Directory Description

Primary Agency Customer ID

Primary Agency Master Customer ID

Primary Agency Sub Customer ID

Primary Ad Agency Full Name

Primary Ad Agency Last First Name

Advertiser Name Components

Advertiser Label Name

Advertiser Last First Name

Advertiser Search Name

Advertiser Last Name

Advertiser First Name

Advertiser Record Type

Advertiser Primary Address

Advertiser Address Type Code

Advertiser Address Line 1

Advertiser Address Line 2

Advertiser Address Line 3

Advertiser Address Line 4

Advertiser City

Advertiser State

Advertiser Zip

Advertiser Country Code

Advertiser Country Description

Advertiser Full Address

Advertiser Formatted City State Zip

Advertiser Advertising Order Address

Advertiser Address Type Code

Advertiser Address Line 1

Advertiser Address Line 2

Advertiser Address Line 3

Advertiser Address Line 4

Advertiser City

Advertiser State

Advertiser Zip

Advertiser Country Code

Advertiser Country Description

Advertiser Full Address

Advertiser Formatted City State Zip

Advertiser Communication Info

Advertiser Primary Fax

Advertiser Primary Phone

Advertiser Primary Email Address

Advertiser Primary Contact Info

Primary Contact ID

Primary Contact Master Customer Id

Primary Contact Sub Customer Id

Contact Label Name

Contact Last First Name

Contact Primary Phone

Contact Primary Fax

Contact Primary Email Address

Contact Primary Job Title

Contact Preferred Comm Method Code

Advertiser Primary Agency Contact Info

Primary Contact ID

Primary Contact Master Customer Id

Primary Contact Sub Customer Id

Contact Label Name

Contact Last First Name

Contact Primary Phone

Contact Primary Fax

Contact Primary Email Address

Contact Primary Job Title

Contact Preferred Comm Method Code

Advertiser Company Subsidiaries

Subsidiary Full Name

Subsidiary Last First Name

Subsidiary Primary Phone

Subsidiary Primary Fax

Subsidiary Primary Email Address

Subsidiary Customer Class Code

Subsidiary Customer Record Type

Relationship Code

Subsidiary Customer ID

Subsidiary Master Customer ID

Subsidiary Sub Customer ID

Subsidiary Reciprocal Code

Subsidiary Begin Date

Subsidiary End Date

Advertiser Relationships

Related Customer Full Name

Related Customer Last First Name

Related Customer Home Phone

Related Customer Work Phone

Related Customer Primary Phone

Related Customer Primary Fax

Related Customer Primary Email Address

Related Customer Class Code

Related Customer Record Type

Relationship Code

Related Customer Customer ID

Related Customer Master Customer ID

Related Customer Sub Customer ID

Related Customer Reciprocal Code

Related Customer Begin Date

Related Customer End Date

Relationship Type Code

Relationship Type Description

Relationship Type Sort Order

Hierarchical Relationship Flag

Employment Relationship Flag

Primary Employer Relationship Flag

Full-Time Employment Flag

Employment Job Function Code

Employment Supervisor Name

Primary Contact Relationship Flag

Advertiser Current Membership Info

Member Type

Membership Begin Date

Membership End Date

Membership Description

Member Since Date

Chapter 1

Chapter 2

Section 1

Section 2

Ad Agency Info

Ad Agency ID

Ad Agency Master Customer ID

Ad Agency Sub Customer ID

Ad Agency Name

Agency Class Code

Agency Status Code

Ad Agency Address

Ad Agency Address Type Code

Ad Agency Address Line 1

Ad Agency Address Line 2

Ad Agency Address Line 3

Ad Agency Address Line 4

Ad Agency City

Ad Agency State

Ad Agency Zip

Ad Agency Country Code

Ad Agency Country Description

Ad Agency Full Address

Ad Agency Formatted City State Zip

Ad Agency Communication Info

Ad Agency Primary Fax

Ad Agency Primary Phone

Ad Agency Primary Email Address

Ad Agency Relationships

Related Customer Full Name

Related Customer Last First Name

Related Customer Home Phone

Related Customer Work Phone

Related Customer Primary Phone

Related Customer Primary Fax

Related Customer Primary Email Address

Related Customer Class Code

Related Customer Record Type

Relationship Code

Related Customer Customer ID

Related Customer Master Customer ID

Related Customer Sub Customer ID

Related Customer Reciprocal Code

Related Customer Begin Date

Related Customer End Date

Relationship Type Code

Relationship Type Description

Relationship Type Sort Order

Hierarchical Relationship Flag

Employment Relationship Flag

Primary Employer Relationship Flag

Full-Time Employment Flag

Employment Job Function Code

Employment Supervisor Name

Primary Contact Relationship Flag

Ad Agency Primary Contact Info

Primary Contact Name

Primary Contact Last First Name

Primary Contact Home Phone

Primary Contact Work Phone

Primary Contact Primary Phone

Primary Contact Primary Fax

Primary Contact Primary Email Address

Primary Contact Class Code

Primary Contact Record Type

Relationship Type

Relationship Type Description

Relationship Code

Reciprocal Code

Relationship Begin Date

Relationship End Date

Primary Contact Customer ID

Primary Contact Master Customer ID

Primary Contact Sub Customer ID

Supervisor Name

Primary Employer?

Employment?

Full Time?

Hierarchical?

Bill to Customer Info

Bill Customer ID

Bill Master Customer Id

Bill Sub Customer Id

Bill Customer Name

Bill Customer Billing Address

Bill Customer Address Type Code

Bill Customer Address Line 1

Bill Customer Address Line 2

Bill Customer Address Line 3

Bill Customer Address Line 4

Bill Customer City

Bill Customer State

Bill Customer Zip

Bill Customer Country Code

Bill Customer Country Description

Bill Customer Full Address

Bill Customer Formatted City State Zip

Bill Customer Communication Info

Bill Customer Primary Fax

Bill Customer Primary Phone

Bill Customer Primary Email Address

Advertising Media Info

Media Code

Media Description

Media Type Code

Media Class Code

Media Invoice Rule Code

Available to Invoice Date

Publisher Customer Id

Publisher Master Customer Id

Publisher Sub Customer Id

Media Requires Contract?

Automatically Add Media to New Contract?

Internet Media?

Active Flag

Advertising Media Contacts

Media Contact Type Code

Media Contact Type Description

Contact Name

Media Contact Title

Media Contact Company

Media Contact Phone

Media Contact Fax

Media Contact Email Address

Advertising Media Linked Products

Linked Product Subsystem

Linked Parent Product

Linked Product Code

Linked Product Short Name

Subscription Issue Advertising Info

Issue Sequence Number

Supplement Sequence Number

Volume

Issue

Issue Description

Issue Date

Fulfill Date

Mail Date

Pages

Start Page

Adv Pages

Ad Space Close Date

Digital File Due Date

Art Due Date

Copy Due Date

Camera Ready Due Date

Adv Display Ad Pages

Adv Classified Ad Pages

Advertising Media Production Info

Advertising Space Close Date

Digital File Due Date

Art Due Date

Copy Due Date

Camera Ready Due Date

Days Before The Start Of Web Ad When The Material Is Due

Page Info

Total Pages

Start Page

Display Ad Pages

Classified Ad Pages

Total Ad Pages

Insertion Order Products & Services

Product Category Code

Category Description

Product Category Subcode

Category Subcode Description

Product Brand Name

Advertising Sales Amounts & Quantities

Base Unit Price

Base Unit Taxable Amount

Base Unit Discount Amount

Base Agency Unit Discount Amount

Base Extended Amount

Base Adjustment Amount

Base Coupon Amount

Base Ship Amount

Base Cancellation Amount

Base Total Amount

Order Quantity

Discount & Coupon Info

Discount ID

Manual Discount?

Coupon Code

Invoice & Financial Info

Order Batch

Due Date

Invoice Number

Invoice Date

Invoice Print Date

Invoiced Posted?

Invoice Method Code

Purchase Order Number

Actual (Non-Base-Currency) Sales Amounts

Actual Unit Price

Actual Unit Price Taxable

Actual Unit Discount

Actual Agency Unit Discount

Actual Extended Amount

Actual Adjustment

Actual Coupon Amount

Actual Ship Amount

Actual Cancellation Amount

Actual Ship Tax Amount

Actual Sales Tax Amount

Actual Tax Amount

Actual Vat Tax Amount

Actual Space Credit Amount

Actual Trade For Service Amount

Actual Total Amount

Sales Reps and Commissions for Orders

Order Sales Rep Customer Id

Order Sales Rep Master Customer ID

Order Sales Rep Sub Customer ID

Order Sales Rep Label Name

Order Sales Rep Last First Name

Commission Type Code

Commission Pymt Status Code

Commission Pymt Status Date

Commission Pymt Amount

Commission Pymt Ck No

Agency Commission Pct

Consignment Commission Pct

Sales Rep Commission Pct

Commission Activity Code

Comments

Assigned To Ship Customer?

Assigned To Bill Customer?

Manual Override?

Insertion Order Contracts

Contract Details

Contract ID

Ad Agency Customer ID

Ad Agency Master Customer ID

Ad Agency Sub Customer ID

Contract Effective Date

Contract Expiration Date

Contract Class Code

Contract Status Code

Contract Status Date

Contract Status Reason Code

PO Number

Comments

Tear Sheet Advertiser Quantity

Tear Sheet Agency Quantity

Contract Rates

Rate Structure

Rate Code

Rate Card Year Code

Web Rate Code

Contract Bill Customer Info

Contract Bill Customer ID

Contract Bill Master Customer ID

Contract Bill Sub Customer ID

Contract Bill Customer Full Name

Contract Bill Customer Last First Name

Agency Overrides

Give Agency Discount?

Override Agency Discount Percentage

Override Agency Commission Percentage

Frequency Commitment and Fulfillment

Frequency Commitment

Advertiser Commitment Quantity

Frequency Rule Code

Frequency Status Code

Actual Frequency

Earned Pages

Contract Contacts

Contact Type Code

Contact Name

Contact Phone

Contact Fax

Contact Email Address

Contact Mailing Address

Is this a Primary Contact?

Conditions

Object Properties

Class: Insertion Order Info

Description:

No objects

Class: General Order Info

Description:

Object: Order No Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.ORDER_NO

Where equivalent:

Qualification: dimension

List of values: 04g, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Line No

Type: Number

Description:

Select equivalent: ORDER_ADV_DETAIL.ORDER_LINE_NO

Where equivalent:

Qualification: dimension

List of values: 04h, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order No Line No

Type: Character

Description: The order number and line

number in the format ord er number + '-' + order li ne number i.e. 1000002345

-1

Select equivalent: rtrim(Convert(char,ORDER_

DETAIL.ORDER_NO)) + '-' +
rtrim(Convert(char,ORDER
_DETAIL.ORDER_LINE_NO))

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Parent Product

Type: Character

Description:

Select equivalent: ORDER_DETAIL.PARENT_PRODUCT

Where equivalent:

Qualification: dimension

List of values: 17w, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Product Code

Type: Character

Description:

Select equivalent: ORDER_DETAIL.PRODUCT_CODE

Where equivalent:

Qualification: dimension

List of values: 17x, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Short Name Type: Character

Description:

Select equivalent: PRODUCT.SHORT_NAME

Where equivalent:

Qualification: dimension

List of values: 17y, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Subsystem Type: Character

Description:

Select equivalent: ORDER_DETAIL.SUBSYSTEM

Where equivalent:

Qualification: dimension

List of values: 1qm, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Long Name Type: Character

Description:

Select equivalent: PRODUCT.LONG_NAME

Where equivalent:

Qualification: dimension

List of values: 180, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Product Class Code

Type: Character

Description:

Select equivalent: PRODUCT_PRODUCT_CLASS_CODE

Where equivalent:

Qualification: dimension

List of values: 182, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Product Type Code

Type: Character

Description: This is the product type c

ode of the advertising pro duct. E.g. Benefit, Classi fied, Insert,Print_Display

, Web_Display etc..

Select equivalent: ORDER_DETAIL.PRODUCT_TYPE_CODE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Product Type Description

Type: Character

Description: This is the product type description.

Select equivalent: APP_CODE_PRODUCT_TYPE.DESCR

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Product Type Sort Order

Type: Number

Description: This is the product type sort order.

Select equivalent: APP_CODE_PRODUCT_TYPE.DISPLAY_ORDER

Where equivalent:

Qualification: dimension

List of values: Onj, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Product Class

Type: Character

Description: This is the product class

of the advertising product . E.g. Directory, Journal, Magazine, Publ etc..

Select equivalent: PRODUCT_PRODUCT_CLASS_CODE

Where equivalent:

Qualification: dimension

List of values: Onk, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Product Class Description

Type: Character

Description: This is the description of the product class of the product.

Select equivalent: APP_CODE_PRODUCT_CLASS.DESCR

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Product Status Code

Type: Character

Description: This is the product status code of the product. Select equivalent: PRODUCT_PRODUCT_STATUS_CODE

Where equivalent:

Qualification: dimension

List of values: Onw, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Product Status Date

Type: Date

Description: This is the date the product status was last changed.

Select equivalent: PRODUCT_PRODUCT_STATUS_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Product Available Date

Type: Date

Description: This is the date when the product will be available for sale.

Select equivalent: PRODUCT.AVAILABLE_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Product Expiration Date

Type: Date

Description: This is the product expira

tion date. After this date the product cannot be sol

d.

Select equivalent: PRODUCT.EXPIRATION_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Type Code

Type: Character

Description: This code represents the t

ype of ad. E.g. BANNER, I NSERT, DISPLAY, CLASSIFIE

D etc.. These values are t

o be defined by the user i

n the system.

Select equivalent:

ORDER_ADV_DETAIL.AD_TYPE_CODE

Where equivalent:

Qualification: dimension

List of values: 0o2, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Type Description

Type: Character

Description: This is the description of the ad type.

Select equivalent: ADV_AD_TYPE.DESCR

Where equivalent:

Qualification: dimension

List of values: 006, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Size Code

Type: Character

Description: This code represents the s

ize of the advertisement.
E.g. FULLPAGE, HALFPAGE,
QUATERPAGE etc.. These va

lues are to be defined by the user in the system.

Select equivalent: ORDER_ADV_DETAIL.AD_SIZE_CODE

Where equivalent:

Qualification: dimension

List of values: 0o3, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Size Description

Type: Character

Description: This is the description of the ad size.

Select equivalent: ADV_AD_SIZE.DESCR

Where equivalent:

Qualification: dimension

List of values: 0o7, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Color Webmedia Code

Type: Character

Description: This code represents the a

dvertisement color/webmed ia. e.g. 2COLOR, 4COLOR, FLASH, RICH etc.. These v alues are to be defined by the user in the system.

Select equivalent: ORDER_ADV_DETAIL.AD_COLOR_WEBMEDIA_CODE

Where equivalent:

Qualification: dimension

List of values: 004, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Color and Webmedia Description

Type: Character

Description: This is the description of the ad color and webmedia.

Select equivalent: ADV_AD_COLOR_WEBMEDIA.DESCR

Where equivalent:

Qualification: dimension

List of values: 008, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Premium Position Code

Type: Character

Description: This code represents the a

dvertisement position. Eg.

FRONTPAGE, HOMEPAGE, CH

ECKOUT, FRONTCOVER etc..

These values are to be de fined by the user in the s

ystem.

Select equivalent:

ORDER_ADV_DETAIL.AD_PREMIUM_POSITION_CODE

Where equivalent:

Qualification: dimension

List of values: 0o5, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Premium Position Description

Type: Character

Description: This is the description of the ad premium position.

Select equivalent: ADV_PREMIUM_POSITION.DESCR

Where equivalent:

Qualification: dimension

List of values: 0q5, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Rate Code Type: Character

Description:

Select equivalent: ORDER_DETAIL.RATE_CODE

Where equivalent:

Qualification: dimension

List of values: 1q5, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Rate Structure

Type: Character

Description:

Select equivalent: ORDER_DETAIL.RATE_STRUCTURE

Where equivalent:

Qualification: dimension

List of values: 1q6, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Base Total Amount

Type: Number

Description:

Select equivalent: ORDER_DETAIL.BASE_TOTAL_AMOUNT

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 1q7, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Quantity

Type: Number

Description:

Select equivalent: ORDER_DETAIL.ORDER_QTY

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 1q8, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Invoice Date

Type: Date

Description:

Select equivalent: ORDER_DETAIL.INVOICE_DATE

Where equivalent:

Qualification: dimension

List of values: 1q9, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Invoiced Month

Type: Character

Description:

Select equivalent: case month(ORDER_DETAIL

.INVOICE_DATE) when 1 th en 'Jan' when 2 then 'Feb' when 3 then 'Mar' when 4 then 'Apr' when 5 then 'M ay' when 6 then 'Jun' whe n 7 then 'Jul' when 8 the n 'Aug' when 9 then 'Sep' when 10 then 'Oct' when 1 1 then 'Nov' when 12 then

'Dec' end

Where equivalent:

Qualification: dimension

List of values: 1qe, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Date

Type: Date

Description:

Select equivalent: ORDER_DETAIL.ORDER_DATE

Where equivalent:

Qualification: dimension

List of values: 1qa, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fiscal Year Begin

Type: Date

Description:

Select equivalent: FISCAL_YEAR_ORGANIZATION.FISCAL_YEAR_BEGIN

Where equivalent:

Qualification: dimension

List of values: 1qf, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fiscal Year End

Type: Date

Description:

Select equivalent: FISCAL_YEAR_ORGANIZATION.FISCAL_YEAR_END

Where equivalent:

Qualification: dimension

List of values: 1qh, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Cycle Begin Date

Type: Date

Description:

Select equivalent: ORDER_DETAIL.CYCLE_BEGIN_DATE

Where equivalent:

Qualification: dimension

List of values: 1qo, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Cycle End Date

Type: Date

Description:

Select equivalent: ORDER_DETAIL.CYCLE_END_DATE

Where equivalent:

Qualification: dimension

List of values: 1qp, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Order Line Status Info

Description: This class contains information about the order line status.

Object: Order Line Status Code

Type: Character

Description: This is the order line status code of the order line item.

Select equivalent: ORDER_DETAIL.LINE_STATUS_CODE

Where equivalent:

Qualification: dimension

List of values: 0il, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Line Status Date

Type: Date

Description: This is the date when the order line status was last changed.

Select equivalent: ORDER_DETAIL.LINE_STATUS_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Line Status Reason Code

Type: Character

Description: This is the reason why the order status was changed. Select equivalent: ORDER_DETAIL.LINE_STATUS_REASON_CODE

Where equivalent:

Qualification: dimension

List of values: 0in, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Line Fulfill Status Code

Type: Character

Description: This is the fulfill status code of the order line item.

Select equivalent: ORDER_DETAIL.FULFILL_STATUS_CODE

Where equivalent:

Qualification: dimension

List of values: 0io, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Line Fulfill Status Date

Type: Date

Description: This is the date when the order line fulfill status was last changed.

Select equivalent: ORDER_DETAIL.FULFILL_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Misc Order Line Info

Description: This class contains information about the order line status.

Object: Order Line Description

Type: Character

Description: This is the order line description.

Select equivalent: ORDER_DETAIL.DESCRIPTION

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Line Comments

Type: Character

Description: These are the order line comments.

Select equivalent: ORDER_DETAIL.COMMENTS

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Original Order Number

Type: Character

Description: This is the original order number of the order line item.

Select equivalent: ORDER_DETAIL.ORIGINAL_ORDER_NO

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Original Order Line Number

Type: Number

Description: This is the original order line number of the order line item.

Select equivalent: ORDER_DETAIL.ORIGINAL_ORDER_LINE_NO

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Transfer From Order Number

Type: Character

Description: This is the order number o

f the order from which the order line was transferre

d.

Select equivalent: ORDER_DETAIL.TRANSFER_FROM_ORDER_NO

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Transfer From Order Line Number

Type: Number

Description: This is the order line num

ber of the order from which the order line was trans

ferred.

Select equivalent: ORDER_DETAIL.TRANSFER_FROM_ORDER_LINE_NO

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Transfer To Order Number

Type: Character

Description: This is the order number o

f the order to which the o rder line was transferred.

Select equivalent: ORDER_DETAIL.TRANSFER_TO_ORDER_NO

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Transfer To Order Line Number

Type: Number

Description: This is the order line num

ber of the order to which the order line was transfe

rred.

Select equivalent: ORDER_DETAIL.TRANSFER_TO_ORDER_LINE_NO

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Line Type Code

Type: Character

Description: This is the order line type code.

Select equivalent: ORDER_DETAIL.LINE_TYPE_CODE

Where equivalent:

Qualification: dimension

List of values: 0iy, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Line Level

Type: Number

Description: This is the line level of the order line item.

Select equivalent: ORDER_DETAIL.LINE_LEVEL

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Order Line Number

Type: Number

Description: This is the related order line number.

Select equivalent: ORDER_DETAIL.RELATED_LINE_NO

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Line Complete?

Type: Character

Description: This indicates if the order line is complete.

Select equivalent: ORDER_DETAIL.LINE_COMPLETE_FLAG

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: GL Account Info

Description: This class contains information about the GL Accounts.

Object: AR GL Account Number

Type: Character

Description: This is the AR GL account number.

Select equivalent: ORDER_DETAIL.AR_ACCOUNT

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: PPL GL Account Number

Type: Character

Description: This is the PPL GL account number.

Select equivalent: ORDER_DETAIL.PPL_ACCOUNT

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Revenue Distribution Begin Date

Type: Date

Description: This is the revenue distribution begin date.

Select equivalent: ORDER_DETAIL.REVENUE_DIST_BEGIN_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Advertising Order Creation & Modification Info

Description: This class contains informa

tion about the creation/mod ification of the membership

order.

Object: Order Creation Date

Type: Date

Description: This is the date when the membership order record was created.

Select equivalent:

ORDER_DETAIL.ADDDATE

Where equivalent:

Qualification: dimension

List of values: 17m, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Creation User

Type: Character

Description: This is the user who created the membership order record.

Select equivalent: ORDER_DETAIL.ADDOPER

Where equivalent:

Qualification: dimension

List of values: 17n, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Modification Date

Type: Date

Description: This is the date when the

membership order record w

as last modified.

Select equivalent: ORDER_DETAIL.MODDATE

Where equivalent:

Qualification: dimension

List of values: 170, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Modification User

Type: Character

Description: This is the user who last modified the membership order record.

Select equivalent: ORDER_DETAIL.MODOPER

Where equivalent:

Qualification: dimension

List of values: 17p, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Logged User ID

Type: Character

Description: Logged in Users ID

Select equivalent: dbo.PSM_USER.USER_ID
Where equivalent: dbo.PSM_USER.USER_ID=Rig

ht(@Variable('BOUSER'), C ase When CHARINDEX('_rt_' , reverse(@Variable('BOUS ER'))) =0 Then 0 Else CH ARINDEX('_rt_', reverse(@ Variable('BOUSER')))-1 En

d)

Qualification: dimension

List of values: 1qt, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Logged User Name

Type: Character

Description: Logged in Users Name

Select equivalent: dbo.PSM_USER.USER_NAME

Where equivalent: dbo.PSM_USER.USER_ID=Rig

ht(@Variable('BOUSER'), C ase When CHARINDEX('_rt_' , reverse(@Variable('BOUS ER'))) =0 Then 0 Else CH ARINDEX('_rt_', reverse(@ Variable('BOUSER')))-1 En

d)

Qualification: dimension

List of values: 1qs, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Insertion Details

Description:

Object: Insertion Order No

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.INSERTION_ORDER_NO

Where equivalent:

Qualification: dimension

List of values: 064, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Type Code

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.AD_TYPE_CODE

Where equivalent:

Qualification: dimension

List of values: 04k, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Type Description

Type: Character

Description: This is the description of the ad type.

Select equivalent: ADV_AD_TYPE.DESCR

Where equivalent:

Qualification: dimension

List of values: 1n3, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Size Code

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.AD_SIZE_CODE

Where equivalent:

Qualification: dimension

List of values: 04l, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Size Description

Type: Character

Description: This is the description of the ad size.

Select equivalent: ADV_AD_SIZE.DESCR

Where equivalent:

Qualification: dimension

List of values: 1n4, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Color Webmedia Code

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.AD_COLOR_WEBMEDIA_CODE

Where equivalent:

Qualification: dimension

List of values: 04m, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Color and Webmedia Description

Type: Character

Description: This is the description of the ad color and webmedia.

Select equivalent: ADV_AD_COLOR_WEBMEDIA.DESCR

Where equivalent:

Qualification: dimension

List of values: 1n5, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Premium Position Code

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.AD_PREMIUM_POSITION_CODE

Where equivalent:

Qualification: dimension

List of values: 04n, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Premium Position Description

Type: Character

Description: This is the description of the ad premium position.

Select equivalent: ADV_PREMIUM_POSITION.DESCR

Where equivalent:

Qualification: dimension

List of values: 1n6, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: New Reuse Code

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.NEW_REUSE_CODE

Where equivalent:

Qualification: dimension

List of values: 05c, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Invoice Rule Code

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.INVOICE_RULE_CODE

Where equivalent:

Qualification: dimension

List of values: 05p, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertisement Text

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.ADVERTISEMENT_TEXT

Where equivalent:

Qualification: dimension

List of values: 05a, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertisement Type Code

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.ADVERTISEMENT_TYPE_CODE

Where equivalent:

Qualification: dimension

List of values: 05w, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertisement Status Code

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.ADVERTISEMENT_STATUS_CODE

Where equivalent:

Qualification: dimension

List of values: 05b, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Adv Rate Card Year Code

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.ADV_RATE_CARD_YEAR_CODE

Where equivalent:

Qualification: dimension

List of values: 05y, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Linked Subproduct Id

Type: Number

Description:

Select equivalent: ORDER_ADV_DETAIL.LINKED_SUBPRODUCT_ID

Where equivalent:

Qualification: dimension

List of values: 06j, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Available To Invoice Date

Type: Date

Description:

Select equivalent: ORDER_ADV_DETAIL.AVAILABLE_TO_INVOICE_DATE

Where equivalent:

Qualification: dimension

List of values: 05q, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Earned Page Pct

Type: Number

Description:

Select equivalent: ORDER_ADV_DETAIL.EARNED_PAGE_PCT

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 055, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Size Pct Type: Number

Description:

Select equivalent: ORDER_ADV_DETAIL.AD_SIZE_PCT

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 06e, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Comments
Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.COMMENTS

Where equivalent:

Qualification: dimension

List of values: 05k, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Frequency Credit Qty

Type: Number

Description:

Select equivalent: ORDER_ADV_DETAIL.FREQUENCY_CREDIT_QTY

Where equivalent:

Qualification: dimension

List of values: 063, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Credits Fulfill Frequency?

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.CREDITS_FULFILL_FREQ_FLAG

Where equivalent:

Qualification: dimension

List of values: 05x, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Ad Details

Description:

Object: Ad Date Type: Date

Description:

Select equivalent: ORDER_ADV_DETAIL.AD_DATE

Where equivalent:

Qualification: dimension

List of values: 069, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Issue Sequence

Type: Number

Description:

Select equivalent: ORDER_ADV_DETAIL.ISSUE_SEQ

Where equivalent:

Qualification: dimension

List of values: 04q, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Supplement Sequence

Type: Number

Description:

Select equivalent: ORDER_ADV_DETAIL.SUPPLEMENT_SEQ

Where equivalent:

Qualification: dimension

List of values: 04r, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Issue Description

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.ISSUE_DESCR

Where equivalent:

Qualification: dimension

List of values: 04s, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Issue Date

Type: Date

Description:

Select equivalent: ORDER_ADV_DETAIL.ISSUE_DATE

Where equivalent:

Qualification: dimension

List of values: 04t, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Position Request

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.POSITION_REQUEST

Where equivalent:

Qualification: dimension

List of values: 050, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Special Instructions

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.SPECIAL_INSTRUCTIONS

Where equivalent:

Qualification: dimension

List of values: 051, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Section Code

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.SECTION_CODE

Where equivalent:

Qualification: dimension

List of values: 052, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Reader Service Card No.

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.READER_SERVICE_CARD_NO

Where equivalent:

Qualification: dimension

List of values: 053, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Booth No Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.BOOTH_NO

Where equivalent:

Qualification: dimension

List of values: 054, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Bleed Instructions

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.BLEED_INSTRUCTIONS

Where equivalent:

Qualification: dimension

List of values: 056, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertisement Id

Type: Number

Description:

Select equivalent: ORDER_ADV_DETAIL.ADVERTISEMENT_ID

Where equivalent:

Qualification: dimension

List of values: 057, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertisement Description

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.ADVERTISEMENT_DESCR

Where equivalent:

Qualification: dimension

List of values: 06i, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object:

Object status: show Object: **Exhibition Code** Type: Character Description: Select equivalent: ORDER_ADV_DETAIL.EXHIBITION_CODE Where equivalent: Qualification: dimension List of values: 062, editable, manual refresh, not exportable Security access level: Can be used: in result, in condition, in sort Object status: show Object: **Directory Description** Type: Character Description: Select equivalent: ORDER_ADV_DETAIL.DIRECTORY_DESCR Where equivalent: Qualification: dimension List of values: 06f, editable, manual refresh, not exportable Security access level: Can be used: in result, in condition, in sort Object status: show Object: House Ad? Type: Character Description: Select equivalent: ORDER_ADV_DETAIL.HOUSE_AD_FLAG Where equivalent: Qualification: dimension List of values: 04o, editable, manual refresh, not exportable Security access level: Can be used: in result, in condition, in sort Object status: show

Psa Ad?

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.PSA_AD_FLAG

Where equivalent:

Qualification: dimension

List of values: 04p, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Class: Ad Creative Info

Description:

Object: Advertisement Id

Type: Number

Description:

Select equivalent: ORDER_ADV_DETAIL.ADVERTISEMENT_ID

Where equivalent:

Qualification: dimension

List of values: 17u, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertisement Description

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.ADVERTISEMENT_DESCR

Where equivalent:

Qualification: dimension

List of values: 17v, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Ad Text Info

Description:

Object: Directory Name

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.DIRECTORY_NAME

Where equivalent:

Qualification: dimension

List of values: 06c, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Word Count

Type: Number

Description:

Select equivalent: ORDER_ADV_DETAIL.WORD_COUNT

Where equivalent:

Qualification: dimension

List of values: 06d, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Web Ad Info

Description:

Object: Web Delivery Method Code

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.WEB_DELIVERY_METHOD_CODE

Where equivalent:

Qualification: dimension

List of values: 058, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Redirect Url
Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.REDIRECT_URL

Where equivalent:

Qualification: dimension

List of values: 059, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Class: Ad Material

Description:

Object: Art Due Date

Type: Date

Description:

Select equivalent: ORDER_ADV_DETAIL.ART_DUE_DATE

Where equivalent:

Qualification: dimension

List of values: 05e, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Art Received Date

Type: Date

Description:

Select equivalent: ORDER_ADV_DETAIL.ART_RECEIVED_DATE

Where equivalent:

Qualification: dimension

List of values: 05f, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Copy Due Date

Type: Date

Description:

Select equivalent: ORDER_ADV_DETAIL.COPY_DUE_DATE

Where equivalent:

Qualification: dimension

List of values: 05g, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Copy Received Date

Type: Date

Description:

Select equivalent: ORDER_ADV_DETAIL.COPY_RECEIVED_DATE

Where equivalent:

Qualification: dimension

List of values: 05h, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Camera Ready Due Date

Type: Date

Description:

Select equivalent: ORDER_ADV_DETAIL.CAMERA_READY_DUE_DATE

Where equivalent:

Qualification: dimension

List of values: 05i, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Camera Ready Received Date

Type: Date

Description:

Select equivalent: ORDER_ADV_DETAIL.CAMERA_READY_RECEIVED_DATE

Where equivalent:

Qualification: dimension

List of values: 05j, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Digital File Due Date

Type: Date

Description:

Select equivalent: ORDER_ADV_DETAIL.DIGITAL_FILE_DUE_DATE

Where equivalent:

Qualification: dimension

List of values: 06a, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Digital File Received Date

Type: Date

Description:

Select equivalent: ORDER_ADV_DETAIL.DIGITAL_FILE_RECEIVED_DATE

Where equivalent:

Qualification: dimension

List of values: 06b, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Proofs and Tear Sheets

Description:

Object: Signature Date

Type: Date

Description:

Select equivalent: ORDER_ADV_DETAIL.SIGNATURE_DATE

Where equivalent:

Qualification: dimension

List of values: 05d, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Proof Sheet Sent Date

Type: Date

Description:

Select equivalent: ORDER_ADV_DETAIL.PROOF_SHEET_SENT_DATE

Where equivalent:

Qualification: dimension

List of values: 05l, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Tear Sheet Sent Date

Type: Date

Description:

Select equivalent: ORDER_ADV_DETAIL.TEAR_SHEET_SENT_DATE

Where equivalent:

Qualification: dimension

List of values: 05m, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Tear Sheet Qty

Type: Number

Description:

Select equivalent: ORDER_ADV_DETAIL.ADVERTISER_TEAR_SHEET_QTY

Where equivalent:

Qualification: dimension

List of values: 05n, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Agency Tear Sheet Qty

Type: Number

Description:

Select equivalent: ORDER_ADV_DETAIL.AGENCY_TEAR_SHEET_QTY

Where equivalent:

Qualification: dimension

List of values: 050, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Linked Product Info

Description:

Object: Linked Product Id

Type: Number

Description:

Select equivalent: ORDER_ADV_DETAIL.LINKED_PRODUCT_ID

Where equivalent:

Qualification: dimension

List of values: 04u, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Linked Product Subsystem

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.LINKED_PRODUCT_SUBSYSTEM

Where equivalent:

Qualification: dimension

List of values: 04v, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Linked Parent Product

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.LINKED_PARENT_PRODUCT

Where equivalent:

Qualification: dimension

List of values: 04w, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Linked Product Code

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.LINKED_PRODUCT_CODE

Where equivalent:

Qualification: dimension

List of values: 04x, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Linked Product Type Code

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.LINKED_PRODUCT_TYPE_CODE

Where equivalent:

Qualification: dimension

List of values: 04y, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Page information

Description:

Page 53/346

Object: Page Orientation Code

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.PAGE_ORIENTATION_CODE

Where equivalent:

Qualification: dimension

List of values: 065, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Page Position Code

Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.PAGE_POSITION_CODE

Where equivalent:

Qualification: dimension

List of values: 066, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Start Page Type: Character

Description:

Select equivalent: ORDER_ADV_DETAIL.START_PAGE

Where equivalent:

Qualification: dimension

List of values: 067, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: End Page Type: Character

Description:

Select equivalent:

ORDER_ADV_DETAIL.END_PAGE

Where equivalent:

Qualification: dimension

List of values: 068, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Advertiser Info

Description:

Object: Advertiser ID

Type: Character

Description: This is the concatenation

of the master customer id and the sub customer id of the Advertiser if the sub customer id is not 0, els e it is the master custome

r id.

Select equivalent: CASE WHEN ORDER_DETAIL.S

HIP_SUB_CUSTOMER_ID = 0
THEN ORDER_DETAIL.SHIP_M
ASTER_CUSTOMER_ID ELSE
ORDER_DETAIL.SHIP_MASTE
R_CUSTOMER_ID + '- ' + Co
nvert(char, ORDER_DETAIL.
SHIP_SUB_CUSTOMER_ID) EN

D

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Customer Id

Type: Character

Description:

Select equivalent: ORDER_DETAIL.SHIP_MASTER_CUSTOMER_ID

Where equivalent:

Qualification: dimension

List of values: 183, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Sub Customer Id

Type: Number

Description:

Select equivalent: ORDER_DETAIL.SHIP_SUB_CUSTOMER_ID

Where equivalent:

Qualification: dimension

List of values: 184, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Class Code

Type: Character

Description: This is the customer class code of the Advertiser.

Select equivalent: CUSTOMER_ADVERTISER.CUSTOMER_CLASS_CODE

Where equivalent:

Qualification: dimension

List of values: 0k2, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Class Description

Type: Character

Description: This is the customer class code description of the Advertiser.

Select equivalent: APP_CODE_ADVERTISER_CLASS.DESCR

Where equivalent:

Qualification: dimension

List of values: 1qc, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Status Code

Type: Character

Description: This is the customer status code of the Advertiser.

Select equivalent: CUSTOMER_ADVERTISER.CUSTOMER_STATUS_CODE

Where equivalent:

Qualification: dimension

List of values: 0k3, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Status Description

Type: Character

Description: This is the customer status description of the Advertiser.

Select equivalent: APP_CODE_ADVERTISER_STATUS.DESCR

Where equivalent:

Qualification: dimension

List of values: 1qd, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Status Date

Type: Date

Description: This is the date when the

customer status of the Adv

ertiser last changed.

Select equivalent: ADV_CUSTOMER.ADVERTISER_STATUS_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Directory Name

Type: Character

Description: This is the directory name

of the Advertiser. This n ame will be used in the Di rectory and can be differe nt from Advertiser's label

name.

Select equivalent: ADV_CUSTOMER.DIRECTORY_NAME

Where equivalent:

Qualification: dimension

List of values: 185, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Directory Description

Type: Character

Description: This is the Advertiser's directory description .

Select equivalent: ADV_CUSTOMER.DIRECTORY_DESCRIPTION

Where equivalent:

Qualification: dimension

List of values: 186, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Agency Customer ID

Type: Character

Description: This is the concatenation

of the master customer id and the sub customer id of the primary ad agency as sociated with the Advertis er if the sub customer id is not 0, else it is the ma

ster customer id.

Select equivalent: CASE WHEN ADV_CUSTOMER.

PRIMARY_AGENCY_SUB_CUST _ID = 0 THEN ADV_CUSTOME R.PRIMARY_AGENCY_MAST_C UST_ID ELSE ADV_CUSTOME R.PRIMARY AGENCY MAST C UST_ID + '- ' + Convert(c

har, ADV_CUSTOMER.PRIMAR Y_AGENCY_SUB_CUST_ID) EN

D

Where equivalent:

Qualification: dimension

List of values: 187, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Agency Master Customer ID

Type: Character

Description: This is the master custom

er id of the Primary Ad Ag ency of the Advertiser.

Select equivalent: ADV_CUSTOMER.PRIMARY_AGENCY_MAST_CUST_ID

Where equivalent:

Qualification: dimension

List of values: 189, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Agency Sub Customer ID

Type: Number

Description: This is the sub customer i

d of the Primary Ad Agenc

y of the Advertiser.

Select equivalent: ADV_CUSTOMER.PRIMARY_AGENCY_SUB_CUST_ID

Where equivalent:

Qualification: dimension

List of values: 188, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Ad Agency Full Name

Type: Character

Description: This is the label name of the Primary Ad Agency of the Advertiser.

Select equivalent: CUSTOMER_ADVERTISER_PRIMARY_AGENCY.LABEL_NAME

Where equivalent:

Qualification: dimension

List of values: 18a, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Ad Agency Last First Name

Type: Character

Description: This is the concatenation

of the last name and first name of the Primary Ad A gency of the Advertiser.

Select equivalent:

CUSTOMER_ADVERTISER_PRIMARY_AGENCY.LAST_FIRST_NAME

Where equivalent:

Qualification: dimension

List of values: 18b, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Advertiser Name Components

Description: This class contains informa

tion about name components

of the Advertiser.

Object: Advertiser Label Name

Type: Character

Description: This is the label name of the Advertiser.

Select equivalent: CUSTOMER_ADVERTISER.LABEL_NAME

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Last First Name

Type: Character

Description: This is the concatenation

of the last name and first name of the Advertiser.

Select equivalent:

CUSTOMER_ADVERTISER.LAST_FIRST_NAME

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Search Name

Type: Character

Description: This is the search name of the Advertiser.

Select equivalent: CUSTOMER_ADVERTISER.SEARCH_NAME

Where equivalent:

Qualification: dimension

List of values: 18i, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Last Name

Type: Character

Description: This is the last name of the Advertiser.

Select equivalent: CUSTOMER_ADVERTISER.LAST_NAME

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser First Name

Type: Character

Description: This is the first name of the Advertiser.

Select equivalent: CUSTOMER_ADVERTISER.FIRST_NAME

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Record Type

Type: Character

Description: This is the record type of the Advertiser.

Select equivalent: CUSTOMER_ADVERTISER.RECORD_TYPE

Where equivalent:

Qualification: dimension

List of values: 18h, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Advertiser Primary Address

Description: This class contains information about Advertiser Address.

Object: Advertiser Address Type Code

Type: Character

Description: This is the address type of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_DETAIL_ADVERTISER.ADDRESS_TYPE_CODE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Address Line 1

Type: Character

Description: This is the address line 1 of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_ADVERTISER.ADDRESS_1

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Address Line 2

Type: Character

Description: This is the address line 2 of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_ADVERTISER.ADDRESS_2

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Address Line 3

Type: Character

Description: This is the address line 3 of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_ADVERTISER.ADDRESS_3

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Address Line 4

Type: Character

Description: This is the address line 4 of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_ADVERTISER.ADDRESS_4

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser City

Type: Character

Description: This is the city of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_ADVERTISER.CITY

Where equivalent:

Qualification: dimension

List of values: Oks, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser State

Type: Character

Description: This is the state of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_ADVERTISER.STATE

Where equivalent:

Qualification: dimension

List of values: Okt, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Zip

Type: Character

Description: This is the zip of the Advertiser's mailing address. Select equivalent: CUS_ADDRESS_ADVERTISER.POSTAL_CODE

Where equivalent:

Qualification: dimension

List of values: Oku, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Country Code

Type: Character

Description: This is the country code of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_ADVERTISER.COUNTRY_CODE

Where equivalent:

Qualification: dimension

List of values: Okv, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Country Description

Type: Character

Description: This is the description of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_ADVERTISER.COUNTRY_DESCR

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Full Address

Type: Character

Description: This is the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_DETAIL_ADVE

RTISER.FORMATTED_DETAIL + CUS_ADDRESS_ADVERTISER

.FORMATTED ADDRESS

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Formatted City State Zip

Type: Character

Description: This is the Advertiser's Formatted City State Zip.

Select equivalent: CUS_ADDRESS_ADVERTISER.FORMATTED_CITY_STATE_POSTAL

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Advertiser Advertising Order Address

Description: This class contains information about Advertiser Address.

Object: Advertiser Address Type Code

Type: Character

Description: This is the address type of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_DETAIL_ADVE

RTISER_ORDER_ADDRESS.AD

DRESS_TYPE_CODE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Address Line 1

Type: Character

Description: This is the address line 1 of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_ADVERTISER_ORDER_ADDRESS_1

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Address Line 2

Type: Character

Description: This is the address line 2 of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_ADVERTISER_ORDER_ADDRESS.ADDRESS_2

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Address Line 3

Type: Character

Description: This is the address line 3 of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_ADVERTISER_ORDER_ADDRESS.ADDRESS_3

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Address Line 4

Type: Character

Description: This is the address line 4 of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_ADVERTISER_ORDER_ADDRESS_4

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser City

Type: Character

Description: This is the city of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_ADVERTISER_ORDER_ADDRESS.CITY

Where equivalent:

Qualification: dimension

List of values: 1lc, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser State

Type: Character

Description: This is the state of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_ADVERTISER_ORDER_ADDRESS.STATE

Where equivalent:

Qualification: dimension

List of values: 1ld, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Zip

Type: Character

Description: This is the zip of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_ADVERTISER_ORDER_ADDRESS.POSTAL_CODE

Where equivalent:

Qualification: dimension

List of values: Oku, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Country Code

Type: Character

Description: This is the country code of the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_ADVERTISER_ORDER_ADDRESS.COUNTRY_CODE

Where equivalent:

Qualification: dimension

List of values: 1lf, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Country Description

Type: Character

Description: This is the description of the Advertiser's mailing address.

Select equivalent: CUS ADDRESS ADVERTISER ORDER ADDRESS.COUNTRY DESCR

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Full Address

Type: Character

Description: This is the Advertiser's mailing address.

Select equivalent: CUS_ADDRESS_DETAIL_ADVE

RTISER_ORDER_ADDRESS.FO
RMATTED_DETAIL + CUS_ADD
RESS_ADVERTISER_ORDER_A
DDRESS.FORMATTED_ADDRES

S

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Formatted City State Zip

Type: Character

Description: This is the Advertiser's Formatted City State Zip.

Select equivalent: CUS_ADDRESS_ADVERTISER_

ORDER_ADDRESS.FORMATTED

_CITY_STATE_POSTAL

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Advertiser Communication Info

Description: This class contains primary

communication information such as primary phone, fax

and email.

Object: Advertiser Primary Fax

Type: Character

Description: This is the primary fax of the Advertiser.

Select equivalent: CUSTOMER_ADVERTISER.PRIMARY_FAX

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Primary Phone

Type: Character

Description: This is the primary phone of the Advertiser.

Select equivalent: CUSTOMER_ADVERTISER.PRIMARY_PHONE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Primary Email Address

Type: Character

Description: This is the primary email address of the Advertiser.

Select equivalent: CUSTOMER_ADVERTISER.PRIMARY_EMAIL_ADDRESS

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Advertiser Primary Contact Info

Description: This class contains information about Advertiser's primary contact.

Object: Primary Contact ID

Type: Character

Description: This is the concatenation

of the master customer id and the sub customer id of the Advertiser if the sub customer id is not 0, els e it is the master custome

r id.

Select equivalent: CASE WHEN ADV CUSTOMER.

PRIMARY_ADV_CONTACT_SUB
_CUST_ID = 0 THEN ADV_CU
STOMER.PRIMARY_ADV_CONT
ACT_MAST_CUST_ID ELSE A
DV_CUSTOMER.PRIMARY_ADV
_CONTACT_MAST_CUST_ID +

'- ' + Convert(char, ADV_C

USTOMER.PRIMARY_ADV_CON TACT_SUB_CUST_ID) END

Where equivalent:

Qualification: dimension

List of values: 1lr, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Master Customer Id

Type: Character

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRI

MARY_CONTACT.MASTER_CUS

TOMER_ID

Where equivalent:

Qualification: dimension

List of values: 1ll, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Sub Customer Id

Type: Number

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRIMARY_CONTACT.SUB_CUSTOMER_ID

Where equivalent:

Qualification: dimension

List of values: 1lm, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Label Name

Type: Character

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRIMARY_CONTACT.LABEL_NAME

Where equivalent:

Qualification: dimension

List of values: 1li, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Last First Name

Type: Character

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRIMARY_CONTACT.LAST_FIRST_NAME

Where equivalent:

Qualification: dimension

List of values: 1lq, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Primary Phone

Type: Character

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRIMARY_CONTACT.PRIMARY_PHONE

Where equivalent:

Qualification: dimension

List of values: 1lj, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Primary Fax

Type: Character

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRIMARY_CONTACT.PRIMARY_FAX

Where equivalent:

Qualification: dimension

List of values: 1lk, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Primary Email Address

Type: Character

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRI

MARY_CONTACT.PRIMARY_EM

AIL ADDRESS

Where equivalent:

Qualification: dimension

List of values: 1ln, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Primary Job Title

Type: Character

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRI

MARY_CONTACT.PRIMARY_JO

B_TITLE

Where equivalent:

Qualification: dimension

List of values: 1lo, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Preferred Comm Method Code

Type: Character

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRI

MARY_CONTACT.PREFERRED_

COMM_METHOD_CODE

Where equivalent:

Qualification: dimension

List of values: 1lp, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Class: Advertiser Primary Agency Contact Info

Description: This class contains informa

tion about Advertiser's pri mary agency contact.

Object: Primary Contact ID

Type: Character

Description: This is the concatenation

of the master customer id and the sub customer id of the Advertiser if the sub customer id is not 0, els e it is the master custome

r id.

Select equivalent: CASE WHEN ADV_CUSTOMER.

PRIMARY_AGENCY_CONTACT_
SUB_CUST_ID = 0 THEN ADV
_CUSTOMER.PRIMARY_AGENC
Y_CONTACT_MAST_CUST_ID E
LSE ADV_CUSTOMER.PRIMAR
Y_AGENCY_CONTACT_MAST_C

UST_ID + '- ' + Convert(c

har, ADV_CUSTOMER.PRIMAR Y_AGENCY_CONTACT_SUB_CU

ST_ID) END

Where equivalent:

Qualification: dimension

List of values: 1lr, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Master Customer Id

Type: Character

Description:

Select equivalent: CUSTOMER ADVERTISER PRI

MARY_AGENCY_CONTACT.MAS

TER_CUSTOMER_ID

Where equivalent:

Qualification: dimension

List of values: 1ll, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Sub Customer Id

Type: Number

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRI

MARY_AGENCY_CONTACT.SUB

_CUSTOMER_ID

Where equivalent:

Qualification: dimension

List of values: 1lm, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Label Name

Type: Character

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRIMARY_CONTACT.LABEL_NAME

Where equivalent:

Qualification: dimension

List of values: 1li, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Last First Name

Type: Character

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRIMARY_CONTACT.LAST_FIRST_NAME

Where equivalent:

Qualification: dimension

List of values: 1lq, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Primary Phone

Type: Character

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRIMARY_CONTACT.PRIMARY_PHONE

Where equivalent:

Qualification: dimension

List of values: 1lj, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Primary Fax

Type: Character

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRIMARY_CONTACT.PRIMARY_FAX

Where equivalent:

Qualification: dimension

List of values: 1lk, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Primary Email Address

Type: Character

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRI

MARY_CONTACT.PRIMARY_EM

AIL_ADDRESS

Where equivalent:

Qualification: dimension

List of values: 1ln, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object: Contact Primary Job Title

Type: Character

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRI

MARY_CONTACT.PRIMARY_JO

B_TITLE

Where equivalent:

Qualification: dimension

List of values: 1lo, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Preferred Comm Method Code

Type: Character

Description:

Select equivalent: CUSTOMER_ADVERTISER_PRI

MARY_CONTACT.PREFERRED_

COMM_METHOD_CODE

Where equivalent:

Qualification: dimension

List of values: 1lp, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Advertiser Company Subsidiaries

Description: This class contains informa

tion about subsidiaries of the Advertiser customer.

Object: Subsidiary Full Name

Type: Character

Description: This is the full name of the subsidiary.

Select equivalent: Cus_Relationship_Advertis

er_Subsidiaries_Related_C us_Info_VW.RELATED_CUS_L

ABEL_NAME

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Subsidiary Last First Name

Type: Character

Description: This is the concatenation

of the last name and first name of the subsidiary.

Select equivalent: Cus_Relationship_Advertis

er_Subsidiaries_Related_C us_Info_VW.RELATED_CUS_L

AST_FIRST_NAME

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Subsidiary Primary Phone

Type: Character

Description: This is the primary phone of the subsidiary.

Select equivalent: Cus_Relationship_Advertis

er_Subsidiaries_Related_C us_Info_VW.RELATED_CUS_P

RIMARY_PHONE

Where equivalent:

Qualification: dimension

List of values: 149, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Subsidiary Primary Fax

Type: Character

Description: This is the primary fax of the subsidiary.

Select equivalent: Cus_Relationship_Advertis

er Subsidiaries Related C

us_Info_VW.RELATED_CUS_P

RIMARY_FAX

Where equivalent:

Qualification: dimension

List of values: 14a, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Subsidiary Primary Email Address

Type: Character

Description: This is the primary email address of the subsidiary.

Cus_Relationship_Advertis Select equivalent:

> er_Subsidiaries_Related_C us_Info_VW.RELATED_CUS_P RIMARY_EMAIL_ADDRESS

Where equivalent:

Qualification: dimension

List of values: 14b, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Subsidiary Customer Class Code

Character Type:

Description: This is the customer class of the subsidiary.

Select equivalent: Cus_Relationship_Advertis

> er_Subsidiaries_Related_C us_Info_VW.RELATED_CUS_C

USTOMER CLASS CODE

Where equivalent:

Qualification: dimension

List of values: 0yb, editable, automatic refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Subsidiary Customer Record Type

Type: Character

Description: This is the record type of the subsidiary. Select equivalent: Cus_Relationship_Advertis

er_Subsidiaries_Related_C us_Info_VW.RELATED_CUS_R

ECORD_TYPE

Where equivalent:

Qualification: dimension

List of values: 0yc, editable, automatic refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Relationship Code

Type: Character

Description: This is the relationship code of the subsidairy/parent relationship.

Select equivalent: Cus_Relationship_Advertis

er_Subsidiaries_Related_C us_Info_VW.RELATIONSHIP_

CODE

Where equivalent:

Qualification: dimension

List of values: 0yd, editable, automatic refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Subsidiary Customer ID

Type: Character

Description: This is the concatenation

of the master customer id and sub customer id of the

subsidiary company.

Select equivalent: Cus_Relationship_Advertis

er_Subsidiaries_Related_C us_Info_VW.RELATED_CUS_C

usMastSubID

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object: Subsidiary Master Customer ID

Type: Character

Description: This is the master customer id of the subsidiary company.

Select equivalent: Cus_Relationship_Advertis

er_Subsidiaries_Related_C us_Info_VW.RELATED_MASTE

R_CUSTOMER_ID

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Subsidiary Sub Customer ID

Type: Number

Description: This is the sub customer id of the subsidiary company.

Select equivalent: Cus_Relationship_Advertis

er_Subsidiaries_Related_C us_Info_VW.RELATED_SUB_C

USTOMER_ID

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Subsidiary Reciprocal Code

Type: Character

Description: This is the reciprocal relationship code for the subsidiary company.

Select equivalent: Cus_Relationship_Advertis

er_Subsidiaries_Related_C us_Info_VW.RECIPROCAL_CO

DE

Where equivalent:

Qualification: dimension

List of values: 0yh, editable, automatic refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Subsidiary Begin Date

Type: Date

Description: This is the begin date of the parent/subsidiary relationship.

Select equivalent: Cus_Relationship_Advertis

er_Subsidiaries_Related_C

us_Info_VW.BEGIN_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Subsidiary End Date

Type: Date

Description: This is the end date of the parent/subsidiary relationship.

Select equivalent: Cus_Relationship_Advertis

er_Subsidiaries_Related_C

us_Info_VW.END_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Advertiser Relationships

Description: This class contains informa

tion about all the advertise r's relationhips i.e. relate d customer id, name, relati onship type, code, reciproc al code, related customer c ommunication info etc.

Object: Related Customer Full Name

Type: Character

Description: This is the full name of the related customer.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE LATED_CUS_LABEL_NAME

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Last First Name

Type: Character

Description: This is the concatenation

of the last name and first name of the related custo

mer.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE LATED_CUS_LAST_FIRST_NAM

Ε

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Home Phone

Type: Character

Description: This is the home phone number of the related customer.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE LATED_CUS_HOME_PHONE

Where equivalent:

Qualification: dimension

List of values: 14c, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Work Phone

Type: Character

Description: This is the work phone number of the related customer.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE LATED_CUS_WORK_PHONE

Where equivalent:

Qualification: dimension

List of values: 14d, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Primary Phone

Type: Character

Description: This is the primary phone number of the related customer.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE

LATED_CUS_PRIMARY_PHONE

Where equivalent:

Qualification: dimension

List of values: 14e, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Primary Fax

Type: Character

Description: This is the primary fax phone number of the related customer.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE LATED_CUS_PRIMARY_FAX

Where equivalent:

Qualification: dimension

List of values: 14f, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Primary Email Address

Type: Character

Description: This is the primary email address of the related customer.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE LATED_CUS_PRIMARY_EMAIL_

ADDRESS

Where equivalent:

Qualification: dimension

List of values: 14g, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Class Code

Type: Character

Description: This is the customer class code of the related customer.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE LATED_CUS_CUSTOMER_CLAS

S CODE

Where equivalent:

Qualification: dimension

List of values: 0ym, editable, automatic refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Record Type

Type: Character

Description: This is the record type of the related customer.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE

LATED_CUS_RECORD_TYPE

Where equivalent:

Qualification: dimension

List of values: 0yn, editable, automatic refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Relationship Code

Type: Character

Description: This is the relationship code of the relationship.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE

LATIONSHIP_CODE

Where equivalent:

Qualification: dimension

List of values: 0yo, editable, automatic refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Customer ID

Type: Character

Description: This is the concatenation

of the master customer id and sub customer id of the

related customer.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE LATED_CUS_CusMastSubID

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Master Customer ID

Type: Character

Description: This is the master customer id of the related customer.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE LATED_MASTER_CUSTOMER_I

D

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object: Related Customer Sub Customer ID

Type: Number

Description: This is the sub customer id of the related customer.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE LATED_SUB_CUSTOMER_ID

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Reciprocal Code

Type: Character

Description: This is the reciprocal relationship code for the related customer.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE

CIPROCAL_CODE

Where equivalent:

Qualification: dimension

List of values: 0ys, editable, automatic refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Begin Date

Type: Date

Description: This is the begin date of the relationship.

Select equivalent: Cus_Relationship_Advertiser_Related_Cus_Info_VW.BEGIN_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer End Date

Type: Date

Description: This is the end date of the relationship.

Select equivalent: Cus_Relationship_Advertiser_Related_Cus_Info_VW.END_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Relationship Type Code

Type: Character

Description: This is the relationship type of the relationship.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE

LATIONSHIP_TYPE

Where equivalent:

Qualification: dimension

List of values: 0yv, editable, automatic refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Relationship Type Description

Type: Character

Description: This is the description of

the relationship type cod e for the related customer

.

Select equivalent: Cus Relationship Advertis

er_Related_Cus_Info_VW.RE LATIONSHIP_TYPE_DESCR

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Relationship Type Sort Order

Type: Number

Description: This is the sort order of

the relationship type for the related customer.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE LATIONSHIP_TYPE_DISPLAY_

ORDER

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Hierarchical Relationship Flag

Type: Character

Description: This indicates if the relationship is hierarchical.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.HI

ERARCHICAL_FLAG

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Employment Relationship Flag

Type: Character

Description: This indicates if the relationship is an employment relationship.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.EM

PLOYMENT_FLAG

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object: Primary Employer Relationship Flag

Type: Character

Description: This indicates if the employer is a primary employer.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.PR IMARY_EMPLOYER_FLAG

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Full-Time Employment Flag

Type: Character

Description: This indicates if the employment is full time.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.FU

LL_TIME_FLAG

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Employment Job Function Code

Type: Character

Description: This is the job function code of the related customer.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.RE LATIONSHIP_JOB_FUNCTION_

CODE

Where equivalent:

Qualification: dimension

List of values: 103, editable, automatic refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object: Employment Supervisor Name

Type: Character

Description: This is the employment supervisor's name.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.SU

PERVISOR NAME

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Relationship Flag

Type: Character

Description: This indicates if the contact is a primary contact.

Select equivalent: Cus_Relationship_Advertis

er_Related_Cus_Info_VW.PR

IMARY_CONTACT_FLAG

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Advertiser Current Membership Info

Description: This class contains informa

tion about Advertiser's cur rent membership i.e. primar y membership type, status, chapter membership etc.

Object: Member Type

Type: Character

Description: This is the type of membership of the Advertiser.

Select equivalent: CUS_CURRENT_ADVERTISER_

MEMBERSHIP_INFO.NATIONAL

_LEVEL2

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Membership Begin Date

Type: Date

Description: This is the begin date of the membership.

Select equivalent: CUS_CURRENT_ADVERTISER_

MEMBERSHIP_INFO.CYCLE_BE

GIN_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Membership End Date

Type: Date

Description: This is the end date of the membership.

Select equivalent: CUS_CURRENT_ADVERTISER_

MEMBERSHIP_INFO.CYCLE_EN

D_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Membership Description

Type: Character

Description: This is the description of the type of membership.

Select equivalent: CUS_CURRENT_ADVERTISER_

MEMBERSHIP_INFO.NATIONAL

_DESCR

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Member Since Date

Type: Date

Description: This is the member since date of the Advertiser.

Select equivalent: CUS_CURRENT_ADVERTISER_

MEMBERSHIP_INFO.NATIONAL

_SINCE_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Chapter 1
Type: Character

Description: This is the first chapter that the Advertiser is a member of.

Select equivalent:

CUS_CURRENT_ADVERTISER_MEMBERSHIP_INFO.CHAPTER_DESCR

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Chapter 2
Type: Character

Description: This is the second chapter that the Advertiser is a member of.

Select equivalent: CUS_CURRENT_ADVERTISER_

MEMBERSHIP_INFO.CHAPTER2

_DESCR

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object: Section 1
Type: Character

Description: This is the first section that the Advertiser is a member of.

Select equivalent: CUS_CURRENT_ADVERTISER_MEMBERSHIP_INFO.SECTION_DESCR

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Section 2
Type: Character

Description: This is the second chapter that the Advertiser is a member of.

Select equivalent: CUS_CURRENT_ADVERTISER_

MEMBERSHIP_INFO.SECTION2

_DESCR

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Ad Agency Info

Description:

Object: Ad Agency ID

Type: Character

Description: This is the concatenation

of the master customer id and the sub customer id of the Ad Agency if the sub customer id is not 0, else it is the master customer

id.

Select equivalent: CASE WHEN ORDER_ADV_DET

AIL.ADV_AGENCY_SUB_CUST_ ID = 0 THEN ORDER_ADV_DE TAIL.ADV_AGENCY_MAST_CUS T_ID ELSE ORDER_ADV_DETA
IL.ADV_AGENCY_MAST_CUST_

ID + '- ' + Convert(char,

ORDER_ADV_DETAIL.ADV_AG ENCY_SUB_CUST_ID) END

Where equivalent:

Qualification: dimension

List of values: 18c, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency Master Customer ID

Type: Character

Description: This is the master customer id of the Ad Agency.

Select equivalent: ORDER_ADV_DETAIL.ADV_AGENCY_MAST_CUST_ID

Where equivalent:

Qualification: dimension

List of values: 18d, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency Sub Customer ID

Type: Number

Description: This is the sub customer id of the Ad Agency.

Select equivalent: ORDER_ADV_DETAIL.ADV_AGENCY_SUB_CUST_ID

Where equivalent:

Qualification: dimension

List of values: 18e, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency Name

Type: Character

Description:

Select equivalent: CUSTOMER_AD_AGENCY.LABEL_NAME

Where equivalent:

Qualification: dimension

List of values: 1n7, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Agency Class Code

Type: Character

Description:

Select equivalent: CUSTOMER_AD_AGENCY.CUSTOMER_CLASS_CODE

Where equivalent:

Qualification: dimension

List of values: 1n8, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Agency Status Code

Type: Character

Description:

Select equivalent: CUSTOMER_AD_AGENCY.CUSTOMER_STATUS_CODE

Where equivalent:

Qualification: dimension

List of values: 1n9, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Ad Agency Address

Description: This class contains information about Ad Agency's Address.

Object: Ad Agency Address Type Code

Type: Character

Description: This is the address type of the Ad Agency's mailing address.

Select equivalent: CUS_ADDRESS_DETAIL_AD_AGENCY.ADDRESS_TYPE_CODE

Where equivalent:

Qualification: dimension

List of values: 18g, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency Address Line 1

Type: Character

Description: This is the address line 1 of the Ad Agency's mailing address.

Select equivalent: CUS_ADDRESS_AD_AGENCY.ADDRESS_1

Where equivalent:

Qualification: dimension

List of values: 18r, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency Address Line 2

Type: Character

Description: This is the address line 2 of the Ad Agency's mailing address.

Select equivalent: CUS_ADDRESS_AD_AGENCY.ADDRESS_2

Where equivalent:

Qualification: dimension

List of values: 18s, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency Address Line 3

Type: Character

Description: This is the address line 3 of the Ad Agency's mailing address.

Select equivalent: CUS_ADDRESS_AD_AGENCY.ADDRESS_3

Where equivalent:

Qualification: dimension

List of values: 18t, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency Address Line 4

Type: Character

Description: This is the address line 4 of the Ad Agency's mailing address.

Select equivalent: CUS_ADDRESS_AD_AGENCY.ADDRESS_4

Where equivalent:

Qualification: dimension

List of values: 18u, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency City

Type: Character

Description: This is the city of the Ad Agency's mailing address.

Select equivalent: CUS_ADDRESS_AD_AGENCY.CITY

Where equivalent:

Qualification: dimension

List of values: 18v, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency State

Type: Character

Description: This is the state of the Ad Agency's mailing address.

Select equivalent: CUS ADDRESS AD AGENCY.STATE

Where equivalent:

Qualification: dimension

List of values: 18w, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency Zip

Type: Character

Description: This is the zip of the Ad Agency's mailing address. Select equivalent: CUS_ADDRESS_AD_AGENCY.POSTAL_CODE

Where equivalent:

Qualification: dimension

List of values: 18x, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency Country Code

Type: Character

Description: This is the country code of the Ad Agency's mailing address.

Select equivalent: CUS_ADDRESS_AD_AGENCY.COUNTRY_CODE

Where equivalent:

Qualification: dimension

List of values: 18y, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency Country Description

Type: Character

Description: This is the description of the Ad Agency's mailing address.

Select equivalent: CUS_ADDRESS_AD_AGENCY.COUNTRY_DESCR

Where equivalent:

Qualification: dimension

List of values: 190, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency Full Address

Type: Character

Description: This is the Ad Agency's mailing address.

Select equivalent: CUS_ADDRESS_DETAIL_AD_A

GENCY.FORMATTED_DETAIL + CUS_ADDRESS_AD_AGENCY.F

ORMATTED_ADDRESS

Where equivalent:

Qualification: dimension

List of values: 191, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object: Ad Agency Formatted City State Zip

Type: Character

Description: This is the Ad Agency's Formatted City State Zip.

Select equivalent: CUS_ADDRESS_AD_AGENCY.FORMATTED_CITY_STATE_POSTAL

Where equivalent:

Qualification: dimension

List of values: 1qw, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Ad Agency Communication Info

Description: This class contains primary

communication information such as primary phone, fax

and email.

Object: Ad Agency Primary Fax

Type: Character

Description: This is the primary fax of the Ad Agency.

Select equivalent: CUSTOMER AD AGENCY.PRIMARY FAX

Where equivalent:

Qualification: dimension

List of values: 192, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency Primary Phone

Type: Character

Description: This is the primary phone of the Ad Agency.

Select equivalent: CUSTOMER_AD_AGENCY.PRIMARY_PHONE

Where equivalent:

Qualification: dimension

List of values: 193, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency Primary Email Address

Type: Character

Description: This is the primary email address of the Ad Agency.

Select equivalent: CUSTOMER_AD_AGENCY.PRIMARY_EMAIL_ADDRESS

Where equivalent:

Qualification: dimension

List of values: 194, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Class: Ad Agency Relationships

Description: This class contains informa

tion about all the Ad Agenc y's relationhips i.e. relate d customer id, name, relati onship type, code, reciproc al code, related customer c ommunication info etc.

Object: Related Customer Full Name

Type: Character

Description: This is the full name of the related customer.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.REL ATED_CUS_LABEL_NAME

Where equivalent:

Qualification: dimension

List of values: 195, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Last First Name

Type: Character

Description: This is the concatenation

of the last name and first name of the related custo

mer.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.REL ATED_CUS_LAST_FIRST_NAME

Where equivalent:

Qualification: dimension

List of values: 196, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Home Phone

Type: Character

Description: This is the home phone number of the related customer.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.REL ATED_CUS_HOME_PHONE

Where equivalent:

Qualification: dimension

List of values: 197, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Work Phone

Type: Character

Description: This is the work phone number of the related customer.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.REL ATED_CUS_WORK_PHONE

Where equivalent:

Qualification: dimension

List of values: 198, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Primary Phone

Type: Character

Description: This is the primary phone number of the related customer.

Select equivalent: Cus Relationship AD Agenc

y_Related_Cus_Info_VW.REL ATED_CUS_PRIMARY_PHONE

Where equivalent:

Qualification: dimension

List of values: 199, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Primary Fax

Type: Character

Description: This is the primary fax phone number of the related customer.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.REL ATED_CUS_PRIMARY_FAX

Where equivalent:

Qualification: dimension

List of values: 19a, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Primary Email Address

Type: Character

Description: This is the primary email address of the related customer.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.REL ATED_CUS_PRIMARY_EMAIL_A

DDRESS

Where equivalent:

Qualification: dimension

List of values: 19b, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Class Code

Type: Character

Description: This is the customer class code of the related customer.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.REL ATED_CUS_CUSTOMER_CLASS

CODE

Where equivalent:

Qualification: dimension

List of values: 19c, editable, automatic refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Record Type

Type: Character

Description: This is the record type of the related customer.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.REL ATED_CUS_RECORD_TYPE

Where equivalent:

Qualification: dimension

List of values: 19d, editable, automatic refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Relationship Code

Type: Character

Description: This is the relationship code of the relationship.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.REL

ATIONSHIP_CODE

Where equivalent:

Qualification: dimension

List of values: 19e, editable, automatic refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Customer ID

Type: Character

Description: This is the concatenation

of the master customer id and sub customer id of the

related customer.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.REL ATED_CUS_CusMastSubID

Where equivalent:

Qualification: dimension

List of values: 19f, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Master Customer ID

Type: Character

Description: This is the master customer id of the related customer.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.REL ATED_MASTER_CUSTOMER_ID

Where equivalent:

Qualification: dimension

List of values: 19g, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Sub Customer ID

Type: Number

Description: This is the sub customer id of the related customer.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.REL ATED_SUB_CUSTOMER_ID

Where equivalent:

Qualification: dimension

List of values: 19h, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Reciprocal Code

Type: Character

Description: This is the reciprocal relationship code for the relationship.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.RE

CIPROCAL CODE

Where equivalent:

Qualification: dimension

List of values: 19i, editable, automatic refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer Begin Date

Type: Date

Description: This is the begin date of the relationship.

Select equivalent: Cus_Relationship_AD_Agency_Related_Cus_Info_VW.BEGIN_DATE

Where equivalent:

Qualification: dimension

List of values: 19j, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Related Customer End Date

Type: Date

Description: This is the end date of the relationship.

Select equivalent: Cus_Relationship_AD_Agency_Related_Cus_Info_VW.END_DATE

Where equivalent:

Qualification: dimension

List of values: 19k, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Relationship Type Code

Type: Character

Description: This is the relationship type of the relation.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.REL

ATIONSHIP_TYPE

Where equivalent:

Qualification: dimension

List of values: 19I, editable, automatic refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object: Relationship Type Description

Type: Character

Description: This is the description of

the relationship type cod e for the related customer

.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.REL ATIONSHIP_TYPE_DESCR

Where equivalent:

Qualification: dimension

List of values: 19m, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Relationship Type Sort Order

Type: Number

Description: This is the sort order of

the relationship type for the related customer.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.REL ATIONSHIP_TYPE_DISPLAY_O

RDER

Where equivalent:

Qualification: dimension

List of values: 19n, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Hierarchical Relationship Flag

Type: Character

Description: This indicates if the relationship is hierarchical.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.HIE

RARCHICAL FLAG

Where equivalent:

Qualification: dimension

List of values: 190, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Employment Relationship Flag

Type: Character

Description: This indicates if the relationship is an employment relationship.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.EM

PLOYMENT_FLAG

Where equivalent:

Qualification: dimension

List of values: 19p, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Employer Relationship Flag

Type: Character

Description: This indicates if the employer is a primary employer.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.PRI MARY_EMPLOYER_FLAG

Where equivalent:

Qualification: dimension

List of values: 19q, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Full-Time Employment Flag

Type: Character

Description: This indicates if the employment is full time.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.FUL

L_TIME_FLAG

Where equivalent:

Qualification: dimension

List of values: 19r, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Employment Job Function Code

Type: Character

Description: This is the job function code of the related customer.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.REL ATIONSHIP_JOB_FUNCTION_C

ODE

Where equivalent:

Qualification: dimension

List of values: 19s, editable, automatic refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Employment Supervisor Name

Type: Character

Description: This is the employment supervisor's name.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.SU

PERVISOR NAME

Where equivalent:

Qualification: dimension

List of values: 19t, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Relationship Flag

Type: Character

Description: This indicates if the contact is a primary contact.

Select equivalent: Cus_Relationship_AD_Agenc

y_Related_Cus_Info_VW.PRI MARY_CONTACT_FLAG

Where equivalent:

Qualification: dimension

List of values: 19u, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Ad Agency Primary Contact Info

Description:

Object: Primary Contact Name

Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related _Cus_Info_VW.RELATED_CUS

_LABEL_NAME

Where equivalent:

Qualification: dimension

List of values: 1nx, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Last First Name

Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.RELATED_CUS

_LAST_FIRST_NAME

Where equivalent:

Qualification: dimension

List of values: 1ny, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Home Phone

Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.RELATED_CUS

_HOME_PHONE

Where equivalent:

Qualification: dimension

List of values: 1p1, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Work Phone

Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.RELATED_CUS

_WORK_PHONE

Where equivalent:

Qualification: dimension

List of values: 1p2, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Primary Phone

Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.RELATED_CUS

_PRIMARY_PHONE

Where equivalent:

Qualification: dimension

List of values: 1p3, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Primary Fax

Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.RELATED_CUS

_PRIMARY_FAX

Where equivalent:

Qualification: dimension

List of values: 1p5, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Primary Email Address

Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related _Cus_Info_VW.RELATED_CUS _PRIMARY_EMAIL_ADDRESS

Where equivalent:

Qualification: dimension

List of values: 1p6, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Class Code

Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.RELATED_CUS
_CUSTOMER_CLASS_CODE

Where equivalent:

Qualification: dimension

List of values: 10a, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Record Type

Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.RELATED_CUS

_RECORD_TYPE

Where equivalent:

Qualification: dimension

List of values: 1nw, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Relationship Type

Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related _Cus_Info_VW.RELATIONSHI

P_TYPE

Where equivalent:

Qualification: dimension

List of values: 1nd, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Relationship Type Description

Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.RELATIONSHI

P_TYPE_DESCR

Where equivalent:

Qualification: dimension

List of values: 1ni, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Relationship Code

Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related _Cus_Info_VW.RELATIONSHI

P_CODE

Where equivalent:

Qualification: dimension

List of values: 1nj, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Reciprocal Code

Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.RECIPROCAL_

CODE

Where equivalent:

Qualification: dimension

List of values: 1nn, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Relationship Begin Date

Type: Date

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related _Cus_Info_VW.BEGIN_DATE

Where equivalent:

Qualification: dimension

List of values: 1np, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Relationship End Date

Type: Date

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related _Cus_Info_VW.END_DATE

Where equivalent:

Qualification: dimension

List of values: 1ng, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Customer ID

Type: Character

Description: This is the concatenation

of the master customer id and sub customer id of the

related customer.

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.RELATED_CUS

_CusMastSubID

Where equivalent:

Qualification: dimension

List of values: 1q1, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Master Customer ID

Type: Character

Description: This is the master customer id of the related customer.

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.RELATED_MAS

TER_CUSTOMER_ID

Where equivalent:

Qualification: dimension

List of values: 1q2, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Contact Sub Customer ID

Type: Number

Description: This is the sub customer id of the related customer.

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.RELATED_SUB

_CUSTOMER_ID

Where equivalent:

Qualification: dimension

List of values: 1q3, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Supervisor Name

Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.SUPERVISOR_

NAME

Where equivalent:

Qualification: dimension

List of values: 1nu, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Employer?

Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.PRIMARY_EMP

LOYER_FLAG

Where equivalent:

Qualification: dimension

List of values: 1nr, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Employment?

Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.EMPLOYMENT_

FLAG

Where equivalent:

Qualification: dimension

List of values: 1ng, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Full Time? Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.FULL_TIME_F

LAG

Where equivalent:

Qualification: dimension

List of values: 1ns, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Hierarchical? Type: Character

Description:

Select equivalent: Cus_Relationship_Ad_Agenc

y_Primary_Contact_Related
_Cus_Info_VW.HIERARCHICA

L_FLAG

Where equivalent:

Qualification: dimension

List of values: 1nf, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Bill to Customer Info

Description:

Object: Bill Customer ID

Type: Character

Description: This is the concatenation

of the master customer id and the sub customer id of the Ad Agency if the sub customer id is not 0, else it is the master customer

id.

Select equivalent: CASE WHEN ORDER_MASTER.

BILL_SUB_CUSTOMER_ID = 0
THEN ORDER_MASTER.BILL_
MASTER_CUSTOMER_ID ELSE

ORDER_MASTER.BILL_MASTE R_CUSTOMER_ID + '- ' + Co nvert(char, ORDER_MASTER. BILL_SUB_CUSTOMER_ID) EN

D

Where equivalent:

Qualification: dimension

List of values: 1mc, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Bill Master Customer Id

Type: Character

Description:

Select equivalent: ORDER_MASTER.BILL_MASTER_CUSTOMER_ID

Where equivalent:

Qualification: dimension

List of values: 187, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Bill Sub Customer Id

Type: Number

Description:

Select equivalent: ORDER_MASTER.BILL_SUB_CUSTOMER_ID

Where equivalent:

Qualification: dimension

List of values: 188, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Bill Customer Name

Type: Character

Description:

Select equivalent: CUSTOMER_BILL_CUSTOMER.LABEL_NAME

Where equivalent:

Qualification: dimension

List of values: 1q4, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Bill Customer Billing Address

Description: This class contains information about Bill Customer's Address.

Object: Bill Customer Address Type Code

Type: Character

Description: This is the address type of the Bill Customer's mailing address.

Select equivalent: CUS_ADDRESS_DETAIL_BILL_

CUSTOMER_ORDER_ADDRESS.

ADDRESS_TYPE_CODE

Where equivalent:

Qualification: dimension

List of values: 18g, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Bill Customer Address Line 1

Type: Character

Description: This is the address line 1 of the Bill Customer 's mailing address.

Select equivalent: CUS_ADDRESS_BILL_CUSTOMER_ORDER_ADDRESS_1

Where equivalent:

Qualification: dimension

List of values: 18r, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Bill Customer Address Line 2

Type: Character

Description: This is the address line 2 of the Bill Customer 's mailing address.

Select equivalent: CUS_ADDRESS_BILL_CUSTOMER_ORDER_ADDRESS.ADDRESS_2

Where equivalent:

Qualification: dimension

List of values: 18s, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Bill Customer Address Line 3

Type: Character

Description: This is the address line 3 of the Bill Customer's mailing address.

Select equivalent: CUS_ADDRESS_BILL_CUSTOMER_ORDER_ADDRESS.ADDRESS_3

Where equivalent:

Qualification: dimension

List of values: 18t, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Bill Customer Address Line 4

Type: Character

Description: This is the address line 4 of the Bill Customer's mailing address.

Select equivalent: CUS_ADDRESS_BILL_CUSTOMER_ORDER_ADDRESS.ADDRESS_4

Where equivalent:

Qualification: dimension

List of values: 18u, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Bill Customer City

Type: Character

Description: This is the city of the Bill Customer's mailing address.

Select equivalent: CUS ADDRESS BILL CUSTOMER ORDER ADDRESS.CITY

Where equivalent:

Qualification: dimension

List of values: 18v, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Bill Customer State

Type: Character

Description: This is the state of the Ad Agency's mailing address.

Select equivalent: CUS_ADDRESS_BILL_CUSTOMER_ORDER_ADDRESS.STATE

Where equivalent:

Qualification: dimension

List of values: 18w, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Bill Customer Zip

Type: Character

Description: This is the zip of the Ad Agency's mailing address.

Select equivalent: CUS_ADDRESS_BILL_CUSTOMER_ORDER_ADDRESS.POSTAL_CODE

Where equivalent:

Qualification: dimension

List of values: 18x, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Bill Customer Country Code

Type: Character

Description: This is the country code of the Ad Agency's mailing address.

Select equivalent: CUS_ADDRESS_BILL_CUSTOM

ER_ORDER_ADDRESS.COUNTR

Y_CODE

Where equivalent:

Qualification: dimension

List of values: 18y, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Bill Customer Country Description

Type: Character

Description: This is the description of the Ad Agency's mailing address.

Select equivalent: CUS_ADDRESS_BILL_CUSTOM

ER ORDER ADDRESS.COUNTR

Y_DESCR

Where equivalent:

Qualification: dimension

List of values: 190, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Bill Customer Full Address

Type: Character

Description: This is the Ad Agency's mailing address.

Select equivalent: CUS_ADDRESS_DETAIL_BILL_

CUSTOMER_ORDER_ADDRESS. FORMATTED_DETAIL + CUS_A DDRESS_BILL_CUSTOMER_OR DER_ADDRESS.FORMATTED_A

DDRESS

Where equivalent:

Qualification: dimension

List of values: 191, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Bill Customer Formatted City State Zip

Type: Character

Description: This is the Ad Agency's Formatted City State Zip.

Select equivalent: CUS_ADDRESS_BILL_CUSTOM

ER_ORDER_ADDRESS.FORMAT

TED_CITY_STATE_POSTAL

Where equivalent:

Qualification: dimension

List of values: 1qx, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Bill Customer Communication Info

Description: This class contains primary

communication information such as primary phone, fax

and email.

Object: Bill Customer Primary Fax

Type: Character

Description: This is the primary fax of the Ad Agency.

Select equivalent: CUSTOMER_BILL_CUSTOMER.PRIMARY_FAX

Where equivalent:

Qualification: dimension

List of values: 192, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Bill Customer Primary Phone

Type: Character

Description: This is the primary phone of the Ad Agency.

Select equivalent: CUSTOMER_BILL_CUSTOMER.PRIMARY_PHONE

Where equivalent:

Qualification: dimension

List of values: 193, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Bill Customer Primary Email Address

Type: Character

Description: This is the primary email address of the Ad Agency.

Select equivalent: CUSTOMER_BILL_CUSTOMER.PRIMARY_EMAIL_ADDRESS

Where equivalent:

Qualification: dimension

List of values: 194, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Advertising Media Info

Description: This class contains informa

tion about the Advertising Media. Advertising media co

des simply define what the organization can sell adver

tising in. This may include

:

- Journals with print display ads, classified ads, blow-ins, wrappers, etc.
- · Meeting and Exhibition sponsorships
- · Meeting program guides, Exhibitor directories
- Inventoried products, including books, CDs, calendars, directories
- Web sites
- Newsletters, both written and electronic.
- · Webcast sponsorships

Object: Media Code

Type: Character

Description: This is the code of the me

dia in which advertisement s are being sold. An adver tising media will always b e the parent product code of an advertising product.

The media code also func tions as a way to tie vari ous advertising products t ogether for ordering, reporting, and analysis purpos es. For instance, you may define the National Journ al as an advertising media, and then associate that media code with each advertising product referencin

g the journal.

Select equivalent:

ADV_MEDIA.MEDIA_CODE

Where equivalent:

Qualification: dimension

List of values: 00d, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Media Description

Type: Character

Description: This is the description of the media code.

Select equivalent: ADV_MEDIA.DESCR

Where equivalent:

Qualification: dimension

List of values: 00e, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Media Type Code

Type: Character

Description: Advertising media have a

media type code. Personif
y sets the Media Type cod
e based on the subsystem
of the linked product code
, or if that is null, it ca
n be set by the user. Exam
ples of media type are ISS
UE-BASED, MEETING-BASED,
EXHIBITION-BASED etc..

Select equivalent: ADV_MEDIA.MEDIA_TYPE_CODE

Where equivalent:

Qualification: dimension

List of values: 00f, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Media Class Code

Type: Character

Description: This classifies the advert

ising media. Examples of t his are ANSWERPACK, DIRE

CTORY, JOURNAL etc..

Select equivalent: ADV_MEDIA.MEDIA_CLASS_CODE

Where equivalent:

Qualification: dimension

List of values: 00g, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Media Invoice Rule Code

Type: Character

Description: An advertising order is in

voiced when the advertise ment is considered publish ed. The timing depends on the mdeia. For a subscription-based publication, it would be when the issue is mailed. For a meeting, it may be when the meeting begins. For an inventor ied product, it may be when the product is available

for purchase.

Based on the Media Type, Personify will set a value for the Invoice Rule Code . Possible values are AVAI

LABLE_DATE, MTG_START_DA

TE, ORDER_DATE etc..

Select equivalent:

ADV_MEDIA.INVOICE_RULE_CODE

Where equivalent:

Qualification: dimension

List of values: 00h, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Available to Invoice Date

Type: Date

Description: This is the date when the media is available to be invoiced.

Select equivalent: ADV_MEDIA.AVAILABLE_TO_INVOICE_DATE

Where equivalent:

Qualification: dimension

List of values: 00i, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Publisher Customer Id

Type: Character

Description: This is the concatenation

of the master customer id and the sub customer id of the publisher. A number of reports that are needed for the media kit include contact information for the editor, sales representatives, etc. In order to be able to generate this in formation, a "publisher" c

ustomer record is defined.

Select equivalent: CASE WHEN ADV_MEDIA.PUBL

ISHER_SUB_CUST_ID = 0 th en ADV_MEDIA.PUBLISHER_M AST_CUST_ID ELSE ADV_MED IA.PUBLISHER_MAST_CUST_I D + '-' + CONVERT(VARCHA R, ADV_MEDIA.PUBLISHER_S

UB_CUST_ID) END

Where equivalent:

Qualification: dimension

List of values: 00l, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Publisher Master Customer Id

Type: Character

Description: This is the master customer id of the publisher. Select equivalent: ADV_MEDIA.PUBLISHER_MAST_CUST_ID

Where equivalent:

Qualification: dimension

List of values: 00j, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Publisher Sub Customer Id

Type: Number

Description: This is the sub customer id of the publisher. Select equivalent: ADV_MEDIA.PUBLISHER_SUB_CUST_ID

Where equivalent:

Qualification: dimension

List of values: 00k, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Media Requires Contract?

Type: Character

Description: This indicates if the media requires an advertising contract.

Select equivalent: ADV_MEDIA.REQUIRES_CONTRACT_FLAG

Where equivalent:

Qualification: dimension

List of values: 00m, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Automatically Add Media to New Contract?

Type: Character

Description: This controls if media is

automatically added to a n ew contract after the inse rtion orders have been cre

ated.

Select equivalent: ADV_MEDIA.AUTO_ADD_TO_NEW_CONTRACT_FLAG

Where equivalent:

Qualification: dimension

List of values: 00n, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Internet Media?

Type: Character

Description: This identifies if a media is an internet media or web based media.

Select equivalent: ADV_MEDIA.INTERNET_MEDIA_FLAG

Where equivalent:

Qualification: dimension

List of values: 00o, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Active Flag
Type: Character

Description:

Select equivalent: ADV_MEDIA.ACTIVE_FLAG

Where equivalent:

Qualification: dimension

List of values: 1qy, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Advertising Media Contacts

Description: This class contains the Adv

ertising media contact info rmation. Contacts could be editor, sales representativ e etc.. This class contains name, phone, fax, email and other contact information.

Object: Media Contact Type Code

Type: Character

Description: This is the code that clas

sifies the media contact. E.g. Graphics Artist, Printer, Programmer etc..

Select equivalent: ADV_MEDIA_CONTACT_TYPE_CODE

Where equivalent:

Qualification: dimension

List of values: 00r, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Media Contact Type Description

Type: Character

Description: This is the description of the media contact type. Select equivalent: APP_CODE_MEDIA_CONTACT_TYPE.DESCR

Where equivalent:

Qualification: dimension

List of values: 00v, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Name

Type: Character

Description: This is the name of the media contact.

Select equivalent: ADV_MEDIA_CONTACT_NAME

Where equivalent:

Qualification: dimension

List of values: 00w, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Media Contact Title

Type: Character

Description: This is the title of the media contact.

Select equivalent: ADV_MEDIA_CONTACT_TITLE

Where equivalent:

Qualification: dimension

List of values: 00x, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Media Contact Company

Type: Character

Description: This is the company of the media contact.

Select equivalent: ADV_MEDIA_CONTACT_COMPANY

Where equivalent:

Qualification: dimension

List of values: 00y, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Media Contact Phone

Type: Character

Description: This is the phone number of the media contact. Select equivalent: ADV_MEDIA_CONTACT_PHONE

Where equivalent:

Qualification: dimension

List of values: 010, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Media Contact Fax

Type: Character

Description: This is the fax number of the media contact. Select equivalent: ADV_MEDIA_CONTACT_FAX

Where equivalent:

Qualification: dimension

List of values: 011, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Media Contact Email Address

Type: Character

Description: This is the email address of the media contact.

Select equivalent: ADV_MEDIA_CONTACT.CONTACT_EMAIL_ADDRESS

Where equivalent:

Qualification: dimension

List of values: 012, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Advertising Media Linked Products

Description: This class contains informa

tion about Advertising products that are linked to the

media.

Object: Linked Product Subsystem

Type: Character

Description: This is the subsystem of t

he Product linked to media .In case of a meeting base d media this will be 'MTG'

.

Select equivalent:

ADV_MEDIA.LINKED_PRODUCT_SUBSYSTEM

Where equivalent:

Qualification: dimension

List of values: 016, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Linked Parent Product

Type: Character

Description: This is the product linked

to the media. E.g. in cas e of a meeting based medi a this will be the parent product code of the meeti

ng.

Select equivalent: ADV_MEDIA.LINKED_PARENT_PRODUCT

Where equivalent:

Qualification: dimension

List of values: 014, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Linked Product Code

Type: Character

Description: This is the product code f

or the product linked to a media. E.g. for a meeting based media it will be th e product code of the mee

ting.

Select equivalent: ADV_MEDIA.LINKED_PRODUCT_CODE

Where equivalent:

Qualification: dimension

List of values: 015, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Linked Product Short Name

Type: Character

Description: This is the short name of

the product linked to a me dia. E.g. for a meeting b ased media it will be the product short name of the

meeting.

Select equivalent: ADV_MEDIA.LINKED_PRODUCT_SHORT_NAME

Where equivalent:

Qualification: dimension

List of values: 017, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Subscription Issue Advertising Info

Description:

Object: Issue Sequence Number

Type: Number

Description: This is the issue sequence

number. It is possible fo r a user to manually creat e an issue record, and to override what Personify ca lculates as the next ISSUE _SEQ number. This is allo wed, subject to certain ru les. The rule is that issu e records must stay in ord er by issue date when sort ed by issue_seq number. So the issue date of an is

sue record must be less th

an the issue date of any i ssue record where issue_s eq is greater than that re cord's issue_seq number. The the issue date of an i ssue record must be great er than the issue date of any issue record where iss ue_seq is less than that r ecord's issue_seq number.

Select equivalent:

SUB_ISSUE.ISSUE_SEQ

Where equivalent:

Qualification: dimension

List of values: Orr, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Supplement Sequence Number

Type: Number

Description: If record is an issue, this is set to 0.

> this is set to (max(Suppl ement_Seq) + 1) for the is sue to which the suppleme nt is linked. Therefore. the first supplement for a n issue has a supplement sequence of 1, the second supplement for an issue h as a supplement sequence

If record is a supplement,

of 2, etc.

Select equivalent:

SUB_ISSUE.SUPPLEMENT_SEQ

Where equivalent:

Qualification: dimension

List of values: Ors, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Volume Type: Number

Description: This is the volume number

of the issue. For subscription products that are volume-based, a full set of issues must be created. The VOLUME number for the first set of issues is incremented by 1 (i.e., max(Sub_Issue.VOLUME) + 1 for the selected SUB product). If the user has specified that more than one volume should be created, the same logic is used for the

same logic is used for the next set of issues, until issues for the specified n umber of volumes have bee

n created.

Select equivalent: SUB_ISSUE.VOLUME

Where equivalent:

Qualification: dimension

List of values: Ort, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Issue
Type: Character

Description: This is the issue.
Select equivalent: SUB_ISSUE.ISSUE

Where equivalent:

Qualification: dimension

List of values: Oru, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Issue Description

Type: Character

Description: If Volume is null, then the description defaults to 'Issue ' + Issue.

If Volume is not null, the

n the description defaults to 'Volume ' + Volume + '

, Issue' + Issue.

Select equivalent:

SUB_ISSUE.DESCR

Where equivalent:

Qualification: dimension

List of values: Orv, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Issue Date

Type: Date

Description: The official date of the issue.

Select equivalent: SUB_ISSUE_ISSUE_DATE

Where equivalent:

Qualification: dimension

List of values: 0rw, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fulfill Date

Type: Date

Description: The date the subscription

renewal process was run t

o fulfill this issue.

Select equivalent: SUB_ISSUE.FULFILL_DATE

Where equivalent:

Qualification: dimension

List of values: 0rx, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Mail Date

Type: Date

Description: The date the issue was mailed.

Select equivalent: SUB_ISSUE.MAIL_DATE

Where equivalent:

Qualification: dimension

List of values: Osl, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Pages Type: Number

Description: The Number of pages in the issue.

Select equivalent: SUB_ISSUE.PAGES

Where equivalent:

Qualification: dimension

List of values: 0s6, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Start Page Type: Number

Description: The start page of the issue.
Select equivalent: SUB_ISSUE.START_PAGE

Where equivalent:

Qualification: dimension

List of values: 0s7, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Adv Pages
Type: Number

Description: The number of ADV pages in the issue.

Select equivalent: SUB_ISSUE.ADV_PAGES

Where equivalent:

Qualification: dimension

List of values: 0s8, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Space Close Date

Type: Date

Description: The date when the Ad space was closed. Select equivalent: SUB_ISSUE.AD_SPACE_CLOSE_DATE

Where equivalent:

Qualification: dimension

List of values: 0se, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Digital File Due Date

Type: Date

Description: This is the date when the digital file is due. Select equivalent: SUB_ISSUE.DIGITAL_FILE_DUE_DATE

Where equivalent:

Qualification: dimension

List of values: Osf, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Art Due Date

Type: Date

Description: This is the date when the Art is due. Select equivalent: SUB_ISSUE.ART_DUE_DATE

Where equivalent:

Qualification: dimension

List of values: 0sg, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Copy Due Date

Type: Date

Description: This is the copy due date.

Select equivalent: SUB_ISSUE.COPY_DUE_DATE

Where equivalent:

Qualification: dimension

List of values: 0sh, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Camera Ready Due Date

Type: Date

Description: This is the Camera ready due date.

Select equivalent: SUB_ISSUE.CAMERA_READY_DUE_DATE

Where equivalent:

Qualification: dimension

List of values: Osi, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Adv Display Ad Pages

Type: Number

Description: These are the number of dispay AD Advertising pages.

Select equivalent: SUB_ISSUE.ADV_DISPLAY_AD_PAGES

Where equivalent:

Qualification: dimension

List of values: 0sj, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Adv Classified Ad Pages

Type: Number

Description: These are the number of classified AD Advertising pages.

Select equivalent: SUB_ISSUE.ADV_CLASSIFIED_AD_PAGES

Where equivalent:

Qualification: dimension

List of values: 0sk, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Advertising Media Production Info

Description: This class contains the Adv

ertising media production i nformation such as art due date, copy due date, total

ad page etc.

Object: Advertising Space Close Date

Type: Date

Description: This is the close date of the advertising space. Select equivalent: ADV_MEDIA.AD_SPACE_CLOSE_DATE

Where equivalent:

Qualification: dimension

List of values: 019, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Digital File Due Date

Type: Date

Description: This is the date by which the digital file will be due for a media.

Select equivalent: ADV_MEDIA.DIGITAL_FILE_DUE_DATE

Where equivalent:

Qualification: dimension

List of values: 01a, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Art Due Date

Type: Date

Description: This is the last date by which the art will be due for a media.

Select equivalent: ADV MEDIA.ART DUE DATE

Where equivalent:

Qualification: dimension

List of values: 01b, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Copy Due Date

Type: Date

Description: This is the date when the ad copy is due.

Select equivalent: ADV_MEDIA.COPY_DUE_DATE

Where equivalent:

Qualification: dimension

List of values: 01c, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Camera Ready Due Date

Type: Date

Description: This is the camera ready due date.

Select equivalent: ADV_MEDIA.CAMERA_READY_DUE_DATE

Where equivalent:

Qualification: dimension

List of values: 01d, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Days Before The Star

t Of Web Ad When Th

e Material Is Due

Type: Number

Description: This is the number of days

before the web ad when the material for the ad wil

I be due.

Select equivalent: ADV_MEDIA.DAYS_BEFORE_START_WEB_AD_MATERIAL_DUE

Where equivalent:

Qualification: dimension

List of values: 01j, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Page Info

Description:

Object: Total Pages

Type: Number

Description: This is the total pages in the advertising media.

Select equivalent: ADV_MEDIA.PAGES

Where equivalent:

Qualification: dimension

List of values: 01e, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Start Page Type: Number

Description: This is the start page number of the advertising media.

Select equivalent: ADV_MEDIA.START_PAGE

Where equivalent:

Qualification: dimension

List of values: 01f, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Display Ad Pages

Type: Number

Description: These are the total numbe

r of pages reserved in the media for the display ads

.

Select equivalent: ADV_MEDIA.ADV_DISPLAY_AD_PAGES

Where equivalent:

Qualification: dimension

List of values: 01h, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Classified Ad Pages

Type: Number

Description: These are the total classified ad pages in the media.

Select equivalent: ADV_MEDIA.ADV_CLASSIFIED_AD_PAGES

Where equivalent:

Qualification: dimension

List of values: 01i, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Total Ad Pages

Type: Number

Description: These are the total ad pages in the advertising media.

Select equivalent: ADV_MEDIA.ADV_PAGES

Where equivalent:

Qualification: dimension

List of values: 01g, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Insertion Order Products & Services

Description:

Object: Product Category Code

Type: Character

Description:

Select equivalent: ORDER_DET_ADV_PRODUCT_SERVICE.PRODUCT_CATEGORY_CODE

Where equivalent:

Qualification: dimension

List of values: 02a, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Category Description

Type: Character

Description:

Select equivalent: APP_CODE_PRODUCT_CATEGORY.DESCR

Where equivalent:

Qualification: dimension

List of values: 1n2, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Product Category Subcode

Type: Character

Description:

Select equivalent: ORDER_DET_ADV_PRODUCT_S

ERVICE.PRODUCT_CATEGORY

_SUBCODE

Where equivalent:

Qualification: dimension

List of values: 02b, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Category Subcode Description

Type: Character

Description:

Select equivalent: APP_SUBCODE_PRODUCT_CATEGORY.DESCR

Where equivalent:

Qualification: dimension

List of values: 1n1, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Product Brand Name

Type: Character

Description:

Select equivalent: ORDER_DET_ADV_PRODUCT_SERVICE.PRODUCT_BRAND_NAME

Where equivalent:

Qualification: dimension

List of values: 02c, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Class: Advertising Sales Amounts & Quantities

Description:

Object: Base Unit Price

Type: Number

Description: This is the base unit price for the order line item.

Select equivalent: ORDER_DETAIL.BASE_UNIT_PRICE

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show Format Number

Category = Currency \$#,##0;\$-#,##0[Red]

Object: Base Unit Taxable Amount

Type: Number

Description: This is the base unit taxable amount for the order line item.

Select equivalent: ORDER_DETAIL.BASE_UNIT_PRICE_TAXABLE

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show Format Number

Category = Currency \$#,##0;\$-#,##0[Red]

Object: Base Unit Discount Amount

Type: Number

Description: This is the base unit discount amount for the order line item.

Select equivalent: ORDER_DETAIL.BASE_UNIT_DISCOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show Format Number

Category = Currency \$#,##0;\$-#,##0[Red]

Object: Base Agency Unit Discount Amount

Type: Number

Description: This is the base unit agency discount amount for the order line item.

Select equivalent: ORDER_DETAIL.AGENCY_UNIT_DISCOUNT

Where equivalent:

Qualification:measureAggregate function:SumList of values:noSecurity access level:0

Can be used: in result, in condition, in sort

Object status: show Format Number

Category = Currency \$#,##0;\$-#,##0[Red]

Object: Base Extended Amount

Type: Number

Description: This is the base unit extended amount for the order line item.

Select equivalent: ORDER_DETAIL.BASE_EXTENDED_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show Format Number

Category = Currency \$#,##0;\$-#,##0[Red] Object: Base Adjustment Amount

Type: Number

Description: This is the base adjustment amount for the order line item.

Select equivalent: ORDER_DETAIL.BASE_ADJUSTMENT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show Format Number

Category = Currency \$#,##0;\$-#,##0[Red]

Object: Base Coupon Amount

Type: Number

Description: This is the base unit coupon amount for the order line item.

Select equivalent: ORDER_DETAIL.BASE_COUPON_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show Format Number

Category = Currency \$#,##0;\$-#,##0[Red]

Object: Base Ship Amount

Type: Number

Description: This is the base unit ship amount for the order line item.

Select equivalent: ORDER_DETAIL.BASE_SHIP_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show Format Number

Category = Currency \$#,##0;\$-#,##0[Red]

Object: Base Cancellation Amount

Type: Number

Description: This is the base unit cancellation amount for the order line item.

Select equivalent: ORDER_DETAIL.BASE_CANCELLATION_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show Format Number

Category = Currency \$#,##0;\$-#,##0[Red]

Object: Base Total Amount

Type: Number

Description: This is the base unit total amount for the order line item.

Select equivalent: SUM(ORDER_DETAIL.BASE_TOTAL_AMOUNT)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show Format Number

Category = Currency \$#,##0;\$-#,##0[Red]

Object: Order Quantity

Type: Number

Description: This is the order quantity for the order line item.

Select equivalent: SUM(ORDER_DETAIL.ORDER_QTY)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Discount & Coupon Info

Description:

Object: Discount ID Type: Character

Description: This is the discount id on the order line item.

Select equivalent: ORDER_DETAIL.PRODUCT_DISCOUNT_ID

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Manual Discount?

Type: Character

Description: This indicates if there is a manual discount on the order line item.

Select equivalent: ORDER_DETAIL.MANUAL_DISCOUNT_FLAG

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Coupon Code

Type: Character

Description: This is the coupon code on the order line item.

Select equivalent: ORDER_DETAIL.COUPON_CODE

Where equivalent:

Qualification: dimension

List of values: 0a7, editable, automatic refresh, exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Invoice & Financial Info

Description:

Object: Order Batch
Type: Character

Description: This is the batch on the order line item.

Select equivalent: ORDER_DETAIL.BATCH

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Due Date

Type: Date

Description: This is the due date for the order line item.

Select equivalent: ORDER_DETAIL.DUE_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Invoice Number

Type: Character

Description: This is the invoice number for the order line item.

Select equivalent: ORDER_DETAIL.INVOICE_NO

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Invoice Date

Type: Date

Description: This is the invoice date for the order line item.

Select equivalent: ORDER_DETAIL.INVOICE_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Invoice Print Date

Type: Date

Description: This is the invoice print date.

Select equivalent: ORDER_DETAIL.INVOICE_PRINT_DATE

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Invoiced Posted?

Type: Character

Description: This indicates if the invoice has been posted.

Select equivalent: ORDER_DETAIL.INVOICE_POSTED_FLAG

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Invoice Method Code

Type: Character

Description: This the invoice method code on the order line item.

Select equivalent: ORDER_DETAIL.INVOICE_METHOD_CODE

Where equivalent:

Qualification: dimension

List of values: 0ae, editable, automatic refresh, exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Purchase Order Number

Type: Character

Description: This is the purchase order number for the order.

Select equivalent: ORDER_MASTER.PO_NUMBER

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Actual (Non-Base-Currency) Sales Amounts

Description:

Object: Actual Unit Price

Type: Number

Description: This is the actual unit price on the order line number.

Select equivalent: ORDER_DETAIL.ACTUAL_UNIT_PRICE

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Actual Unit Price Taxable

Type: Number

Description: This is the actual taxable unit price on the order line number.

Select equivalent: ORDER_DETAIL.ACTUAL_UNIT_PRICE_TAXABLE

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Actual Unit Discount

Type: Number

Description: This is the actual unit discount on the order line number.

Select equivalent: ORDER_DETAIL.ACTUAL_UNIT_DISCOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Actual Agency Unit Discount

Type: Number

Description: This is the actual unit agency discount on the order line number.

Select equivalent: ORDER_DETAIL.ACTUAL_AGENCY_UNIT_DISCOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Actual Extended Amount

Type: Number

Description: This is the actual extended amount on the order line number.

Select equivalent: ORDER DETAIL.ACTUAL EXTENDED AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Actual Adjustment

Type: Number

Description: This is the actual adjustment on the order line number.

Select equivalent: ORDER_DETAIL.ACTUAL_ADJUSTMENT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Actual Coupon Amount

Type: Number

Description: This is the actual coupon amount on the order line number.

Select equivalent: ORDER_DETAIL.ACTUAL_COUPON_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Actual Ship Amount

Type: Number

Description: This is the actual ship amount on the order line number.

Select equivalent: ORDER_DETAIL.ACTUAL_SHIP_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Actual Cancellation Amount

Type: Number

Description: This is the actual cancellation amount on the order line number.

Select equivalent:

ORDER_DETAIL.ACTUAL_CANCELLATION_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Actual Ship Tax Amount

Type: Number

Description: This is the actual ship tax amount on the order line number.

Select equivalent: ORDER_DETAIL.ACTUAL_SHIP_TAX_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Actual Sales Tax Amount

Type: Number

Description: This is the actual sales tax amount on the order line number.

Select equivalent: ORDER_DETAIL.ACTUAL_SALES_TAX_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Actual Tax Amount

Type: Number

Description: This is the actual tax amount on the order line number.

Select equivalent: ORDER_DETAIL.ACTUAL_TAX_AMOUNT

Where equivalent:

Qualification: measure

Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Actual Vat Tax Amount

Type: Number

Description: This is the actual vat tax amount on the order line number.

Select equivalent: ORDER_DETAIL.ACTUAL_VAT_TAX_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Actual Space Credit Amount

Type: Number

Description: This is the actual space credit amount on the order line number.

Select equivalent: ORDER_DETAIL.ACTUAL_SPACE_CREDIT_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Actual Trade For Service Amount

Type: Number

Description: This is the actual trade for service amount on the order line number. Select equivalent: ORDER_DETAIL.ACTUAL_TRADE_FOR_SERVICE_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Actual Total Amount

Type: Number

Description: This is the actual total amount on the order line number.

Select equivalent: ORDER_DETAIL.ACTUAL_TOTAL_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Sales Reps and Commissions for Orders

Description:

Object: Order Sales Rep Customer Id

Type: Number

Description:

Select equivalent: ORDER_DETAIL_SALES_REP.ORD_SALES_REP_CUSTOMER_ID

Where equivalent:

Qualification: dimension

List of values: 02j, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Sales Rep Master Customer ID

Type: Character

Description:

Select equivalent: ORDER_DETAIL_SALES_REP.SALES_REP_MAST_CUST_ID

Where equivalent:

Qualification: dimension

List of values: 02m, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Sales Rep Sub Customer ID

Type: Number

Description:

Select equivalent: ORDER_DETAIL_SALES_REP.SALES_REP_SUB_CUST_ID

Where equivalent:

Qualification: dimension

List of values: 02n, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Sales Rep Label Name

Type: Character

Description:

Select equivalent: CUSTOMER_SALES_REP.LABEL_NAME

Where equivalent:

Qualification: dimension

List of values: 1qq, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Order Sales Rep Last First Name

Type: Character

Description:

Select equivalent: CUSTOMER_SALES_REP.LAST_FIRST_NAME

Where equivalent:

Qualification: dimension

List of values: 1qr, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Commission Type Code

Type: Character

Description:

Select equivalent: ORDER_DETAIL_SALES_REP.COMMISSION_TYPE_CODE

Where equivalent:

Qualification: dimension

List of values: 02o, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Commission Pymt Status Code

Type: Character

Description:

Select equivalent: ORDER_DETAIL_SALES_REP.COMMISSION_PYMT_STATUS_CODE

Where equivalent:

Qualification: dimension

List of values: 030, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Commission Pymt Status Date

Type: Date

Description:

Select equivalent: ORDER_DETAIL_SALES_REP.COMMISSION_PYMT_STATUS_DATE

Where equivalent:

Qualification: dimension

List of values: 031, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Commission Pymt Amount

Type: Number

Description:

Select equivalent: ORDER_DETAIL_SALES_REP.COMMISSION_PYMT_AMOUNT

Where equivalent:

Qualification: dimension

List of values: 032, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Commission Pymt Ck No

Type: Character

Description:

Select equivalent: ORDER_DETAIL_SALES_REP.COMMISSION_PYMT_CK_NO

Where equivalent:

Qualification: dimension

List of values: 033, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Agency Commission Pct

Type: Number

Description:

Select equivalent: ORDER_DETAIL_SALES_REP.AGENCY_COMMISSION_PCT

Where equivalent:

Qualification: dimension

List of values: 037, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Consignment Commission Pct

Type: Number

Description:

Select equivalent: ORDER_DETAIL_SALES_REP.CONSIGNMENT_COMMISSION_PCT

Where equivalent:

Qualification: dimension

List of values: 038, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Sales Rep Commission Pct

Type: Number

Description:

Select equivalent: ORDER_DETAIL_SALES_REP.SALES_REP_COMMISSION_PCT

Where equivalent:

Qualification: dimension

List of values: 02r, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Commission Activity Code

Type: Character

Description:

Select equivalent: ORDER_DETAIL_SALES_REP.COMMISSION_ACTIVITY_CODE

Where equivalent:

Qualification: dimension

List of values: 039, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Comments
Type: Character

Description:

Select equivalent: ORDER_DETAIL_SALES_REP.COMMENTS

Where equivalent:

Qualification: dimension

List of values: 02y, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Assigned To Ship Customer?

Type: Character

Description:

Select equivalent:

ORDER_DETAIL_SALES_REP.ASSIGNED_TO_SHIP_CUSTOMER_FLAG

Where equivalent:

Qualification: dimension

List of values: 02p, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Assigned To Bill Customer?

Type: Character

Description:

Select equivalent: ORDER_DETAIL_SALES_REP.ASSIGNED_TO_BILL_CUSTOMER_FLAG

Where equivalent:

Qualification: dimension

List of values: 02q, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Manual Override?

Type: Character

Description:

Select equivalent: ORDER_DETAIL_SALES_REP.MANUAL_OVERRIDE_FLAG

Where equivalent:

Qualification: dimension

List of values: 02x, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Insertion Order Contracts

Description:

No objects

Class: Contract Details

Description: This class contains Contrac

t details such as Ad agency details, Contract start and end dates, Contract class,

status etc..

Object: Contract ID Type: Number

Description:

Select equivalent: ADV_CONTRACT.CONTRACT_ID

Where equivalent:

Qualification: dimension

List of values: 1ey, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency Customer ID

Type: Character

Description: This is the concatenation

of the master customer id and the sub customer id if the sub customer id is no t 0, else it is the master

customer id.

Select equivalent: CASE WHEN ADV_CONTRACT.

AGENCY_SUB_CUST_ID = 0 T
HEN ADV_CONTRACT.AGENCY
_MAST_CUST_ID ELSE ADV_
CONTRACT.AGENCY_MAST_CU

ST_ID + '- ' + Convert(cha

r, ADV_CONTRACT.AGENCY_S

UB_CUST_ID) END

Where equivalent:

Qualification: dimension

List of values: 15a, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency Master Customer ID

Type: Character

Description: This is the master custom

er id of the Ad Agency on the Advertising Contract.

Select equivalent: ADV_CONTRACT.AGENCY_MAST_CUST_ID

Where equivalent:

Qualification: dimension

List of values: 156, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Agency Sub Customer ID

Type: Number

Description: This is the sub customer i

d of the Ad Agency on the

Advertising Contract.

Select equivalent: ADV_CONTRACT.AGENCY_SUB_CUST_ID

Where equivalent:

Qualification: dimension

List of values: 157, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contract Effective Date

Type: Date

Description: This is the begin date of the Advertising Contract.

Select equivalent: ADV_CONTRACT.EFFECTIVE_DATE

Where equivalent:

Qualification: dimension

List of values: 15c, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contract Expiration Date

Type: Date

Description: This is the end date of the Advertising Contract.

Select equivalent: ADV_CONTRACT.EXPIRATION_DATE

Where equivalent:

Qualification: dimension

List of values: 15d, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Contract Class Code

Type: Character

Description: This is the Contract class

code of the Advertising C ontract. E.g. 'Internet Co ntract', 'Print Contract', 'Negotiated Contract' etc.

.

Select equivalent: ADV_CONTRACT.CONTRACT_CLASS_CODE

Where equivalent:

Qualification: dimension

List of values: 15e, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contract Status Code

Type: Character

Description: This is the status of the

Contract. E.g. 'Active', 'C ancelled', 'Closed', 'Pend

ing Advertiser' etc..

Select equivalent: ADV_CONTRACT.CONTRACT_STATUS_CODE

Where equivalent:

Qualification: dimension

List of values: 15g, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contract Status Date

Type: Date

Description: This is the date when the status of the Contract last changed.

Select equivalent: ADV_CONTRACT_STATUS_DATE

Where equivalent:

Qualification: dimension

List of values: 15h, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contract Status Reason Code

Type: Character

Description: This is the reason code wh

ich explains the reason fo r Contract status change.

Select equivalent: ADV_CONTRACT_STATUS_REASON_CODE

Where equivalent:

Qualification: dimension

List of values: 15y, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: PO Number Type: Character

Description: This is the PO Number needed for the Contract.

Select equivalent: ADV_CONTRACT.PO_NUMBER

Where equivalent:

Qualification: dimension

List of values: 15t, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Comments
Type: Character

Description: These are Contract Comments.

Select equivalent: ADV_CONTRACT.COMMENTS

Where equivalent:

Qualification: dimension

List of values: 15w, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Tear Sheet Advertiser Quantity

Type: Number

Description: This is the Tear Sheet Advertiser Quantity.

Select equivalent: ADV_CONTRACT.TEAR_SHEET_ADVERTISER_QTY

Where equivalent:

Qualification: dimension

List of values: 15p, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Tear Sheet Agency Quantity

Type: Number

Description: This is the Tear Sheet Ad Agency Quantity.

Select equivalent: ADV_CONTRACT.TEAR_SHEET_AGENCY_QTY

Where equivalent:

Qualification: dimension

List of values: 15q, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Contract Rates

Description:

Object: Rate Structure

Type: Character

Description: This is the rate structure for the Contract.

Select equivalent: ADV CONTRACT.RATE STRUCTURE

Where equivalent:

Qualification: dimension

List of values: 15i, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Rate Code Type: Character

Description: This is the Rate code for the Contract. Select equivalent: ADV_CONTRACT.RATE_CODE

Where equivalent:

Qualification: dimension

List of values: 15j, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Rate Card Year Code

Type: Character

Description: This is the Rate Card Year for the Contract.

Select equivalent: ADV_CONTRACT.RATE_CARD_YEAR_CODE

Where equivalent:

Qualification: dimension

List of values: 15n, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Web Rate Code

Type: Character

Description: This is the Web Rate Code for the Contract. Select equivalent: ADV_CONTRACT.WEB_RATE_CODE

Where equivalent:

Qualification: dimension

List of values: 150, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Contract Bill Customer Info

Description: This class contains information about the Contract Bill Customer.

Object: Contract Bill Customer ID

Type: Character

Description: This is the concatenation

of the master customer id and the sub customer id if the sub customer id is no t 0, else it is the master

customer id.

Select equivalent: CASE WHEN CUSTOMER_CONT

RACT_BILL_CUSTOMER.SUB_C
USTOMER_ID = 0 THEN CUST
OMER_CONTRACT_BILL_CUST
OMER.MASTER_CUSTOMER_ID
ELSE CUSTOMER_CONTRACT
_BILL_CUSTOMER.MASTER_CU
STOMER_ID + '- ' + Conver
t(char, CUSTOMER_CONTRAC
T_BILL_CUSTOMER.SUB_CUST

OMER_ID) END

Where equivalent:

Qualification: dimension

List of values: 155, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contract Bill Master Customer ID

Type: Character

Description: This is the master customer id of the Contract Bill Customer.

Select equivalent: ADV_CONTRACT.BILL_MAST_CUST_ID

Where equivalent:

Qualification: dimension

List of values: 14x, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contract Bill Sub Customer ID

Type: Number

Description: This is the sub customer id of the Contract Bill Customer.

Select equivalent: ADV_CONTRACT.BILL_SUB_CUST_ID

Where equivalent:

Qualification: dimension

List of values: 150, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contract Bill Customer Full Name

Type: Character

Description: This is the full name of the Contract Bill Customer.

Select equivalent: CUSTOMER_CONTRACT_BILL_CUSTOMER.LABEL_NAME

Where equivalent:

Qualification: dimension

List of values: 152, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contract Bill Customer Last First Name

Type: Character

Description: This is the concatenation

of the last name and the first name of the Contract

Bill Customer.

Select equivalent:

CUSTOMER_CONTRACT_BILL_CUSTOMER.LAST_FIRST_NAME

Where equivalent:

Qualification: dimension

List of values: 153, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Agency Overrides

Description: This class defines the agency overrides.

Object: Give Agency Discount?

Type: Character

Description: This indicates if the Agency discount should be applied.

Select equivalent: ADV_CONTRACT.GIVE_AGENCY_DISCOUNT_FLAG

Where equivalent:

Qualification: dimension

List of values: 161, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Override Agency Discount Percentage

Type: Number

Description: This is the override agenc

y discount percentage. Thi s will override the agency discount percentage defin ed at the Org unit level.

Select equivalent:

ADV_CONTRACT.OVERRIDE_AGENCY_DISCOUNT_PCT

Where equivalent:

Qualification: dimension

List of values: 15b, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Override Agency Commission Percentage

Type: Number

Description: This is the override agenc

y commission percentage.
This will override the age
ncy commission percentage
defined at the Org unit I

evel.

Select equivalent:

ADV_CONTRACT.OVERRIDE_AGENCY_COMMISSION_PCT

Where equivalent:

Qualification: dimension

List of values: 16g, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Frequency Commitment and Fulfillment

Description: This class contains informa

tion about the frequency co mmitment and fulfillment as sociated with the Contract

Object: Frequency Commitment

Type: Number

Description:

Select equivalent: ADV_CONTRACT.FREQUENCY_COMMITMENT

Where equivalent:

Qualification: dimension

List of values: 15k, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Advertiser Commitment Quantity

Type: Number

Description:

Select equivalent: ADV_CONTRACT.ADVERTISER_COMMITMENT_QTY

Where equivalent:

Qualification: dimension

List of values: 15x, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Frequency Rule Code

Type: Character

Description:

Select equivalent: ADV_CONTRACT.FREQUENCY_RULE_CODE

Where equivalent:

Qualification: dimension

List of values: 15l, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Frequency Status Code

Type: Character

Description:

Select equivalent: ADV_CONTRACT.FREQUENCY_STATUS_CODE

Where equivalent:

Qualification: dimension

List of values: 15r, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Actual Frequency

Type: Number

Description:

Select equivalent: ADV_CONTRACT.ACTUAL_FREQUENCY

Where equivalent:

Qualification: dimension

List of values: 15u, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Earned Pages

Type: Number

Description:

Select equivalent: ADV_CONTRACT.EARNED_PAGES

Where equivalent:

Qualification: dimension

List of values: 15v, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Contract Contacts

Description:

Object: Contact Type Code

Type: Character

Description: This is the Type of Contra

ct Contact i.e. 'Graphic A rtist', 'Printer', 'Program

mer' etc..

Select equivalent: ADV_CONTRACT_CONTACT_TYPE_CODE

Where equivalent:

Qualification: dimension

List of values: 17r, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Name

Type: Character

Description: This is the name of the Contract contact person.

Select equivalent: ADV_CONTRACT_CONTACT_NAME

Where equivalent:

Qualification: dimension

List of values: 17s, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Phone

Type: Character

Description: This is the phone number of the Contract contact person.

Select equivalent: ADV_CONTRACT_CONTACT_PHONE

Where equivalent:

Qualification: dimension

List of values: 17t, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Fax
Type: Character

Description: This is the fax number of the Contract contact person.

Select equivalent: ADV_CONTRACT_CONTACT_FAX

Where equivalent:

Qualification: dimension

List of values: 17u, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Email Address

Type: Character

Description: This is the email address of the Contract contact person.

Select equivalent: ADV_CONTRACT_CONTACT_EMAIL_ADDRESS

Where equivalent:

Qualification: dimension

List of values: 17v, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contact Mailing Address

Type: Character

Description: This is the mailing address of the Contract contact person.

Select equivalent: ADV_CONTRACT_CONTACT_ADDRESS

Where equivalent:

Qualification: dimension

List of values: 17w, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Is this a Primary Contact?

Type: Character

Description: This indicates that the contact is a primary contact for the Contract.

Select equivalent: ADV_CONTRACT_CONTACT.PRIMARY_CONTACT_FLAG

Where equivalent:

Qualification: dimension

List of values: 17x, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Conditions

Description:

No objects

Condition List

Insertion Order Info

General Order Info

Order Line Status Info

Misc Order Line Info

GL Account Info

Advertising Order Creation & Modification Info

Insertion Details

Ad Details

Ad Creative Info

Ad Text Info

Web Ad Info

Ad Material

Proofs and Tear Sheets

Linked Product Info

Page information

Advertiser Info

Advertiser Name Components

Advertiser Primary Address

Advertiser Advertising Order Address

Advertiser Communication Info

Advertiser Primary Contact Info

Advertiser Primary Agency Contact Info

Advertiser Company Subsidiaries

Advertiser Relationships

Advertiser Current Membership Info

Ad Agency Info

Ad Agency Address

Ad Agency Communication Info

Ad Agency Relationships

Ad Agency Primary Contact Info

Bill to Customer Info

Bill Customer Billing Address

Bill Customer Communication Info

Advertising Media Info

Advertising Media Contacts

Advertising Media Linked Products

Subscription Issue Advertising Info

Advertising Media Production Info

Page Info

Insertion Order Products & Services

Advertising Sales Amounts & Quantities

Discount & Coupon Info

Invoice & Financial Info

Actual (Non-Base-Currency) Sales Amounts

Sales Reps and Commissions for Orders

Insertion Order Contracts

Contract Details

Contract Rates

Contract Bill Customer Info

Agency Overrides

Frequency Commitment and Fulfillment

Contract Contacts

Conditions

YTD By Order Date

Three Year Order Range

Current Month Orders

Conditions

Class:

Conditions

Description:

YTD By Order Date

Description:

Where Equivalent:ORDER_DETAIL.ORDER_D

ATE between '01/01/'+cast(year(getdate(

))-1 as varchar) and GETDATE()

Three Year Order Range

Description: The filter is used to track

all the advertising orders that have bee

n invoiced within th last three year per

iod from the current year.

Where Equivalent:year(ORDER_DETAIL.ORDER_DATE) >= year(getdate())-2

Current Month Orders

Description:

Where Equivalent:ORDER_DETAIL.ORDER_DATE >= DATEADD(mm,

DATEDIFF(mm,0, getdate()), 0)

AND ORDER_DETAIL.ORDER_DATE <=

DATEADD(Month, 1, DATEADD(mm, DATEDIFF(mm,0, getdate()), 0))-1

Hierarchies List

No Hierarchies

Hierarchies

No Hierarchies

Tables List

ADV_AD_COLOR_WEBMEDIA

ADV AD SIZE

ADV_AD_TYPE

ADV_AGENCY_CUSTOMER

ADV CONTRACT

ADV_CONTRACT_CONTACT

ADV_CUSTOMER

ADV MEDIA

ADV_MEDIA_CONTACT

ADV_PREMIUM_POSITION

APP_CODE

APP_CODE_ADVERTISER_CLASS

APP_CODE_ADVERTISER_STATUS

APP CODE MEDIA CONTACT TYPE

APP_CODE_PRODUCT_CATEGORY

APP_CODE_PRODUCT_CLASS

APP CODE PRODUCT TYPE

APP_SUBCODE

APP_SUBCODE_PRODUCT_CATEGORY

CUSTOMER

CUSTOMER_ADVERTISER

CUSTOMER_ADVERTISER_PRIMARY_AGENCY

CUSTOMER_ADVERTISER_PRIMARY_AGENCY_CONTACT

CUSTOMER_ADVERTISER_PRIMARY_CONTACT

CUSTOMER_AD_AGENCY

CUSTOMER BILL CUSTOMER

CUSTOMER_CONTRACT_BILL_CUSTOMER

CUSTOMER_SALES_REP

CUS ACTIVITY

CUS ADDRESS

CUS_ADDRESS_ADVERTISER

CUS_ADDRESS_ADVERTISER_ORDER_ADDRESS

CUS_ADDRESS_AD_AGENCY

CUS_ADDRESS_BILL_CUSTOMER_ORDER_ADDRESS

CUS_ADDRESS_DETAIL

CUS_ADDRESS_DETAIL_ADVERTISER

CUS_ADDRESS_DETAIL_ADVERTISER_ORDER_ADDRESS

CUS_ADDRESS_DETAIL_AD_AGENCY

CUS_ADDRESS_DETAIL_BILL_CUSTOMER_ORDER_ADDRESS

CUS_CURRENT_ADVERTISER_MEMBERSHIP_INFO

CUS_CURRENT_MEMBERSHIP_INFO

Cus_Relationship_AD_Agency_Related_Cus_Info_VW

Cus_Relationship_Ad_Agency_Primary_Contact_Related_Cus_Info_VW

Cus_Relationship_Advertiser_Related_Cus_Info_VW

Cus_Relationship_Advertiser_Subsidiaries_Related_Cus_Info_VW

Cus_Relationship_Related_Cus_Info_VW

FISCAL_YEAR_ORGANIZATION

ORDER_ADV_DETAIL

ORDER_DETAIL

ORDER_DETAIL_SALES_REP

ORDER_DET_ADV_PRODUCT_SERVICE

ORDER_MASTER

PRODUCT

SUB_ISSUE

dbo.PSM_USER

Tables

Table Name: ADV_AD_COLOR_WEBMEDIA

Columns

AD COLOR WEBMEDIA CODE Character

DESCR Character

ENABLE_FOR_PRINT_PRODUCT_FLAG Character

ENABLE_FOR_WEB_PRODUCT_FLAG Character

ENABLE_FOR_ALL_PRODUCTS_FLAG Character

ACTIVE FLAG Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

Table Name: ADV_AD_SIZE

Columns

AD_SIZE_CODE Character

DESCR Character

AD_SIZE_PCT Numeric

ENABLE_FOR_PRINT_PRODUCT_FLAG Character

ENABLE_FOR_WEB_PRODUCT_FLAG Character

ENABLE_FOR_ALL_PRODUCTS_FLAG Character

ACTIVE_FLAG Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

FREQUENCY_CREDIT_QTY Numeric

Table Name: ADV_AD_TYPE

Columns

AD_TYPE_CODE Character

DESCR Character

ENABLE_FOR_PRINT_PRODUCT_FLAG Character

ENABLE_FOR_WEB_PRODUCT_FLAG Character

ENABLE_FOR_ALL_PRODUCTS_FLAG Character

ACTIVE_FLAG Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

INCLUDE_IN_DISPLAY_AD_PAGE_COUNT_FLAXGaracter

Table Name: ADV_AGENCY_CUSTOMER

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

AGENCY_CLASS_CODE Character

AGENCY_STATUS_CODE Character

AGENCY_STATUS_DATE Date

OVERRIDE_AGENCY_DISCOUNT_PCT Numeric

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

CUS_ADDRESS_ID Numeric

ADDRESS_TYPE_CODE Character

COMMENTS Character

OVERRIDE_AGENCY_COMMISSION_PCT Numeric

Table Name: ADV_CONTRACT

Columns

CONTRACT_ID Numeric

ORG_ID Character

ORG_UNIT_ID Character

PO_NUMBER Character

ADVERTISER_MAST_CUST_ID Character

ADVERTISER_SUB_CUST_ID Numeric

BILL_MAST_CUST_ID Character

BILL_SUB_CUST_ID Numeric

AGENCY_MAST_CUST_ID Character

AGENCY_SUB_CUST_ID Numeric

OVERRIDE_AGENCY_DISCOUNT_PCT Numeric

EFFECTIVE_DATE Date

EXPIRATION_DATE Date

CONTRACT_CLASS_CODE Character

CONTRACT_STATUS_CODE Character

CONTRACT_STATUS_DATE Date

RATE_STRUCTURE Character

RATE_CODE Character

FREQUENCY_COMMITMENT Numeric

FREQUENCY_RULE_CODE Character

RATE_CARD_YEAR_CODE Character

WEB_RATE_CODE Character

TEAR_SHEET_ADVERTISER_QTY Numeric

TEAR_SHEET_AGENCY_QTY Numeric

FREQUENCY_STATUS_CODE Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

ACTUAL_FREQUENCY Numeric

EARNED_PAGES Numeric

COMMENTS Character

ADVERTISER_COMMITMENT_QTY Numeric

CONTRACT_STATUS_REASON_CODE Character

GIVE_AGENCY_DISCOUNT_FLAG Character

CONTRACT_BILL_ADDRESS_ID Numeric

CONTRACT_BILL_ADDRESS_TYPE_CODE Character

OVERRIDE_AGENCY_COMMISSION_PCT Numeric

LINKED_FROM_CONTRACT_ID Numeric

LINKED_TO_CONTRACT_ID Numeric

Table Name: ADV_CONTRACT_CONTACT

Columns

CONTRACT_CONTACT_ID Numeric

CONTRACT_ID Numeric

CONTACT_TYPE_CODE Character

CONTACT_NAME Character

CONTACT_PHONE Character

CONTACT_FAX Character

CONTACT_EMAIL_ADDRESS Character

CONTACT_ADDRESS Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

PRIMARY_CONTACT_FLAG Character

Table Name: ADV_CUSTOMER

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

ADVERTISER_CLASS_CODE Character

ADVERTISER_STATUS_CODE Character

ADVERTISER_STATUS_DATE Date

DIRECTORY_NAME Character

DIRECTORY_DESCRIPTION Character

PRIMARY_AGENCY_MAST_CUST_ID Character

PRIMARY_AGENCY_SUB_CUST_ID Numeric

GIVE_AGENCY_DISCOUNT_FLAG Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

CUS_ADDRESS_ID Numeric

ADDRESS_TYPE_CODE Character

COMMENTS Character

PRIMARY_ADV_CONTACT_MAST_CUST_ID Character

PRIMARY_ADV_CONTACT_SUB_CUST_ID Numeric

PRIMARY_AGENCY_CONTACT_MAST_CUST_Character

PRIMARY_AGENCY_CONTACT_SUB_CUST_IDNumeric

Table Name: ADV_MEDIA

Columns

ORG_ID Character

ORG_UNIT_ID Character

MEDIA_CODE Character

ACTIVE_FLAG Character

DESCR Character

LINKED_PRODUCT_ID Numeric

LINKED_PARENT_PRODUCT Character

LINKED_PRODUCT_CODE Character

LINKED_PRODUCT_SUBSYSTEM Character

MEDIA_TYPE_CODE Character

MEDIA_CLASS_CODE Character

INVOICE_RULE_CODE Character

AVAILABLE_TO_INVOICE_DATE Date

PUBLISHER_MAST_CUST_ID Character

PUBLISHER_SUB_CUST_ID Numeric

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

LINKED_PRODUCT_SHORT_NAME Character

REQUIRES_CONTRACT_FLAG Character

AUTO_ADD_TO_NEW_CONTRACT_FLAG Character

AD_SPACE_CLOSE_DATE Date

DIGITAL_FILE_DUE_DATE Date

ART_DUE_DATE Date

COPY_DUE_DATE Date

CAMERA_READY_DUE_DATE Date

PAGES Numeric

START_PAGE Numeric

ADV_PAGES Numeric

DAYS_BEFORE_START_WEB_AD_MATERIAL_IDUUMEeric

ADV_DISPLAY_AD_PAGES Numeric

ADV_CLASSIFIED_AD_PAGES Numeric

INTERNET_MEDIA_FLAG Character

CLASSIFIED_AD_SALE_UNIT_CODE Character

CLASSIFIED_AD_UNITS_PER_PAGE Numeric

Table Name: ADV_MEDIA_CONTACT

Columns

MEDIA_CONTACT_ID Numeric

ORG_ID Character

ORG_UNIT_ID Character

MEDIA_CODE Character

CONTACT_TYPE_CODE Character

CONTACT_NAME Character

CONTACT_TITLE Character

CONTACT_COMPANY Character

CONTACT_PHONE Character

CONTACT_FAX Character

CONTACT_EMAIL_ADDRESS Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

Table Name: ADV_PREMIUM_POSITION

Columns

PREMIUM_POSITION_CODE Character

DESCR Character

ENABLE_FOR_PRINT_PRODUCT_FLAG Character

ENABLE_FOR_WEB_PRODUCT_FLAG Character

ENABLE_FOR_ALL_PRODUCTS_FLAG Character

ACTIVE_FLAG Character

MAX_AVAILABLE_PAGE_PCT Numeric

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

Table Name:APP_CODE

Columns

SUBSYSTEM Character

TYPE Character

CODE Character

DESCR Character

SYSTEM_FLAG Character

DISPLAY_ORDER Numeric

SCREEN_RESTRICTION Character

PRIMARY_SUBCODE Character

ACTIVE_FLAG Character

STATUS_CHANGE_DATE Date

AUTO_POPULATE_FLAG Character

AVAILABLE_TO_WEB_FLAG Character

OPTION_1 Character

OPTION 2	Character
OF HON Z	Character

OPTION_3 Character

SUBCODE_OPTION_1_REQD_FLAG Character

SUBCODE_OPTION_2_REQD_FLAG Character

SUBCODE_OPTION_3_REQD_FLAG Character

SUBCODE_OPTION_1_CAPTION Character

SUBCODE_OPTION_2_CAPTION Character

SUBCODE_OPTION_3_CAPTION Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

OPTION_4 Character

OPTION_5 Character

OPTION_6 Character

CODE_OPTION_5_REQD_FLAG Character

CODE_OPTION_6_REQD_FLAG Character

CODE_OPTION_5_CAPTION Character

CODE_OPTION_6_CAPTION Character

ACCESSPOINT_CODE Character

Table Name: APP_CODE_ADVERTISER_CLASS

Columns

SUBSYSTEM Character

TYPE	Character
ITPE	Character

CODE Character

DESCR Character

SYSTEM_FLAG Character

DISPLAY_ORDER Numeric

SCREEN_RESTRICTION Character

PRIMARY_SUBCODE Character

ACTIVE_FLAG Character

STATUS_CHANGE_DATE Date

AUTO_POPULATE_FLAG Character

AVAILABLE_TO_WEB_FLAG Character

OPTION_1 Character

OPTION_2 Character

OPTION_3 Character

SUBCODE_OPTION_1_REQD_FLAG Character

SUBCODE_OPTION_2_REQD_FLAG Character

SUBCODE_OPTION_3_REQD_FLAG Character

SUBCODE_OPTION_1_CAPTION Character

SUBCODE_OPTION_2_CAPTION Character

SUBCODE_OPTION_3_CAPTION Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

OPTION_4 Character

OPTION_5 Character

OPTION_6 Character

CODE_OPTION_5_REQD_FLAG Character

CODE_OPTION_6_REQD_FLAG Character

CODE_OPTION_5_CAPTION Character

CODE_OPTION_6_CAPTION Character

ACCESSPOINT_CODE Character

Table Name: APP_CODE_ADVERTISER_STATUS

Columns

SUBSYSTEM Character

TYPE Character

CODE Character

DESCR Character

SYSTEM_FLAG Character

DISPLAY_ORDER Numeric

SCREEN_RESTRICTION Character

PRIMARY_SUBCODE Character

ACTIVE_FLAG Character

STATUS_CHANGE_DATE Date

AUTO_POPULATE_FLAG Character

AVAILABLE_TO_WEB_FLAG Character

OPTION 1	Character

OPTION_2 Character

OPTION_3 Character

SUBCODE_OPTION_1_REQD_FLAG Character

SUBCODE_OPTION_2_REQD_FLAG Character

SUBCODE_OPTION_3_REQD_FLAG Character

SUBCODE_OPTION_1_CAPTION Character

SUBCODE_OPTION_2_CAPTION Character

SUBCODE_OPTION_3_CAPTION Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

OPTION_4 Character

OPTION_5 Character

OPTION_6 Character

CODE_OPTION_5_REQD_FLAG Character

CODE_OPTION_6_REQD_FLAG Character

CODE_OPTION_5_CAPTION Character

CODE_OPTION_6_CAPTION Character

ACCESSPOINT_CODE Character

Table Name: APP_CODE_MEDIA_CONTACT_TYPE

Columns

SUBSYSTEM Character

TYPE Character

CODE Character

DESCR Character

SYSTEM_FLAG Character

DISPLAY_ORDER Numeric

SCREEN_RESTRICTION Character

PRIMARY_SUBCODE Character

ACTIVE_FLAG Character

STATUS_CHANGE_DATE Date

AUTO_POPULATE_FLAG Character

AVAILABLE_TO_WEB_FLAG Character

OPTION_1 Character

OPTION_2 Character

OPTION_3 Character

SUBCODE_OPTION_1_REQD_FLAG Character

SUBCODE_OPTION_2_REQD_FLAG Character

SUBCODE_OPTION_3_REQD_FLAG Character

SUBCODE_OPTION_1_CAPTION Character

SUBCODE_OPTION_2_CAPTION Character

SUBCODE_OPTION_3_CAPTION Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

OPTION_4 Character

OPTION_5 Character

OPTION_6 Character

CODE_OPTION_5_REQD_FLAG Character

CODE_OPTION_6_REQD_FLAG Character

CODE_OPTION_5_CAPTION Character

CODE_OPTION_6_CAPTION Character

ACCESSPOINT_CODE Character

Table Name: APP_CODE_PRODUCT_CATEGORY

Columns

SUBSYSTEM Character

TYPE Character

CODE Character

DESCR Character

SYSTEM_FLAG Character

DISPLAY_ORDER Numeric

SCREEN_RESTRICTION Character

PRIMARY_SUBCODE Character

ACTIVE_FLAG Character

STATUS_CHANGE_DATE Date

AUTO_POPULATE_FLAG Character

AVAILABLE	TO WER	FLAG	Character
AVAILABLE		FLAG	Ullalaciei

OPTION_1 Character

OPTION_2 Character

OPTION_3 Character

SUBCODE_OPTION_1_REQD_FLAG Character

SUBCODE_OPTION_2_REQD_FLAG Character

SUBCODE_OPTION_3_REQD_FLAG Character

SUBCODE_OPTION_1_CAPTION Character

SUBCODE_OPTION_2_CAPTION Character

SUBCODE_OPTION_3_CAPTION Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

OPTION_4 Character

OPTION_5 Character

OPTION_6 Character

CODE_OPTION_5_REQD_FLAG Character

CODE_OPTION_6_REQD_FLAG Character

CODE_OPTION_5_CAPTION Character

CODE_OPTION_6_CAPTION Character

ACCESSPOINT_CODE Character

Table Name: APP_CODE_PRODUCT_CLASS

Columns

SUBSYSTEM Character

TYPE Character

CODE Character

DESCR Character

SYSTEM_FLAG Character

DISPLAY_ORDER Numeric

SCREEN_RESTRICTION Character

PRIMARY_SUBCODE Character

ACTIVE_FLAG Character

STATUS_CHANGE_DATE Date

AUTO_POPULATE_FLAG Character

AVAILABLE_TO_WEB_FLAG Character

OPTION_1 Character

OPTION_2 Character

OPTION_3 Character

SUBCODE_OPTION_1_REQD_FLAG Character

SUBCODE_OPTION_2_REQD_FLAG Character

SUBCODE_OPTION_3_REQD_FLAG Character

SUBCODE_OPTION_1_CAPTION Character

SUBCODE_OPTION_2_CAPTION Character

SUBCODE_OPTION_3_CAPTION Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

OPTION_4 Character

OPTION_5 Character

OPTION_6 Character

CODE_OPTION_5_REQD_FLAG Character

CODE_OPTION_6_REQD_FLAG Character

CODE_OPTION_5_CAPTION Character

CODE_OPTION_6_CAPTION Character

ACCESSPOINT_CODE Character

Table Name:APP_CODE_PRODUCT_TYPE

Columns

SUBSYSTEM Character

TYPE Character

CODE Character

DESCR Character

SYSTEM_FLAG Character

DISPLAY_ORDER Numeric

SCREEN_RESTRICTION Character

PRIMARY_SUBCODE Character

ACTIVE_FLAG Character

STATUS_CHANGE_DATE Date

AUTO POPULATE FLAG	Character

AVAILABLE_TO_WEB_FLAG Character

OPTION_1 Character

OPTION_2 Character

OPTION_3 Character

SUBCODE_OPTION_1_REQD_FLAG Character

SUBCODE_OPTION_2_REQD_FLAG Character

SUBCODE_OPTION_3_REQD_FLAG Character

SUBCODE_OPTION_1_CAPTION Character

SUBCODE_OPTION_2_CAPTION Character

SUBCODE_OPTION_3_CAPTION Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

OPTION_4 Character

OPTION_5 Character

OPTION_6 Character

CODE_OPTION_5_REQD_FLAG Character

CODE_OPTION_6_REQD_FLAG Character

CODE_OPTION_5_CAPTION Character

CODE_OPTION_6_CAPTION Character

ACCESSPOINT_CODE Character

Table Name: APP_SUBCODE

Columns

SUBSYSTEM Character

TYPE Character

CODE Character

SUBCODE Character

SCREEN_RESTRICTION Character

DESCR Character

ACTIVE_FLAG Character

STATUS_CHANGE_DATE Date

OPTION_1 Character

OPTION_2 Character

OPTION_3 Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

ACCESSPOINT_CODE Character

Table Name: APP_SUBCODE_PRODUCT_CATEGORY

Columns

SUBSYSTEM Character

TYPE Character

CODE Character

SUBCODE Character

SCREEN_RESTRICTION Character

DESCR Character

ACTIVE_FLAG Character

STATUS_CHANGE_DATE Date

OPTION_1 Character

OPTION_2 Character

OPTION_3 Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

ACCESSPOINT_CODE Character

Table Name: CUSTOMER

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

ORG_ID Character

ORG_UNIT_ID Character

RECORD_TYPE Character

SEARCH_NAME Character

LABEL_NAME Character

CAN_PLACE_ORDER_FLAG Character

RILL	PRIMARY	ACCOUNT	FLAG	Character
DILL	FRIIVIARI	ACCOUNT	FLAG	Character

NAME_PREFIX Character

FIRST_NAME Character

MIDDLE_NAME Character

LAST_NAME Character

NAME_SUFFIX Character

NAME_CREDENTIALS Character

NICKNAME Character

FORMAL_SALUTATION Character

INFORMAL_SALUTATION Character

CUSTOMER_CLASS_CODE Character

CUSTOMER_STATUS_CODE Character

CUSTOMER_STATUS_DATE Date

ALLOW_FAX_FLAG Character

ALLOW_EMAIL_FLAG Character

ALLOW_PHONE_FLAG Character

ALLOW_LABEL_SALES_FLAG Character

ALLOW_SOLICITATION_FLAG Character

ALLOW_INTERNAL_MAIL_FLAG Character

SOLICITATION_REMOVAL_DATE Date

TAXABLE_FLAG Character

FEDERAL_TAX_ID Character

VAT_ID Character

TAX_EXEMPT_ID Character

SSN Character

GENDER_CODE Character

BIRTH_DATE Date

ETHNICITY_CODE Character

ANNUAL_INCOME_RANGE_CODE Character

JOB_FUNCTION_CODE Character

REVENUE_RANGE_CODE Character

STAFF_RANGE_CODE Character

FOUNDATION_FLAG Character

FND_MATCHING_FLAG Character

FND_MATCHING_PERCENT Numeric

FND_MATCHING_LIMIT Numeric

LIST_CODE Character

ENFORCE_COM_STRUCT_FLAG Character

NOT_A_DUPLICATE_FLAG Character

MERGED_TO_MAST_CUST Character

MERGED_TO_SUB_CUST Numeric

EXHIBITOR_FLAG Character

VIP_COMMITTEE_PRIORITY Numeric

HOME_PHONE Character

WORK_PHONE Character

PRIMARY_PHONE Character

PRIMARY FAX	Character

PRIMARY_EMAIL_ADDRESS Character

PRIMARY_URL Character

PRIMARY_JOB_TITLE Character

PRIMARY_PHONE_LOCATION_CODE Character

PRIMARY_EMAIL_LOCATION_CODE Character

PRIMARY_FAX_LOCATION_CODE Character

PUBLISH_PRIMARY_FAX_FLAG Character

PUBLISH_PRIMARY_PHONE_FLAG Character

PUBLISH_PRIMARY_EMAIL_FLAG Character

PUBLISH_HOME_PHONE_FLAG Character

PUBLISH_WORK_PHONE_FLAG Character

DEFAULT_LANGUAGE_CODE Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

IMAGE_ID Numeric

PREFERRED_COMM_METHOD_CODE Character

BILL_PRIMARY_EMPLOYER_FLAG Character

LAST_FIRST_NAME Character

TRN_COUNTRY_CODE Character

haracter
,

ORIG_CUS_ADDRESS_ID Numeric

ORIG_CUS_ADDRESS_TYPE_CODE Character

WEB_SEGMENT_CREATION_FLAG Character

SEGMENT_RULE_CODE Character

SEGMENT_QUALIFIER1 Character

SEGMENT_QUALIFIER2 Character

INCLUDE_IN_DIRECTORY_FLAG Character

SEGMENT_DESCR Character

CAN_CREATE_SEGMENTS_FLAG Character

PRIMARY_CONTACT_MAST_CUST_ID Character

PRIMARY_CONTACT_SUB_CUST_ID Numeric

SHORT_NAME_CODE Character

OFFICIAL_COMMITTEE_FLAG Character

COM_SUBGROUP_MAST_CUST_ID Character

COM_SUBGROUP_SUB_CUST_ID Numeric

CUS_VOLUNTEER_FLAG Character

ADVERTISER_FLAG Character

ADVERTISING_AGENCY_FLAG Character

BPA_TITLE_ONLY_FLAG Character

PROSPECT_ID Character

Table Name: CUSTOMER_ADVERTISER

Columns

MASTER CUSTOMER ID Character

SUB	CUSTOMER ID	Numeric
200	COSTONER	Numenc

ORG_ID Character

ORG_UNIT_ID Character

RECORD_TYPE Character

SEARCH_NAME Character

LABEL_NAME Character

CAN_PLACE_ORDER_FLAG Character

BILL_PRIMARY_ACCOUNT_FLAG Character

NAME_PREFIX Character

FIRST_NAME Character

MIDDLE_NAME Character

LAST_NAME Character

NAME_SUFFIX Character

NAME_CREDENTIALS Character

NICKNAME Character

FORMAL_SALUTATION Character

INFORMAL_SALUTATION Character

CUSTOMER_CLASS_CODE Character

CUSTOMER_STATUS_CODE Character

CUSTOMER_STATUS_DATE Date

ALLOW_FAX_FLAG Character

ALLOW_EMAIL_FLAG Character

ALLOW_PHONE_FLAG Character

ALLOW LABEL	SALES FLAG	Character
ALLUW LADLL	OALLO I LAG	Character

ALLOW_SOLICITATION_FLAG Character

ALLOW_INTERNAL_MAIL_FLAG Character

SOLICITATION_REMOVAL_DATE Date

TAXABLE_FLAG Character

FEDERAL_TAX_ID Character

VAT_ID Character

TAX_EXEMPT_ID Character

SSN Character

GENDER_CODE Character

BIRTH_DATE Date

ETHNICITY_CODE Character

ANNUAL_INCOME_RANGE_CODE Character

JOB_FUNCTION_CODE Character

REVENUE_RANGE_CODE Character

STAFF_RANGE_CODE Character

FOUNDATION_FLAG Character

FND_MATCHING_FLAG Character

FND_MATCHING_PERCENT Numeric

FND_MATCHING_LIMIT Numeric

LIST_CODE Character

ENFORCE_COM_STRUCT_FLAG Character

NOT_A_DUPLICATE_FLAG Character

MERGED	TO	MAST CUST	Character

MERGED_TO_SUB_CUST Numeric

EXHIBITOR_FLAG Character

VIP_COMMITTEE_PRIORITY Numeric

HOME_PHONE Character

WORK_PHONE Character

PRIMARY_PHONE Character

PRIMARY_FAX Character

PRIMARY_EMAIL_ADDRESS Character

PRIMARY_URL Character

PRIMARY_JOB_TITLE Character

PRIMARY_PHONE_LOCATION_CODE Character

PRIMARY_EMAIL_LOCATION_CODE Character

PRIMARY_FAX_LOCATION_CODE Character

PUBLISH_PRIMARY_FAX_FLAG Character

PUBLISH_PRIMARY_PHONE_FLAG Character

PUBLISH_PRIMARY_EMAIL_FLAG Character

PUBLISH_HOME_PHONE_FLAG Character

PUBLISH_WORK_PHONE_FLAG Character

DEFAULT_LANGUAGE_CODE Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

IMAGE_ID Numeric

PREFERRED_COMM_METHOD_CODE Character

BILL_PRIMARY_EMPLOYER_FLAG Character

LAST_FIRST_NAME Character

TRN_COUNTRY_CODE Character

TRN_STATE_CODE Character

ORIG_CUS_ADDRESS_ID Numeric

ORIG_CUS_ADDRESS_TYPE_CODE Character

WEB_SEGMENT_CREATION_FLAG Character

SEGMENT_RULE_CODE Character

SEGMENT_QUALIFIER1 Character

SEGMENT_QUALIFIER2 Character

INCLUDE_IN_DIRECTORY_FLAG Character

SEGMENT_DESCR Character

CAN_CREATE_SEGMENTS_FLAG Character

PRIMARY_CONTACT_MAST_CUST_ID Character

PRIMARY_CONTACT_SUB_CUST_ID Numeric

SHORT_NAME_CODE Character

OFFICIAL_COMMITTEE_FLAG Character

COM_SUBGROUP_MAST_CUST_ID Character

COM_SUBGROUP_SUB_CUST_ID Numeric

CUS_VOLUNTEER_FLAG Character

ADVERTISER_FLAG Character

ADVERTISING_AGENCY_FLAG Character

BPA_TITLE_ONLY_FLAG Character

PROSPECT_ID Character

Table Name: CUSTOMER_ADVERTISER_PRIMARY_AGENCY

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

ORG_ID Character

ORG_UNIT_ID Character

RECORD_TYPE Character

SEARCH_NAME Character

LABEL_NAME Character

CAN_PLACE_ORDER_FLAG Character

BILL_PRIMARY_ACCOUNT_FLAG Character

NAME_PREFIX Character

FIRST_NAME Character

MIDDLE_NAME Character

LAST_NAME Character

NAME_SUFFIX Character

NAME_CREDENTIALS Character

NICKNAME Character

FORMAL_SALUTATION Character

INFORMAL SALUTATION	Character
---------------------	-----------

CUSTOMER_CLASS_CODE Character

CUSTOMER_STATUS_CODE Character

CUSTOMER_STATUS_DATE Date

ALLOW_FAX_FLAG Character

ALLOW_EMAIL_FLAG Character

ALLOW_PHONE_FLAG Character

ALLOW_LABEL_SALES_FLAG Character

ALLOW_SOLICITATION_FLAG Character

ALLOW_INTERNAL_MAIL_FLAG Character

SOLICITATION_REMOVAL_DATE Date

TAXABLE_FLAG Character

FEDERAL_TAX_ID Character

VAT_ID Character

TAX_EXEMPT_ID Character

SSN Character

GENDER_CODE Character

BIRTH_DATE Date

ETHNICITY_CODE Character

ANNUAL_INCOME_RANGE_CODE Character

JOB_FUNCTION_CODE Character

REVENUE_RANGE_CODE Character

STAFF_RANGE_CODE Character

FOUNDATION FLAG	Character
I CONDATION I LAG	Character

FND MATCHING FLAG	Character

FND_MATCHING_PERCENT Numeric

FND_MATCHING_LIMIT Numeric

LIST_CODE Character

ENFORCE_COM_STRUCT_FLAG Character

NOT_A_DUPLICATE_FLAG Character

MERGED_TO_MAST_CUST Character

MERGED_TO_SUB_CUST Numeric

EXHIBITOR_FLAG Character

VIP_COMMITTEE_PRIORITY Numeric

HOME_PHONE Character

WORK_PHONE Character

PRIMARY_PHONE Character

PRIMARY_FAX Character

PRIMARY_EMAIL_ADDRESS Character

PRIMARY_URL Character

PRIMARY_JOB_TITLE Character

PRIMARY_PHONE_LOCATION_CODE Character

PRIMARY_EMAIL_LOCATION_CODE Character

PRIMARY_FAX_LOCATION_CODE Character

PUBLISH_PRIMARY_FAX_FLAG Character

PUBLISH_PRIMARY_PHONE_FLAG Character

PURI ISH	PRIMARY	FMAII	FLAG	Character
LODEIOL			ILAG	Ullalatici

PUBLISH_HOME_PHONE_FLAG Character

PUBLISH_WORK_PHONE_FLAG Character

DEFAULT_LANGUAGE_CODE Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

IMAGE_ID Numeric

PREFERRED_COMM_METHOD_CODE Character

BILL_PRIMARY_EMPLOYER_FLAG Character

LAST_FIRST_NAME Character

TRN_COUNTRY_CODE Character

TRN_STATE_CODE Character

ORIG_CUS_ADDRESS_ID Numeric

ORIG_CUS_ADDRESS_TYPE_CODE Character

WEB_SEGMENT_CREATION_FLAG Character

SEGMENT_RULE_CODE Character

SEGMENT_QUALIFIER1 Character

SEGMENT_QUALIFIER2 Character

INCLUDE_IN_DIRECTORY_FLAG Character

SEGMENT_DESCR Character

CAN_CREATE_SEGMENTS_FLAG Character

PRIMARY_CONTACT_MAST_CUST_ID Character

PRIMARY_CONTACT_SUB_CUST_ID Numeric

SHORT_NAME_CODE Character

OFFICIAL_COMMITTEE_FLAG Character

COM_SUBGROUP_MAST_CUST_ID Character

COM_SUBGROUP_SUB_CUST_ID Numeric

CUS_VOLUNTEER_FLAG Character

ADVERTISER_FLAG Character

ADVERTISING_AGENCY_FLAG Character

BPA_TITLE_ONLY_FLAG Character

PROSPECT_ID Character

Table Name: CUSTOMER_ADVERTISER_PRIMARY_AGENCY_CONTACT

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

ORG_ID Character

ORG_UNIT_ID Character

RECORD_TYPE Character

SEARCH_NAME Character

LABEL_NAME Character

CAN_PLACE_ORDER_FLAG Character

BILL_PRIMARY_ACCOUNT_FLAG Character

NAME PREFIX Character

FIRST NAME	Character
LIKOT NAME	Character

MIDDLE_NAME Character

LAST_NAME Character

NAME_SUFFIX Character

NAME_CREDENTIALS Character

NICKNAME Character

FORMAL_SALUTATION Character

INFORMAL_SALUTATION Character

CUSTOMER_CLASS_CODE Character

CUSTOMER_STATUS_CODE Character

CUSTOMER_STATUS_DATE Date

ALLOW_FAX_FLAG Character

ALLOW_EMAIL_FLAG Character

ALLOW_PHONE_FLAG Character

ALLOW_LABEL_SALES_FLAG Character

ALLOW_SOLICITATION_FLAG Character

ALLOW_INTERNAL_MAIL_FLAG Character

SOLICITATION_REMOVAL_DATE Date

TAXABLE_FLAG Character

FEDERAL_TAX_ID Character

VAT_ID Character

TAX_EXEMPT_ID Character

SSN Character

GENDER CODE	Character
GENDER CODE	Character

BIRTH_DATE Date

ETHNICITY_CODE Character

ANNUAL_INCOME_RANGE_CODE Character

JOB_FUNCTION_CODE Character

REVENUE_RANGE_CODE Character

STAFF_RANGE_CODE Character

FOUNDATION_FLAG Character

FND_MATCHING_FLAG Character

FND_MATCHING_PERCENT Numeric

FND_MATCHING_LIMIT Numeric

LIST_CODE Character

ENFORCE_COM_STRUCT_FLAG Character

NOT_A_DUPLICATE_FLAG Character

MERGED_TO_MAST_CUST Character

MERGED_TO_SUB_CUST Numeric

EXHIBITOR_FLAG Character

VIP_COMMITTEE_PRIORITY Numeric

HOME_PHONE Character

WORK_PHONE Character

PRIMARY_PHONE Character

PRIMARY_FAX Character

PRIMARY_EMAIL_ADDRESS Character

PRIMARY URL	Character
FRIMARI UKL	Cilalaciei

PRIMARY_JOB_TITLE Character

PRIMARY_PHONE_LOCATION_CODE Character

PRIMARY_EMAIL_LOCATION_CODE Character

PRIMARY_FAX_LOCATION_CODE Character

PUBLISH_PRIMARY_FAX_FLAG Character

PUBLISH_PRIMARY_PHONE_FLAG Character

PUBLISH_PRIMARY_EMAIL_FLAG Character

PUBLISH_HOME_PHONE_FLAG Character

PUBLISH_WORK_PHONE_FLAG Character

DEFAULT_LANGUAGE_CODE Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

IMAGE ID Numeric

PREFERRED_COMM_METHOD_CODE Character

BILL_PRIMARY_EMPLOYER_FLAG Character

LAST_FIRST_NAME Character

TRN_COUNTRY_CODE Character

TRN_STATE_CODE Character

ORIG_CUS_ADDRESS_ID Numeric

ORIG_CUS_ADDRESS_TYPE_CODE Character

WEB_SEGMENT_CREATION_FLAG Character

SEGMENT_RULE_CODE Character

SEGMENT_QUALIFIER1 Character

SEGMENT_QUALIFIER2 Character

INCLUDE_IN_DIRECTORY_FLAG Character

SEGMENT_DESCR Character

CAN_CREATE_SEGMENTS_FLAG Character

PRIMARY_CONTACT_MAST_CUST_ID Character

PRIMARY_CONTACT_SUB_CUST_ID Numeric

SHORT_NAME_CODE Character

OFFICIAL_COMMITTEE_FLAG Character

COM_SUBGROUP_MAST_CUST_ID Character

COM_SUBGROUP_SUB_CUST_ID Numeric

CUS_VOLUNTEER_FLAG Character

ADVERTISER_FLAG Character

ADVERTISING_AGENCY_FLAG Character

BPA_TITLE_ONLY_FLAG Character

PROSPECT_ID Character

Table Name: CUSTOMER_ADVERTISER_PRIMARY_CONTACT

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

ORG_ID Character

ORG UNIT ID	Character

RECORD_TYPE Character

SEARCH_NAME Character

LABEL_NAME Character

CAN_PLACE_ORDER_FLAG Character

BILL_PRIMARY_ACCOUNT_FLAG Character

NAME_PREFIX Character

FIRST_NAME Character

MIDDLE_NAME Character

LAST_NAME Character

NAME_SUFFIX Character

NAME_CREDENTIALS Character

NICKNAME Character

FORMAL_SALUTATION Character

INFORMAL_SALUTATION Character

CUSTOMER_CLASS_CODE Character

CUSTOMER_STATUS_CODE Character

CUSTOMER_STATUS_DATE Date

ALLOW_FAX_FLAG Character

ALLOW_EMAIL_FLAG Character

ALLOW_PHONE_FLAG Character

ALLOW_LABEL_SALES_FLAG Character

ALLOW_SOLICITATION_FLAG Character

ALLOW_INTERNAL_MAIL_FLAG Character

SOLICITATION_REMOVAL_DATE Date

TAXABLE_FLAG Character

FEDERAL_TAX_ID Character

VAT_ID Character

TAX_EXEMPT_ID Character

SSN Character

GENDER_CODE Character

BIRTH_DATE Date

ETHNICITY_CODE Character

ANNUAL_INCOME_RANGE_CODE Character

JOB_FUNCTION_CODE Character

REVENUE_RANGE_CODE Character

STAFF_RANGE_CODE Character

FOUNDATION_FLAG Character

FND_MATCHING_FLAG Character

FND_MATCHING_PERCENT Numeric

FND_MATCHING_LIMIT Numeric

LIST_CODE Character

ENFORCE_COM_STRUCT_FLAG Character

NOT_A_DUPLICATE_FLAG Character

MERGED_TO_MAST_CUST Character

MERGED_TO_SUB_CUST Numeric

EXHIBITOR	FLAG	Character
	FLAG	Character

VIP_COMMITTEE_PRIORITY Numeric

HOME_PHONE Character

WORK_PHONE Character

PRIMARY_PHONE Character

PRIMARY_FAX Character

PRIMARY_EMAIL_ADDRESS Character

PRIMARY_URL Character

PRIMARY_JOB_TITLE Character

PRIMARY_PHONE_LOCATION_CODE Character

PRIMARY_EMAIL_LOCATION_CODE Character

PRIMARY_FAX_LOCATION_CODE Character

PUBLISH_PRIMARY_FAX_FLAG Character

PUBLISH_PRIMARY_PHONE_FLAG Character

PUBLISH_PRIMARY_EMAIL_FLAG Character

PUBLISH_HOME_PHONE_FLAG Character

PUBLISH_WORK_PHONE_FLAG Character

DEFAULT_LANGUAGE_CODE Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

IMAGE_ID	Numeric
PREFERRED_COMM_METHOD_CODE	Character
BILL_PRIMARY_EMPLOYER_FLAG	Character
LAST_FIRST_NAME	Character
TRN_COUNTRY_CODE	Character
TRN_STATE_CODE	Character
ORIG_CUS_ADDRESS_ID	Numeric
ORIG_CUS_ADDRESS_TYPE_CODE	Character
WEB_SEGMENT_CREATION_FLAG	Character
SEGMENT_RULE_CODE	Character
SEGMENT_QUALIFIER1	Character
SEGMENT_QUALIFIER2	Character
INCLUDE_IN_DIRECTORY_FLAG	Character
SEGMENT_DESCR	Character
CAN_CREATE_SEGMENTS_FLAG	Character
PRIMARY_CONTACT_MAST_CUST_ID	Character
PRIMARY_CONTACT_SUB_CUST_ID	Numeric
SHORT_NAME_CODE	Character
OFFICIAL_COMMITTEE_FLAG	Character
COM_SUBGROUP_MAST_CUST_ID	Character
COM_SUBGROUP_SUB_CUST_ID	Numeric
CUS_VOLUNTEER_FLAG	Character
ADVERTISER_FLAG	Character

ADVERTISING_AGENCY_FLAG Character

BPA_TITLE_ONLY_FLAG Character

PROSPECT_ID Character

Table Name: CUSTOMER_AD_AGENCY

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

ORG_ID Character

ORG_UNIT_ID Character

RECORD_TYPE Character

SEARCH_NAME Character

LABEL_NAME Character

CAN_PLACE_ORDER_FLAG Character

BILL_PRIMARY_ACCOUNT_FLAG Character

NAME_PREFIX Character

FIRST_NAME Character

MIDDLE_NAME Character

LAST_NAME Character

NAME_SUFFIX Character

NAME_CREDENTIALS Character

NICKNAME Character

FORMAL_SALUTATION Character

INFORMAL_SALUTATION Character

CUSTOMER_CLASS_CODE Character

CUSTOMER_STATUS_CODE Character

CUSTOMER_STATUS_DATE Date

ALLOW_FAX_FLAG Character

ALLOW_EMAIL_FLAG Character

ALLOW_PHONE_FLAG Character

ALLOW_LABEL_SALES_FLAG Character

ALLOW_SOLICITATION_FLAG Character

ALLOW_INTERNAL_MAIL_FLAG Character

SOLICITATION_REMOVAL_DATE Date

TAXABLE_FLAG Character

FEDERAL_TAX_ID Character

VAT_ID Character

TAX_EXEMPT_ID Character

SSN Character

GENDER_CODE Character

BIRTH_DATE Date

ETHNICITY_CODE Character

ANNUAL_INCOME_RANGE_CODE Character

JOB_FUNCTION_CODE Character

REVENUE_RANGE_CODE Character

STAFF_RANGE_CODE Character

FOUNDATION_FLAG Character

FND_MATCHING_FLAG Character

FND	MATCHING	PERCENT	Numeric

FND	MATCHING	LIMIT	Numeric
1 110			Nullicit

LIST_CODE Character

ENFORCE_COM_STRUCT_FLAG Character

NOT_A_DUPLICATE_FLAG Character

MERGED_TO_MAST_CUST Character

MERGED_TO_SUB_CUST Numeric

EXHIBITOR_FLAG Character

VIP_COMMITTEE_PRIORITY Numeric

HOME_PHONE Character

WORK_PHONE Character

PRIMARY_PHONE Character

PRIMARY_FAX Character

PRIMARY_EMAIL_ADDRESS Character

PRIMARY_URL Character

PRIMARY_JOB_TITLE Character

PRIMARY_PHONE_LOCATION_CODE Character

PRIMARY_EMAIL_LOCATION_CODE Character

PRIMARY_FAX_LOCATION_CODE Character

PUBLISH_PRIMARY_FAX_FLAG Character

PUBLISH_PRIMARY_PHONE_FLAG Character

PUBLISH_PRIMARY_EMAIL_FLAG Character

PUBLISH_HOME_PHONE_FLAG Character

PUBLISH_WORK_PHONE_FLAG Character

DEFAULT_LANGUAGE_CODE Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

IMAGE_ID Numeric

PREFERRED_COMM_METHOD_CODE Character

BILL_PRIMARY_EMPLOYER_FLAG Character

LAST_FIRST_NAME Character

TRN_COUNTRY_CODE Character

TRN_STATE_CODE Character

ORIG_CUS_ADDRESS_ID Numeric

ORIG_CUS_ADDRESS_TYPE_CODE Character

WEB_SEGMENT_CREATION_FLAG Character

SEGMENT_RULE_CODE Character

SEGMENT_QUALIFIER1 Character

SEGMENT_QUALIFIER2 Character

INCLUDE_IN_DIRECTORY_FLAG Character

SEGMENT_DESCR Character

CAN_CREATE_SEGMENTS_FLAG Character

PRIMARY_CONTACT_MAST_CUST_ID Character

PRIMARY_CONTACT_SUB_CUST_ID Numeric

SHORT_NAME_CODE Character

OFFICIAL_COMMITTEE_FLAG Character

COM_SUBGROUP_MAST_CUST_ID Character

COM_SUBGROUP_SUB_CUST_ID Numeric

CUS_VOLUNTEER_FLAG Character

ADVERTISER_FLAG Character

ADVERTISING_AGENCY_FLAG Character

BPA_TITLE_ONLY_FLAG Character

PROSPECT_ID Character

Table Name: CUSTOMER_BILL_CUSTOMER

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

ORG_ID Character

ORG_UNIT_ID Character

RECORD_TYPE Character

SEARCH_NAME Character

LABEL_NAME Character

CAN_PLACE_ORDER_FLAG Character

BILL_PRIMARY_ACCOUNT_FLAG Character

NAME_PREFIX Character

FIRST_NAME Character

MIDDLE NAME Character

LAST_NAME Character

NAME_SUFFIX Character

NAME_CREDENTIALS Character

NICKNAME Character

FORMAL_SALUTATION Character

INFORMAL_SALUTATION Character

CUSTOMER_CLASS_CODE Character

CUSTOMER_STATUS_CODE Character

CUSTOMER_STATUS_DATE Date

ALLOW_FAX_FLAG Character

ALLOW_EMAIL_FLAG Character

ALLOW_PHONE_FLAG Character

ALLOW_LABEL_SALES_FLAG Character

ALLOW_SOLICITATION_FLAG Character

ALLOW_INTERNAL_MAIL_FLAG Character

SOLICITATION_REMOVAL_DATE Date

TAXABLE_FLAG Character

FEDERAL_TAX_ID Character

VAT_ID Character

TAX_EXEMPT_ID Character

SSN Character

GENDER_CODE Character

BIRTH_DATE Date

ETHNICITY	CODE	Character

ANNUAL	INCOME	RANGE	CODE	Character

JOB_FUNCTION_CODE Character

REVENUE_RANGE_CODE Character

STAFF_RANGE_CODE Character

FOUNDATION_FLAG Character

FND_MATCHING_FLAG Character

FND_MATCHING_PERCENT Numeric

FND_MATCHING_LIMIT Numeric

LIST_CODE Character

ENFORCE_COM_STRUCT_FLAG Character

NOT_A_DUPLICATE_FLAG Character

MERGED_TO_MAST_CUST Character

MERGED_TO_SUB_CUST Numeric

EXHIBITOR_FLAG Character

VIP_COMMITTEE_PRIORITY Numeric

HOME_PHONE Character

WORK_PHONE Character

PRIMARY_PHONE Character

PRIMARY_FAX Character

PRIMARY_EMAIL_ADDRESS Character

PRIMARY_URL Character

PRIMARY_JOB_TITLE Character

PRIMARY_PHONE_LOCATION_CODE Character

PRIMARY_EMAIL_LOCATION_CODE Character

PRIMARY_FAX_LOCATION_CODE Character

PUBLISH_PRIMARY_FAX_FLAG Character

PUBLISH_PRIMARY_PHONE_FLAG Character

PUBLISH_PRIMARY_EMAIL_FLAG Character

PUBLISH_HOME_PHONE_FLAG Character

PUBLISH_WORK_PHONE_FLAG Character

DEFAULT_LANGUAGE_CODE Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

IMAGE_ID Numeric

PREFERRED_COMM_METHOD_CODE Character

BILL_PRIMARY_EMPLOYER_FLAG Character

LAST_FIRST_NAME Character

TRN_COUNTRY_CODE Character

TRN_STATE_CODE Character

ORIG_CUS_ADDRESS_ID Numeric

ORIG_CUS_ADDRESS_TYPE_CODE Character

WEB_SEGMENT_CREATION_FLAG Character

SEGMENT_RULE_CODE Character

SEGMENT_QUALIFIER1 Character

SEGMENT_QUALIFIER2 Character

INCLUDE_IN_DIRECTORY_FLAG Character

SEGMENT_DESCR Character

CAN_CREATE_SEGMENTS_FLAG Character

PRIMARY_CONTACT_MAST_CUST_ID Character

PRIMARY_CONTACT_SUB_CUST_ID Numeric

SHORT_NAME_CODE Character

OFFICIAL_COMMITTEE_FLAG Character

COM_SUBGROUP_MAST_CUST_ID Character

COM_SUBGROUP_SUB_CUST_ID Numeric

CUS_VOLUNTEER_FLAG Character

ADVERTISER_FLAG Character

ADVERTISING_AGENCY_FLAG Character

BPA_TITLE_ONLY_FLAG Character

PROSPECT_ID Character

Table Name: CUSTOMER_CONTRACT_BILL_CUSTOMER

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

ORG_ID Character

ORG_UNIT_ID Character

RECORD_TYPE Character

SEARCH_NAME Character

LABEL_NAME Character

CAN_PLACE_ORDER_FLAG Character

BILL_PRIMARY_ACCOUNT_FLAG Character

NAME_PREFIX Character

FIRST_NAME Character

MIDDLE_NAME Character

LAST_NAME Character

NAME_SUFFIX Character

NAME_CREDENTIALS Character

NICKNAME Character

FORMAL_SALUTATION Character

INFORMAL_SALUTATION Character

CUSTOMER_CLASS_CODE Character

CUSTOMER_STATUS_CODE Character

CUSTOMER_STATUS_DATE Date

ALLOW_FAX_FLAG Character

ALLOW_EMAIL_FLAG Character

ALLOW_PHONE_FLAG Character

ALLOW_LABEL_SALES_FLAG Character

ALLOW_SOLICITATION_FLAG Character

ALLOW_INTERNAL_MAIL_FLAG Character

SOLICITATION_REMOVAL_DATE Date

TAXABLE FLAG	Character
IAXADLL I LAG	Character

FEDERAL_TAX_ID Character

VAT_ID Character

TAX_EXEMPT_ID Character

SSN Character

GENDER_CODE Character

BIRTH_DATE Date

ETHNICITY_CODE Character

ANNUAL_INCOME_RANGE_CODE Character

JOB_FUNCTION_CODE Character

REVENUE_RANGE_CODE Character

STAFF_RANGE_CODE Character

FOUNDATION_FLAG Character

FND_MATCHING_FLAG Character

FND_MATCHING_PERCENT Numeric

FND_MATCHING_LIMIT Numeric

LIST_CODE Character

ENFORCE_COM_STRUCT_FLAG Character

NOT_A_DUPLICATE_FLAG Character

MERGED_TO_MAST_CUST Character

MERGED_TO_SUB_CUST Numeric

EXHIBITOR_FLAG Character

VIP_COMMITTEE_PRIORITY Numeric

HOME PHONE	Character

WORK_PHONE Character

PRIMARY_PHONE Character

PRIMARY_FAX Character

PRIMARY_EMAIL_ADDRESS Character

PRIMARY_URL Character

PRIMARY_JOB_TITLE Character

PRIMARY_PHONE_LOCATION_CODE Character

PRIMARY_EMAIL_LOCATION_CODE Character

PRIMARY_FAX_LOCATION_CODE Character

PUBLISH_PRIMARY_FAX_FLAG Character

PUBLISH_PRIMARY_PHONE_FLAG Character

PUBLISH_PRIMARY_EMAIL_FLAG Character

PUBLISH_HOME_PHONE_FLAG Character

PUBLISH_WORK_PHONE_FLAG Character

DEFAULT_LANGUAGE_CODE Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

IMAGE_ID Numeric

PREFERRED_COMM_METHOD_CODE Character

RILL	PRIMARY	EMPL (OVER	FLAG	Character
DILL			\cup \sqcup \sqcup \sqcup	ILAG	Character

LAST_FIRST_NAME Character

TRN_COUNTRY_CODE Character

TRN_STATE_CODE Character

ORIG_CUS_ADDRESS_ID Numeric

ORIG_CUS_ADDRESS_TYPE_CODE Character

WEB_SEGMENT_CREATION_FLAG Character

SEGMENT_RULE_CODE Character

SEGMENT_QUALIFIER1 Character

SEGMENT_QUALIFIER2 Character

INCLUDE_IN_DIRECTORY_FLAG Character

SEGMENT_DESCR Character

CAN_CREATE_SEGMENTS_FLAG Character

PRIMARY_CONTACT_MAST_CUST_ID Character

PRIMARY_CONTACT_SUB_CUST_ID Numeric

SHORT_NAME_CODE Character

OFFICIAL_COMMITTEE_FLAG Character

COM_SUBGROUP_MAST_CUST_ID Character

COM_SUBGROUP_SUB_CUST_ID Numeric

CUS_VOLUNTEER_FLAG Character

ADVERTISER_FLAG Character

ADVERTISING_AGENCY_FLAG Character

BPA TITLE ONLY FLAG Character

PROSPECT_ID	Character

Table Name: CUSTOMER_SALES_REP

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

ORG_ID Character

ORG_UNIT_ID Character

RECORD_TYPE Character

SEARCH_NAME Character

LABEL_NAME Character

CAN_PLACE_ORDER_FLAG Character

BILL_PRIMARY_ACCOUNT_FLAG Character

NAME_PREFIX Character

FIRST_NAME Character

MIDDLE_NAME Character

LAST_NAME Character

NAME_SUFFIX Character

NAME_CREDENTIALS Character

NICKNAME Character

FORMAL_SALUTATION Character

INFORMAL_SALUTATION Character

CUSTOMER_CLASS_CODE Character

CUSTOMER_STATUS_CODE Character

CUSTOMER_STATUS_DATE Date

ALLOW_FAX_FLAG Character

ALLOW_EMAIL_FLAG Character

ALLOW_PHONE_FLAG Character

ALLOW_LABEL_SALES_FLAG Character

ALLOW_SOLICITATION_FLAG Character

ALLOW_INTERNAL_MAIL_FLAG Character

SOLICITATION_REMOVAL_DATE Date

TAXABLE_FLAG Character

FEDERAL_TAX_ID Character

VAT_ID Character

TAX_EXEMPT_ID Character

SSN Character

GENDER_CODE Character

BIRTH_DATE Date

ETHNICITY_CODE Character

ANNUAL_INCOME_RANGE_CODE Character

JOB_FUNCTION_CODE Character

REVENUE_RANGE_CODE Character

STAFF_RANGE_CODE Character

FOUNDATION_FLAG Character

FND_MATCHING_FLAG Character

FND_MATCHING_PERCENT Numeric

FND_MATCHING_LIMIT Numeric

LIST_CODE	Character
ENFORCE_COM_STRUCT_FLAG	Character
NOT_A_DUPLICATE_FLAG	Character
MERGED_TO_MAST_CUST	Character
MERGED_TO_SUB_CUST	Numeric
EXHIBITOR_FLAG	Character
VIP_COMMITTEE_PRIORITY	Numeric
HOME_PHONE	Character
WORK_PHONE	Character
PRIMARY_PHONE	Character
PRIMARY_FAX	Character
PRIMARY_EMAIL_ADDRESS	Character
PRIMARY_URL	Character
PRIMARY_JOB_TITLE	Character
PRIMARY_PHONE_LOCATION_CODE	Character
PRIMARY_EMAIL_LOCATION_CODE	Character
PRIMARY_FAX_LOCATION_CODE	Character
PUBLISH_PRIMARY_FAX_FLAG	Character
PUBLISH_PRIMARY_PHONE_FLAG	Character
PUBLISH_PRIMARY_EMAIL_FLAG	Character
PUBLISH_HOME_PHONE_FLAG	Character
PUBLISH_WORK_PHONE_FLAG	Character
DEFAULT_LANGUAGE_CODE	Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

IMAGE_ID Numeric

PREFERRED_COMM_METHOD_CODE Character

BILL_PRIMARY_EMPLOYER_FLAG Character

LAST_FIRST_NAME Character

TRN_COUNTRY_CODE Character

TRN_STATE_CODE Character

ORIG_CUS_ADDRESS_ID Numeric

ORIG_CUS_ADDRESS_TYPE_CODE Character

WEB_SEGMENT_CREATION_FLAG Character

SEGMENT_RULE_CODE Character

SEGMENT_QUALIFIER1 Character

SEGMENT_QUALIFIER2 Character

INCLUDE_IN_DIRECTORY_FLAG Character

SEGMENT_DESCR Character

CAN_CREATE_SEGMENTS_FLAG Character

PRIMARY_CONTACT_MAST_CUST_ID Character

PRIMARY_CONTACT_SUB_CUST_ID Numeric

SHORT_NAME_CODE Character

OFFICIAL_COMMITTEE_FLAG Character

COM_SUBGROUP_MAST_CUST_ID Character

COM_SUBGROUP_SUB_CUST_ID Numeric

CUS_VOLUNTEER_FLAG Character

ADVERTISER_FLAG Character

ADVERTISING_AGENCY_FLAG Character

BPA_TITLE_ONLY_FLAG Character

PROSPECT_ID Character

Table Name: CUS_ACTIVITY

Columns

CUS_ACTIVITY_ID Numeric

ORG_ID Character

ORG_UNIT_ID Character

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

SUBSYSTEM Character

ORDER_NO Character

ORDER_LINE_NO Numeric

LETTER_ID Character

ACTIVITY_DATE Date

ACTIVITY_CODE Character

ACTIVITY_SUBCODE Character

ACTIVITY_TEXT Character

ADDRESS_LABEL Character

CALL_TYPE_CODE Character

CALL_TOPIC_CODE Character

CALL_TOPIC_SUBCODE Character

PERSON_CONTACTED Character

STAFF_USER_ID Character

RESOLVED_FLAG Character

REFERENCE_MAST_CUST Character

REFERENCE_SUB_CUST Numeric

FOLLOWUP_DATE Date

FOLLOWUP_ACTION_DATE Date

PARENT_ACTIVITY_ID Numeric

COMMENTS COMMENTS

KEY_CODE Character

MARKET_CODE Character

LIST_CODE Character

PROSPECT_ID Character

DETAIL_DISPLAY_FLAG Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

BILL_MASTER_CUSTOMER_ID Character

BILL_SUB_CUSTOMER_ID Numeric

EMPLOYER_MAST_CUST Character

EMPLOYER_SUB_CUST Numeric

CUSTOMER_CLASS_CODE Character

CUSTOMER_STATUS_CODE Character

PARENT_PRODUCT Character

PRODUCT_CODE Character

RATE_STRUCTURE Character

RATE_CODE Character

BASE_TOTAL_AMOUNT Numeric

PRIVATE_CONTACT_FLAG Character

ORDER_QTY Numeric

RESOLVED_DATE Date

CUS_ACTIVITY_MSG_ID Numeric

COM_COMMITTEE_MEMBER_ID Numeric

COMMITTEE_POSITION_CODE Character

COMMITTEE_POSITION_SUBCODE Character

COMMITTEE_TERM_BEGIN_DATE Date

COMMITTEE_TERM_END_DATE Date

REPRESENTING_MAST_CUST Character

REPRESENTING_SUB_CUST Numeric

Table Name: CUS_ADDRESS

Columns

CUS ADDRESS ID Numeric

MASTER CUSTOMER ID	Character
--------------------	-----------

SUB_CUSTOMER_ID Numeric

ADDRESS_1 Character

ADDRESS_2 Character

ADDRESS_3 Character

ADDRESS_4 Character

CITY Character

STATE Character

POSTAL_CODE Character

COUNTRY_CODE Character

COUNTRY_DESCR Character

COUNTY Character

FORMATTED_ADDRESS Character

ADDRESS_STATUS_CODE Character

ONE_TIME_USE_FLAG Character

POSTAL_CARRIER_ROUTE Character

POSTAL_DELIVERY_POINT Character

POSTAL_OVERRIDE_CODE Character

POSTAL_ERROR_CODE Character

CONGRESSIONAL_DISTRICT Character

SCHOOL_DISTRICT Character

COMMISSION_DISTRICT Character

WARD_DISTRICT Character

ASSEMBLY_DISTRICT Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

VALIDATED_BY Character

VALIDATED_DATE Date

RDI Character

FIPS_COUNTY_NUMBER Character

US_LOT_CODE Character

US_LOT_SEQUENCE Character

US_LOT_HEX Character

DPV_STATUS_CODE Character

DPV_FOOTNOTE_CODE Character

DPV_CMRA_CODE Character

Table Name: CUS_ADDRESS_ADVERTISER

Columns

CUS_ADDRESS_ID Numeric

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

ADDRESS_1 Character

ADDRESS_2 Character

ADDRESS_3 Character

ADDDECC 4	Ol 1
ADDRESS 4	Character

CITY Character

STATE Character

POSTAL_CODE Character

COUNTRY_CODE Character

COUNTRY_DESCR Character

COUNTY Character

FORMATTED_ADDRESS Character

ADDRESS_STATUS_CODE Character

ONE_TIME_USE_FLAG Character

POSTAL_CARRIER_ROUTE Character

POSTAL_DELIVERY_POINT Character

POSTAL_OVERRIDE_CODE Character

POSTAL_ERROR_CODE Character

CONGRESSIONAL_DISTRICT Character

SCHOOL_DISTRICT Character

COMMISSION_DISTRICT Character

WARD_DISTRICT Character

ASSEMBLY_DISTRICT Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

VALIDATED_BY Character

VALIDATED_DATE Date

RDI Character

FIPS_COUNTY_NUMBER Character

US_LOT_CODE Character

US_LOT_SEQUENCE Character

US_LOT_HEX Character

DPV_STATUS_CODE Character

DPV_FOOTNOTE_CODE Character

DPV_CMRA_CODE Character

Table Name: CUS_ADDRESS_ADVERTISER_ORDER_ADDRESS

Columns

CUS_ADDRESS_ID Numeric

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

ADDRESS_1 Character

ADDRESS_2 Character

ADDRESS_3 Character

ADDRESS_4 Character

CITY Character

STATE Character

POSTAL_CODE Character

COUNTRY_CODE Character

COUNTRY_DESCR Character

COUNTY Character

FORMATTED_ADDRESS Character

ADDRESS_STATUS_CODE Character

ONE_TIME_USE_FLAG Character

POSTAL_CARRIER_ROUTE Character

POSTAL_DELIVERY_POINT Character

POSTAL_OVERRIDE_CODE Character

POSTAL_ERROR_CODE Character

CONGRESSIONAL_DISTRICT Character

SCHOOL_DISTRICT Character

COMMISSION_DISTRICT Character

WARD_DISTRICT Character

ASSEMBLY_DISTRICT Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

VALIDATED_BY Character

VALIDATED_DATE Date

RDI Character

FIPS_COUNTY_NUMBER Character

US_LOT_CODE Character

US_LOT_SEQUENCE Character

US_LOT_HEX Character

DPV_STATUS_CODE Character

DPV_FOOTNOTE_CODE Character

DPV_CMRA_CODE Character

Table Name:CUS_ADDRESS_AD_AGENCY

Columns

CUS_ADDRESS_ID Numeric

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

ADDRESS_1 Character

ADDRESS_2 Character

ADDRESS_3 Character

ADDRESS_4 Character

CITY Character

STATE Character

POSTAL_CODE Character

COUNTRY_CODE Character

COUNTRY_DESCR Character

COUNTY Character

FORMATTED_ADDRESS Character

ADDRESS_STATUS_CODE Character

ONE_TIME_USE_FLAG Character

POSTAL	CARRIER	ROUTE	Character
IOUIAL		IVOUIL	Character

POSTAL_DELIVERY_POINT Character

POSTAL_OVERRIDE_CODE Character

POSTAL_ERROR_CODE Character

CONGRESSIONAL_DISTRICT Character

SCHOOL_DISTRICT Character

COMMISSION_DISTRICT Character

WARD_DISTRICT Character

ASSEMBLY_DISTRICT Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

VALIDATED_BY Character

VALIDATED_DATE Date

RDI Character

FIPS_COUNTY_NUMBER Character

US_LOT_CODE Character

US_LOT_SEQUENCE Character

US_LOT_HEX Character

DPV_STATUS_CODE Character

DPV_FOOTNOTE_CODE Character

DPV_CMRA_CODE

Character

Table Name: CUS_ADDRESS_BILL_CUSTOMER_ORDER_ADDRESS

Columns

CUS_ADDRESS_ID

Numeric

MASTER_CUSTOMER_ID

Character

SUB_CUSTOMER_ID

Numeric

ADDRESS_1

Character

ADDRESS_2

Character

ADDRESS_3

Character

ADDRESS_4

Character

CITY

Character

STATE

Character

POSTAL_CODE

Character

COUNTRY_CODE

Character

COUNTRY_DESCR

Character

COUNTY

Character

FORMATTED_ADDRESS

Character

ADDRESS_STATUS_CODE

Character

ONE_TIME_USE_FLAG

Character

POSTAL_CARRIER_ROUTE

Character

POSTAL_DELIVERY_POINT

Character

POSTAL_OVERRIDE_CODE

Character

POSTAL_ERROR_CODE

Character

CONGRESSIONAL_DISTRICT

Character

SCHOOL_DISTRICT Character

COMMISSION_DISTRICT Character

WARD_DISTRICT Character

ASSEMBLY_DISTRICT Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

VALIDATED_BY Character

VALIDATED_DATE Date

RDI Character

FIPS_COUNTY_NUMBER Character

US_LOT_CODE Character

US_LOT_SEQUENCE Character

US_LOT_HEX Character

DPV_STATUS_CODE Character

DPV_FOOTNOTE_CODE Character

DPV_CMRA_CODE Character

Table Name:CUS_ADDRESS_DETAIL

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

CUS_ADDRESS_ID Numeric

ADDRESS_TYPE_CODE Character

PRIORITY_SEQ Numeric

LABEL_NAME Character

COMPANY_NAME Character

ATTENTION_LINE Character

PERSONAL_LINE Character

JOB_TITLE Character

MAIL_STOP Character

FORMATTED_DETAIL Character

AP_FLAG Character

SHIP_TO_FLAG Character

BILL_TO_FLAG Character

DIRECTORY_FLAG Character

CONFIDENTIAL_FLAG Character

DIRECTORY_PRIORITY Numeric

ADDRESS_STATUS_CODE Character

ADDRESS_STATUS_CHANGE_DATE Date

RECUR_FLAG Character

SEASONAL_START_DATE Date

SEASONAL_END_DATE Date

ONE_TIME_USE_FLAG Character

ONE_TIME_USE_ORDER_NO Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

ATTENTION_MAST_CUST Character

ATTENTION_SUB_CUST Numeric

COMPANY_MAST_CUST Character

COMPANY_SUB_CUST Numeric

Table Name: CUS_ADDRESS_DETAIL_ADVERTISER

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

CUS_ADDRESS_ID Numeric

ADDRESS_TYPE_CODE Character

PRIORITY_SEQ Numeric

LABEL_NAME Character

COMPANY_NAME Character

ATTENTION_LINE Character

PERSONAL_LINE Character

JOB_TITLE Character

MAIL_STOP Character

FORMATTED_DETAIL Character

AP_FLAG Character

SHIP_TO_FLAG Character

BILL_TO_FLAG Character

DIRECTORY_FLAG Character

CONFIDENTIAL_FLAG Character

DIRECTORY_PRIORITY Numeric

ADDRESS_STATUS_CODE Character

ADDRESS_STATUS_CHANGE_DATE Date

RECUR_FLAG Character

SEASONAL_START_DATE Date

SEASONAL_END_DATE Date

ONE_TIME_USE_FLAG Character

ONE_TIME_USE_ORDER_NO Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

ATTENTION_MAST_CUST Character

ATTENTION_SUB_CUST Numeric

COMPANY_MAST_CUST Character

COMPANY_SUB_CUST Numeric

Table Name: CUS_ADDRESS_DETAIL_ADVERTISER_ORDER_ADDRESS

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

CUS_ADDRESS_ID Numeric

ADDRESS_TYPE_CODE Character

PRIORITY_SEQ Numeric

LABEL_NAME Character

COMPANY_NAME Character

ATTENTION_LINE Character

PERSONAL_LINE Character

JOB_TITLE Character

MAIL_STOP Character

FORMATTED_DETAIL Character

AP_FLAG Character

SHIP_TO_FLAG Character

BILL_TO_FLAG Character

DIRECTORY_FLAG Character

CONFIDENTIAL_FLAG Character

DIRECTORY_PRIORITY Numeric

ADDRESS_STATUS_CODE Character

ADDRESS_STATUS_CHANGE_DATE Date

RECUR_FLAG Character

SEASONAL_START_DATE Date

SEASONAL_END_DATE Date

ONE_TIME_USE_FLAG Character

ONE_TIME_USE_ORDER_NO Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

ATTENTION_MAST_CUST Character

ATTENTION_SUB_CUST Numeric

COMPANY_MAST_CUST Character

COMPANY_SUB_CUST Numeric

Table Name:CUS_ADDRESS_DETAIL_AD_AGENCY

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

CUS_ADDRESS_ID Numeric

ADDRESS_TYPE_CODE Character

PRIORITY_SEQ Numeric

LABEL_NAME Character

COMPANY_NAME Character

ATTENTION_LINE Character

PERSONAL_LINE Character

JOB_TITLE Character

MAIL_STOP Character

FORMATTED_DETAIL Character

AP_FLAG Character

SHIP_TO_FLAG Character

BILL_TO_FLAG Character

DIRECTORY_FLAG Character

CONFIDENTIAL_FLAG Character

DIRECTORY_PRIORITY Numeric

ADDRESS_STATUS_CODE Character

ADDRESS_STATUS_CHANGE_DATE Date

RECUR_FLAG Character

SEASONAL_START_DATE Date

SEASONAL_END_DATE Date

ONE_TIME_USE_FLAG Character

ONE_TIME_USE_ORDER_NO Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

ATTENTION_MAST_CUST Character

ATTENTION_SUB_CUST Numeric

COMPANY_MAST_CUST Character

COMPANY_SUB_CUST Numeric

Table Name: CUS_ADDRESS_DETAIL_BILL_CUSTOMER_ORDER_ADDRESS

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

CUS_ADDRESS_ID Numeric

ADDRESS_TYPE_CODE Character

PRIORITY_SEQ Numeric

LABEL_NAME Character

COMPANY_NAME Character

ATTENTION_LINE Character

PERSONAL_LINE Character

JOB_TITLE Character

MAIL_STOP Character

FORMATTED_DETAIL Character

AP_FLAG Character

SHIP_TO_FLAG Character

BILL_TO_FLAG Character

DIRECTORY_FLAG Character

CONFIDENTIAL_FLAG Character

DIRECTORY_PRIORITY Numeric

ADDRESS_STATUS_CODE Character

ADDRESS_STATUS_CHANGE_DATE Date

RECUR_FLAG Character

SEASONAL_START_DATE Date

SEASONAL_END_DATE Date

ONE_TIME_USE_FLAG Character

ONE_TIME_USE_ORDER_NO Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

ATTENTION_MAST_CUST Character

ATTENTION_SUB_CUST Numeric

COMPANY_MAST_CUST Character

COMPANY_SUB_CUST Numeric

Table Name: CUS_CURRENT_ADVERTISER_MEMBERSHIP_INFO

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

ORG_ID Character

ORG_UNIT_ID Character

BILL_MASTER_CUSTOMER_ID Character

BILL_SUB_CUSTOMER_ID Numeric

LABEL_NAME Character

BILL_LABEL_NAME Character

MEMBER_GROUP Character

MBR_GROUP_DESCR Character

ORDER_DATE Date

BATCH Character

NATIONAL_ORDER_NO Character

NATIONAL_ORDER_LINE_NO Numeric

NATIONAL_LEVEL1 Character

NATIONAL_LEVEL2 Character

NATIONAL_LEVEL3 Character

NATIONAL_DESCR Character

NATIONAL_PRODUCT_ID Numeric

NATIONAL_RATE_STRUCTURE Character

NATIONAL_RATE_CODE Character

INVOICE_NO Character

INVOICE_DATE Date

CYCLE_BEGIN_DATE Date

CYCLE_END_DATE Date

GRACE_DATE Date

NATIONAL_SINCE_DATE Date

FULFILL_STATUS_CODE Character

CHAPTER_ORDER_NO Character

CHAPTER_ORDER_LINE_NO Numeric

CHAPTER_LEVEL1 Character

CHAPTER_LEVEL2 Character

CHAPTER_LEVEL3 Character

CHAPTER_DESCR Character

CHAPTER2_ORDER_NO Character

CHAPTER2	ORDER	LINE NO	Numeric
CHAFILIX	OINDLIN		INUITELL

CHAPTER2_LEVEL1 Character

CHAPTER2_LEVEL2 Character

CHAPTER2_LEVEL3 Character

CHAPTER2_DESCR Character

SECTION_ORDER_NO Character

SECTION_ORDER_LINE_NO Numeric

SECTION_LEVEL1 Character

SECTION_LEVEL2 Character

SECTION_LEVEL3 Character

SECTION_DESCR Character

SECTION2_ORDER_NO Character

SECTION2_ORDER_LINE_NO Numeric

SECTION2_LEVEL1 Character

SECTION2_LEVEL2 Character

SECTION2_LEVEL3 Character

SECTION2_DESCR Character

ASSOCIATE_FLAG Character

CORP_ORDER_NO Character

CORP_ORDER_LINE_NO Numeric

CORP_MASTER_CUST Character

CORP_SUB_CUST Numeric

CORP_NATIONAL_LEVEL1 Character

CORP_NATIONAL_LEVEL2 Character

CORP_NATIONAL_LEVEL3 Character

CORP_NATIONAL_DESCR Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

NATIONAL_ORIG_ORDER_NO Character

NATIONAL_ORIG_ORDER_LINE_NO Numeric

Table Name: CUS_CURRENT_MEMBERSHIP_INFO

Columns

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

ORG_ID Character

ORG_UNIT_ID Character

BILL_MASTER_CUSTOMER_ID Character

BILL_SUB_CUSTOMER_ID Numeric

LABEL_NAME Character

BILL_LABEL_NAME Character

MEMBER_GROUP Character

MBR_GROUP_DESCR Character

ORDER_DATE Date

BATCH Character

NATIONAL	ORDER NO	Character

NATIONAL_ORDER_LINE_NO Numeric

NATIONAL_LEVEL1 Character

NATIONAL_LEVEL2 Character

NATIONAL_LEVEL3 Character

NATIONAL_DESCR Character

NATIONAL_PRODUCT_ID Numeric

NATIONAL_RATE_STRUCTURE Character

NATIONAL_RATE_CODE Character

INVOICE_NO Character

INVOICE_DATE Date

CYCLE_BEGIN_DATE Date

CYCLE_END_DATE Date

GRACE_DATE Date

NATIONAL_SINCE_DATE Date

FULFILL_STATUS_CODE Character

CHAPTER_ORDER_NO Character

CHAPTER_ORDER_LINE_NO Numeric

CHAPTER_LEVEL1 Character

CHAPTER_LEVEL2 Character

CHAPTER_LEVEL3 Character

CHAPTER_DESCR Character

CHAPTER2_ORDER_NO Character

CHAPTER2	ORDER	LINE NO	Numeric
CHAFILIX	OINDLIN	LIINL INC	INUITETIC

CHAPTER2_LEVEL1 Character

CHAPTER2_LEVEL2 Character

CHAPTER2_LEVEL3 Character

CHAPTER2_DESCR Character

SECTION_ORDER_NO Character

SECTION_ORDER_LINE_NO Numeric

SECTION_LEVEL1 Character

SECTION_LEVEL2 Character

SECTION_LEVEL3 Character

SECTION_DESCR Character

SECTION2_ORDER_NO Character

SECTION2_ORDER_LINE_NO Numeric

SECTION2_LEVEL1 Character

SECTION2_LEVEL2 Character

SECTION2_LEVEL3 Character

SECTION2_DESCR Character

ASSOCIATE_FLAG Character

CORP_ORDER_NO Character

CORP_ORDER_LINE_NO Numeric

CORP_MASTER_CUST Character

CORP_SUB_CUST Numeric

CORP_NATIONAL_LEVEL1 Character

CORP_NATIONAL_LEVEL2 Character

CORP_NATIONAL_LEVEL3 Character

CORP_NATIONAL_DESCR Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

NATIONAL_ORIG_ORDER_NO Character

NATIONAL_ORIG_ORDER_LINE_NO Numeric

Table Name:Cus_Relationship_AD_Agency_Related_Cus_Info_VW

Columns

CUS_RELATIONSHIP_ID Numeric

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

RELATIONSHIP_TYPE Character

RELATIONSHIP_TYPE_DISPLAY_ORDER Numeric

HIERARCHICAL_FLAG Character

EMPLOYMENT_FLAG Character

FOR_RECORD_TYPE Character

RELATIONSHIP_TYPE_DESCR Character

RELATIONSHIP_CODE Character

RELATED_MASTER_CUSTOMER_ID Character

RELATED_SUB_CUSTOMER_ID Numeric

RELATED CUS CusMastSubID	Character
--------------------------	-----------

RECIPROCAL_CODE Character

RECIPROCAL_ID Numeric

BEGIN_DATE Date

END_DATE Date

PRIMARY_EMPLOYER_FLAG Character

FULL_TIME_FLAG Character

RELATIONSHIP_JOB_FUNCTION_CODE Character

SUPERVISOR_NAME Character

PRIMARY_CONTACT_FLAG Character

RELATED_CUS_RECORD_TYPE Character

RELATED_CUS_LABEL_NAME Character

RELATED_CUS_LAST_FIRST_NAME Character

RELATED_CUS_SEARCH_NAME Character

RELATED_CUS_NAME_PREFIX Character

RELATED_CUS_FIRST_NAME Character

RELATED_CUS_MIDDLE_NAME Character

RELATED_CUS_LAST_NAME Character

RELATED_CUS_NAME_SUFFIX Character

RELATED_CUS_NAME_CREDENTIALS Character

RELATED_CUS_NICKNAME Character

RELATED_CUS_FORMAL_SALUTATION Character

RELATED_CUS_INFORMAL_SALUTATION Character

RELATED_CUS_CUSTOMER_CLASS_CODE Character

RELATED_CUS_CUSTOMER_STATUS_CODE Character

RELATED_CUS_ALLOW_FAX_FLAG Character

RELATED_CUS_ALLOW_EMAIL_FLAG Character

RELATED_CUS_ALLOW_PHONE_FLAG Character

RELATED_CUS_ALLOW_LABEL_SALES_FLAGCharacter

RELATED_CUS_ALLOW_SOLICITATION_FLAGCharacter

RELATED_CUS_ALLOW_INTERNAL_MAIL_FLACharacter

RELATED_CUS_TAXABLE_FLAG Character

RELATED_CUS_FEDERAL_TAX_ID Character

RELATED_CUS_VAT_ID Character

RELATED_CUS_TAX_EXEMPT_ID Character

RELATED_CUS_SSN Character

RELATED_CUS_GENDER_CODE Character

RELATED_CUS_BIRTH_DATE Date

RELATED_CUS_ETHNICITY_CODE Character

 $RELATED_CUS_ANNUAL_INCOME_RANGE_COD \\ \overline{\textbf{\textit{def}}} racter$

RELATED_CUS_JOB_FUNCTION_CODE Character

RELATED_CUS_PRIMARY_JOB_TITLE Character

RELATED_CUS_REVENUE_RANGE_CODE Character

RELATED_CUS_STAFF_RANGE_CODE Character

RELATED_CUS_FOUNDATION_FLAG Character

RELATED CUS FND MATCHING FLAG Character

RELATED	CUS	FND	MATCHING	PERCENT	Numeric

RELATED	CUS FND	MATCHING LIMIT	Numeric
---------	---------	----------------	---------

RELATED_CUS_CAN_PLACE_ORDER_FLAG Character

RELATED_CUS_HOME_PHONE Character

RELATED_CUS_WORK_PHONE Character

RELATED_CUS_PRIMARY_PHONE Character

RELATED_CUS_PRIMARY_PHONE_LOCATIONCICADADEEr

RELATED_CUS_PRIMARY_FAX Character

RELATED_CUS_PRIMARY_EMAIL_ADDRESS Character

RELATED_CUS_PRIMARY_URL Character

RELATED_CUS_BILL_PRIMARY_EMPLOYER_FQ.ha.cacter

RELATED_CUS_ADDRESS_TYPE_CODE Character

RELATED_CUS_CUS_ADDRESS_ID Numeric

RELATED_CUS_FORMATTED_DETAIL Character

RELATED_CUS_COMPANY_NAME Character

RELATED_CUS_ADDRESS_JOB_TITLE Character

RELATED_CUS_MAIL_STOP Character

RELATED_CUS_ATTENTION_LINE Character

RELATED_CUS_PERSONAL_LINE Character

RELATED_CUS_SHIP_TO_FLAG Character

RELATED_CUS_BILL_TO_FLAG Character

RELATED_CUS_CONFIDENTIAL_FLAG Character

RELATED_CUS_ONE_TIME_USE_FLAG Character

RELATED_CUS_ADDRESS_STATUS_CODE Character

RELATED_CUS_ADDRESS_1 Character

RELATED_CUS_ADDRESS_2 Character

RELATED_CUS_ADDRESS_3 Character

RELATED_CUS_ADDRESS_4 Character

RELATED_CUS_CITY Character

RELATED_CUS_STATE Character

RELATED_CUS_POSTAL_CODE Character

RELATED_CUS_COUNTRY_CODE Character

RELATED_CUS_COUNTRY_DESCR Character

RELATED_CUS_COUNTY Character

RELATED_CUS_FORMATTED_ADDRESS Character

RELATED_CUS_ADDRESS_LABEL Character

RELATED_CUS_ADDRESS_LABEL_REVERSEIC haracter

RELATED_CUS_Display_Addr_Detail_First_FlagCharacter

 $Table\ Name: Cus_Relationship_Ad_Agency_Primary_Contact_Related_Cus_Info_VW$

Columns

CUS_RELATIONSHIP_ID Numeric

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

RELATIONSHIP_TYPE Character

RELATIONSHIP_TYPE_DISPLAY_ORDER Numeric

HIERARCHICAL_FLAG Character

EMPLOYMENT FLAG Character

FOR RECORD TYPE	Character
-----------------	-----------

RELATIONSHIP_TYPE_DESCR Character

RELATIONSHIP_CODE Character

RELATED_MASTER_CUSTOMER_ID Character

RELATED_SUB_CUSTOMER_ID Numeric

RELATED_CUS_CusMastSubID Character

RECIPROCAL_CODE Character

RECIPROCAL_ID Numeric

BEGIN_DATE Date

END_DATE Date

PRIMARY_EMPLOYER_FLAG Character

FULL_TIME_FLAG Character

RELATIONSHIP_JOB_FUNCTION_CODE Character

SUPERVISOR_NAME Character

PRIMARY_CONTACT_FLAG Character

RELATED_CUS_RECORD_TYPE Character

RELATED_CUS_LABEL_NAME Character

RELATED_CUS_LAST_FIRST_NAME Character

RELATED_CUS_SEARCH_NAME Character

RELATED_CUS_NAME_PREFIX Character

RELATED_CUS_FIRST_NAME Character

RELATED_CUS_MIDDLE_NAME Character

RELATED_CUS_LAST_NAME Character

RELATED_CUS_NAME_SUFFIX	Character
RELATED_CUS_NAME_CREDENTIALS	Character
RELATED_CUS_NICKNAME	Character
RELATED_CUS_FORMAL_SALUTATION	Character
RELATED_CUS_INFORMAL_SALUTATION	Character
RELATED_CUS_CUSTOMER_CLASS_CODE	Character
RELATED_CUS_CUSTOMER_STATUS_CODE	Character
RELATED_CUS_ALLOW_FAX_FLAG	Character
RELATED_CUS_ALLOW_EMAIL_FLAG	Character
RELATED_CUS_ALLOW_PHONE_FLAG	Character
RELATED_CUS_ALLOW_LABEL_SALES_FLAG	GCharacter
RELATED_CUS_ALLOW_SOLICITATION_FLAG	3Character
RELATED_CUS_ALLOW_INTERNAL_MAIL_FL	A © haracter
RELATED_CUS_TAXABLE_FLAG	Character
RELATED_CUS_FEDERAL_TAX_ID	Character
RELATED_CUS_VAT_ID	Character
RELATED_CUS_TAX_EXEMPT_ID	Character
RELATED_CUS_SSN	Character
RELATED_CUS_GENDER_CODE	Character
RELATED_CUS_BIRTH_DATE	Date
RELATED_CUS_ETHNICITY_CODE	Character
RELATED_CUS_ANNUAL_INCOME_RANGE_C	C ODa Fracter
RELATED_CUS_JOB_FUNCTION_CODE	Character

RELATED_CUS_PRIMARY_JOB_TITLE	Character
RELATED_CUS_REVENUE_RANGE_CODE	Character
RELATED_CUS_STAFF_RANGE_CODE	Character
RELATED_CUS_FOUNDATION_FLAG	Character
RELATED_CUS_FND_MATCHING_FLAG	Character
RELATED_CUS_FND_MATCHING_PERCENT	Numeric
RELATED_CUS_FND_MATCHING_LIMIT	Numeric
RELATED_CUS_CAN_PLACE_ORDER_FLAG	Character
RELATED_CUS_HOME_PHONE	Character
RELATED_CUS_WORK_PHONE	Character
RELATED_CUS_PRIMARY_PHONE	Character
RELATED_CUS_PRIMARY_PHONE_LOCATIO	NC_l0a0a0ater
RELATED_CUS_PRIMARY_FAX	Character
RELATED_CUS_PRIMARY_EMAIL_ADDRESS	Character
RELATED_CUS_PRIMARY_URL	Character
RELATED_CUS_BILL_PRIMARY_EMPLOYER_	_FCLhAs@acter
RELATED_CUS_ADDRESS_TYPE_CODE	Character
RELATED_CUS_CUS_ADDRESS_ID	Numeric
RELATED_CUS_FORMATTED_DETAIL	Character
RELATED_CUS_COMPANY_NAME	Character
RELATED_CUS_ADDRESS_JOB_TITLE	Character
RELATED_CUS_MAIL_STOP	Character
RELATED_CUS_ATTENTION_LINE	Character

RFI ATFD	CUS PERSONAL	LINE	Character
INLLAILD	COO FENOUNAL	LIINL	Character

RELATED_CUS_SHIP_TO_FLAG Character

RELATED_CUS_BILL_TO_FLAG Character

RELATED_CUS_CONFIDENTIAL_FLAG Character

RELATED_CUS_ONE_TIME_USE_FLAG Character

RELATED_CUS_ADDRESS_STATUS_CODE Character

RELATED_CUS_ADDRESS_1 Character

RELATED_CUS_ADDRESS_2 Character

RELATED_CUS_ADDRESS_3 Character

RELATED_CUS_ADDRESS_4 Character

RELATED_CUS_CITY Character

RELATED_CUS_STATE Character

RELATED_CUS_POSTAL_CODE Character

RELATED_CUS_COUNTRY_CODE Character

RELATED_CUS_COUNTRY_DESCR Character

RELATED_CUS_COUNTY Character

RELATED_CUS_FORMATTED_ADDRESS Character

RELATED_CUS_ADDRESS_LABEL Character

RELATED_CUS_ADDRESS_LABEL_REVERSEIC haracter

RELATED_CUS_Display_Addr_Detail_First_FlagCharacter

Table Name:Cus_Relationship_Advertiser_Related_Cus_Info_VW

Columns

CUS_RELATIONSHIP_ID Numeric

MASTER CUSTOMER ID Character

SUB	CUSTOMER ID	Numeric
200	COSTONER	Nulliclic

RELATIONSHIP_TYPE Character

RELATIONSHIP_TYPE_DISPLAY_ORDER Numeric

HIERARCHICAL_FLAG Character

EMPLOYMENT_FLAG Character

FOR_RECORD_TYPE Character

RELATIONSHIP_TYPE_DESCR Character

RELATIONSHIP_CODE Character

RELATED_MASTER_CUSTOMER_ID Character

RELATED_SUB_CUSTOMER_ID Numeric

RELATED_CUS_CusMastSubID Character

RECIPROCAL_CODE Character

RECIPROCAL_ID Numeric

BEGIN_DATE Date

END_DATE Date

PRIMARY_EMPLOYER_FLAG Character

FULL_TIME_FLAG Character

RELATIONSHIP_JOB_FUNCTION_CODE Character

SUPERVISOR_NAME Character

PRIMARY_CONTACT_FLAG Character

RELATED_CUS_RECORD_TYPE Character

RELATED_CUS_LABEL_NAME Character

RELATED_CUS_LAST_FIRST_NAME Character

RELATED_CUS_SEARCH_NAME	Character
RELATED_CUS_NAME_PREFIX	Character
RELATED_CUS_FIRST_NAME	Character
RELATED_CUS_MIDDLE_NAME	Character
RELATED_CUS_LAST_NAME	Character
RELATED_CUS_NAME_SUFFIX	Character
RELATED_CUS_NAME_CREDENTIALS	Character
RELATED_CUS_NICKNAME	Character
RELATED_CUS_FORMAL_SALUTATION	Character
RELATED_CUS_INFORMAL_SALUTATION	Character
RELATED_CUS_CUSTOMER_CLASS_CODE	Character
RELATED_CUS_CUSTOMER_STATUS_CODE	Character
RELATED_CUS_ALLOW_FAX_FLAG	Character
RELATED_CUS_ALLOW_EMAIL_FLAG	Character
RELATED_CUS_ALLOW_PHONE_FLAG	Character
RELATED_CUS_ALLOW_LABEL_SALES_FLAG	GCharacter
RELATED_CUS_ALLOW_SOLICITATION_FLA	C haracter
RELATED_CUS_ALLOW_INTERNAL_MAIL_FL	.ACharacter
RELATED_CUS_TAXABLE_FLAG	Character
RELATED_CUS_FEDERAL_TAX_ID	Character
RELATED_CUS_VAT_ID	Character
RELATED_CUS_TAX_EXEMPT_ID	Character
RELATED_CUS_SSN	Character

RELATED_CUS_GENDER_CODE	Character

RELATED_CUS_BIRTH_DATE Date

RELATED_CUS_ETHNICITY_CODE Character

RELATED_CUS_ANNUAL_INCOME_RANGE_COD& fracter

RELATED_CUS_JOB_FUNCTION_CODE Character

RELATED_CUS_PRIMARY_JOB_TITLE Character

RELATED_CUS_REVENUE_RANGE_CODE Character

RELATED_CUS_STAFF_RANGE_CODE Character

RELATED_CUS_FOUNDATION_FLAG Character

RELATED_CUS_FND_MATCHING_FLAG Character

RELATED_CUS_FND_MATCHING_PERCENT Numeric

RELATED_CUS_FND_MATCHING_LIMIT Numeric

RELATED_CUS_CAN_PLACE_ORDER_FLAG Character

RELATED_CUS_HOME_PHONE Character

RELATED_CUS_WORK_PHONE Character

RELATED_CUS_PRIMARY_PHONE Character

RELATED_CUS_PRIMARY_PHONE_LOCATIONCICADEDEER

RELATED_CUS_PRIMARY_FAX Character

RELATED_CUS_PRIMARY_EMAIL_ADDRESS Character

RELATED_CUS_PRIMARY_URL Character

RELATED_CUS_BILL_PRIMARY_EMPLOYER_FLIAGGECTER

RELATED_CUS_ADDRESS_TYPE_CODE Character

RELATED CUS CUS ADDRESS ID Numeric

RELATED_CUS_FORMATTED_DETAIL	Character
RELATED_CUS_COMPANY_NAME	Character
RELATED_CUS_ADDRESS_JOB_TITLE	Character
RELATED_CUS_MAIL_STOP	Character
RELATED_CUS_ATTENTION_LINE	Character
RELATED_CUS_PERSONAL_LINE	Character
RELATED_CUS_SHIP_TO_FLAG	Character
RELATED_CUS_BILL_TO_FLAG	Character
RELATED_CUS_CONFIDENTIAL_FLAG	Character
RELATED_CUS_ONE_TIME_USE_FLAG	Character
RELATED_CUS_ADDRESS_STATUS_CODE	Character
RELATED_CUS_ADDRESS_1	Character
RELATED_CUS_ADDRESS_2	Character
RELATED_CUS_ADDRESS_3	Character
RELATED_CUS_ADDRESS_4	Character
RELATED_CUS_CITY	Character
RELATED_CUS_STATE	Character
RELATED_CUS_POSTAL_CODE	Character
RELATED_CUS_COUNTRY_CODE	Character
RELATED_CUS_COUNTRY_DESCR	Character
RELATED_CUS_COUNTY	Character
RELATED_CUS_FORMATTED_ADDRESS	Character
RELATED_CUS_ADDRESS_LABEL	Character

RELATED_CUS_ADDRESS_LABEL_REVERSEIC haracter

RELATED_CUS_Display_Addr_Detail_First_FlagCharacter

Table Name: Cus_Relationship_Advertiser_Subsidiaries_Related_Cus_Info_VW

Columns

CUS_RELATIONSHIP_ID Numeric

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

RELATIONSHIP_TYPE Character

RELATIONSHIP_TYPE_DISPLAY_ORDER Numeric

HIERARCHICAL_FLAG Character

EMPLOYMENT_FLAG Character

FOR_RECORD_TYPE Character

RELATIONSHIP_TYPE_DESCR Character

RELATIONSHIP_CODE Character

RELATED_MASTER_CUSTOMER_ID Character

RELATED_SUB_CUSTOMER_ID Numeric

RELATED_CUS_CusMastSubID Character

RECIPROCAL_CODE Character

RECIPROCAL_ID Numeric

BEGIN_DATE Date

END DATE Date

PRIMARY_EMPLOYER_FLAG Character

FULL_TIME_FLAG Character

RELATIONSHIP_JOB_FUNCTION_CODE Character

SUPERVISOR_NAME	Character
PRIMARY_CONTACT_FLAG	Character
RELATED_CUS_RECORD_TYPE	Character
RELATED_CUS_LABEL_NAME	Character
RELATED_CUS_LAST_FIRST_NAME	Character
RELATED_CUS_SEARCH_NAME	Character
RELATED_CUS_NAME_PREFIX	Character
RELATED_CUS_FIRST_NAME	Character
RELATED_CUS_MIDDLE_NAME	Character
RELATED_CUS_LAST_NAME	Character
RELATED_CUS_NAME_SUFFIX	Character
RELATED_CUS_NAME_CREDENTIALS	Character
RELATED_CUS_NICKNAME	Character
RELATED_CUS_FORMAL_SALUTATION	Character
RELATED_CUS_INFORMAL_SALUTATION	Character
RELATED_CUS_CUSTOMER_CLASS_CODE	Character
RELATED_CUS_CUSTOMER_STATUS_CODE	Character
RELATED_CUS_ALLOW_FAX_FLAG	Character
RELATED_CUS_ALLOW_EMAIL_FLAG	Character
RELATED_CUS_ALLOW_PHONE_FLAG	Character
RELATED_CUS_ALLOW_LABEL_SALES_FLAG	GCharacter
RELATED_CUS_ALLOW_SOLICITATION_FLA	C haracter
RELATED_CUS_ALLOW_INTERNAL_MAIL_FL	.ACharacter

RELATED_CUS_TAXABLE_FLAG	Character
RELATED_CUS_FEDERAL_TAX_ID	Character
RELATED_CUS_VAT_ID	Character
RELATED_CUS_TAX_EXEMPT_ID	Character
RELATED_CUS_SSN	Character
RELATED_CUS_GENDER_CODE	Character
RELATED_CUS_BIRTH_DATE	Date
RELATED_CUS_ETHNICITY_CODE	Character
RELATED_CUS_ANNUAL_INCOME_RANGE_0	CODaFracter
RELATED_CUS_JOB_FUNCTION_CODE	Character
RELATED_CUS_PRIMARY_JOB_TITLE	Character
RELATED_CUS_REVENUE_RANGE_CODE	Character
RELATED_CUS_STAFF_RANGE_CODE	Character
RELATED_CUS_FOUNDATION_FLAG	Character
RELATED_CUS_FND_MATCHING_FLAG	Character
RELATED_CUS_FND_MATCHING_PERCENT	Numeric
RELATED_CUS_FND_MATCHING_LIMIT	Numeric
RELATED_CUS_CAN_PLACE_ORDER_FLAG	Character
RELATED_CUS_HOME_PHONE	Character
RELATED_CUS_WORK_PHONE	Character
RELATED_CUS_PRIMARY_PHONE	Character
RELATED_CUS_PRIMARY_PHONE_LOCATIO	NC_1620040#Eer
RELATED_CUS_PRIMARY_FAX	Character

RELATED_CUS_PRIMARY_EMAIL_ADDRESS	Character
-----------------------------------	-----------

RELATED	CUS	PRIMARY	URL	Character

RELATED_CUS_BILL_PRIMARY_EMPLOYER_FQ.t/Ascenter

RELATED_CUS_ADDRESS_TYPE_CODE Character

RELATED_CUS_CUS_ADDRESS_ID Numeric

RELATED_CUS_FORMATTED_DETAIL Character

RELATED_CUS_COMPANY_NAME Character

RELATED_CUS_ADDRESS_JOB_TITLE Character

RELATED_CUS_MAIL_STOP Character

RELATED_CUS_ATTENTION_LINE Character

RELATED_CUS_PERSONAL_LINE Character

RELATED_CUS_SHIP_TO_FLAG Character

RELATED_CUS_BILL_TO_FLAG Character

RELATED_CUS_CONFIDENTIAL_FLAG Character

RELATED_CUS_ONE_TIME_USE_FLAG Character

RELATED_CUS_ADDRESS_STATUS_CODE Character

RELATED_CUS_ADDRESS_1 Character

RELATED_CUS_ADDRESS_2 Character

RELATED_CUS_ADDRESS_3 Character

RELATED_CUS_ADDRESS_4 Character

RELATED_CUS_CITY Character

RELATED_CUS_STATE Character

RELATED CUS POSTAL CODE Character

RELATED_CUS_COUNTRY_CODE Character

RELATED_CUS_COUNTRY_DESCR Character

RELATED_CUS_COUNTY Character

RELATED_CUS_FORMATTED_ADDRESS Character

RELATED_CUS_ADDRESS_LABEL Character

RELATED_CUS_ADDRESS_LABEL_REVERSEIC haracter

RELATED_CUS_Display_Addr_Detail_First_FlagCharacter

Table Name:Cus_Relationship_Related_Cus_Info_VW

Columns

CUS_RELATIONSHIP_ID Numeric

MASTER_CUSTOMER_ID Character

SUB_CUSTOMER_ID Numeric

RELATIONSHIP_TYPE Character

RELATIONSHIP_TYPE_DISPLAY_ORDER Numeric

HIERARCHICAL_FLAG Character

EMPLOYMENT_FLAG Character

FOR_RECORD_TYPE Character

RELATIONSHIP_TYPE_DESCR Character

RELATIONSHIP_CODE Character

RELATED_MASTER_CUSTOMER_ID Character

RELATED_SUB_CUSTOMER_ID Numeric

RELATED_CUS_CusMastSubID Character

RECIPROCAL_CODE Character

RECIPROCAL ID Numeric

BEGIN_DATE	Date
------------	------

END_DATE Date

PRIMARY_EMPLOYER_FLAG Character

FULL_TIME_FLAG Character

RELATIONSHIP_JOB_FUNCTION_CODE Character

SUPERVISOR_NAME Character

PRIMARY_CONTACT_FLAG Character

RELATED_CUS_RECORD_TYPE Character

RELATED_CUS_LABEL_NAME Character

RELATED_CUS_LAST_FIRST_NAME Character

RELATED_CUS_SEARCH_NAME Character

RELATED_CUS_NAME_PREFIX Character

RELATED_CUS_FIRST_NAME Character

RELATED_CUS_MIDDLE_NAME Character

RELATED_CUS_LAST_NAME Character

RELATED_CUS_NAME_SUFFIX Character

RELATED_CUS_NAME_CREDENTIALS Character

RELATED_CUS_NICKNAME Character

RELATED_CUS_FORMAL_SALUTATION Character

RELATED_CUS_INFORMAL_SALUTATION Character

RELATED_CUS_CUSTOMER_CLASS_CODE Character

RELATED_CUS_CUSTOMER_STATUS_CODE Character

RELATED_CUS_ALLOW_FAX_FLAG Character

RELATED_CUS_ALLOW_EMAIL_FLAG	Character
------------------------------	-----------

RELATED_CUS_ALLOW_PHONE_FLAG Character

RELATED_CUS_ALLOW_LABEL_SALES_FLAGCharacter

RELATED_CUS_ALLOW_SOLICITATION_FLAGCharacter

RELATED_CUS_ALLOW_INTERNAL_MAIL_FLACharacter

RELATED_CUS_TAXABLE_FLAG Character

RELATED_CUS_FEDERAL_TAX_ID Character

RELATED_CUS_VAT_ID Character

RELATED_CUS_TAX_EXEMPT_ID Character

RELATED_CUS_SSN Character

RELATED_CUS_GENDER_CODE Character

RELATED_CUS_BIRTH_DATE Date

RELATED_CUS_ETHNICITY_CODE Character

RELATED_CUS_ANNUAL_INCOME_RANGE_CODE acter

RELATED_CUS_JOB_FUNCTION_CODE Character

RELATED_CUS_PRIMARY_JOB_TITLE Character

RELATED_CUS_REVENUE_RANGE_CODE Character

RELATED_CUS_STAFF_RANGE_CODE Character

RELATED_CUS_FOUNDATION_FLAG Character

RELATED_CUS_FND_MATCHING_FLAG Character

RELATED_CUS_FND_MATCHING_PERCENT Numeric

RELATED_CUS_FND_MATCHING_LIMIT Numeric

RELATED CUS CAN PLACE ORDER FLAG Character

RELATED_CUS_HOME_PHONE	Character
RELATED_CUS_WORK_PHONE	Character
RELATED_CUS_PRIMARY_PHONE	Character
RELATED_CUS_PRIMARY_PHONE_LOCATIO	ONC_l@c@a@dEer
RELATED_CUS_PRIMARY_FAX	Character
RELATED_CUS_PRIMARY_EMAIL_ADDRESS	Character
RELATED_CUS_PRIMARY_URL	Character
RELATED_CUS_BILL_PRIMARY_EMPLOYER	_KOLhAnCeacter
RELATED_CUS_ADDRESS_TYPE_CODE	Character
RELATED_CUS_CUS_ADDRESS_ID	Numeric
RELATED_CUS_FORMATTED_DETAIL	Character
RELATED_CUS_COMPANY_NAME	Character
RELATED_CUS_ADDRESS_JOB_TITLE	Character
RELATED_CUS_MAIL_STOP	Character
RELATED_CUS_ATTENTION_LINE	Character
RELATED_CUS_PERSONAL_LINE	Character
RELATED_CUS_SHIP_TO_FLAG	Character
RELATED_CUS_BILL_TO_FLAG	Character
RELATED_CUS_CONFIDENTIAL_FLAG	Character
RELATED_CUS_ONE_TIME_USE_FLAG	Character
RELATED_CUS_ADDRESS_STATUS_CODE	Character
RELATED_CUS_ADDRESS_1	Character
RELATED_CUS_ADDRESS_2	Character

RELATED_CUS_ADDRESS_3 Character

RELATED_CUS_ADDRESS_4 Character

RELATED_CUS_CITY Character

RELATED_CUS_STATE Character

RELATED_CUS_POSTAL_CODE Character

RELATED_CUS_COUNTRY_CODE Character

RELATED_CUS_COUNTRY_DESCR Character

RELATED_CUS_COUNTY Character

RELATED_CUS_FORMATTED_ADDRESS Character

RELATED_CUS_ADDRESS_LABEL Character

RELATED_CUS_ADDRESS_LABEL_REVERSEIC haracter

RELATED_CUS_Display_Addr_Detail_First_FlagCharacter

Table Name:FISCAL_YEAR_ORGANIZATION

(Derived Table)

Columns

ORG_ID Character

FISCAL_YEAR_BEGIN Date

FISCAL_YEAR_END Date

Table Name:ORDER_ADV_DETAIL

Columns

ORDER_NO Character

ORDER_LINE_NO Numeric

ORG_ID Character

ORG_UNIT_ID Character

AD_TYPE_CODE Character

AD SIZE CODE	Character

AD_COLOR_WEBMEDIA_CODE Character

AD_PREMIUM_POSITION_CODE Character

HOUSE_AD_FLAG Character

PSA_AD_FLAG Character

ISSUE_SEQ Numeric

SUPPLEMENT_SEQ Numeric

ISSUE_DESCR Character

ISSUE_DATE Date

LINKED_PRODUCT_ID Numeric

LINKED_PRODUCT_SUBSYSTEM Character

LINKED_PARENT_PRODUCT Character

LINKED_PRODUCT_CODE Character

LINKED_PRODUCT_TYPE_CODE Character

POSITION_REQUEST Character

SPECIAL_INSTRUCTIONS Character

SECTION_CODE Character

READER_SERVICE_CARD_NO Character

BOOTH_NO Character

EARNED_PAGE_PCT Numeric

BLEED_INSTRUCTIONS Character

ADVERTISEMENT_ID Numeric

WEB_DELIVERY_METHOD_CODE Character

REDIRECT_URL Character

ADVERTISEMENT_TEXT Character

ADVERTISEMENT_STATUS_CODE Character

NEW_REUSE_CODE Character

SIGNATURE_DATE Date

ART_DUE_DATE Date

ART_RECEIVED_DATE Date

COPY_DUE_DATE Date

COPY_RECEIVED_DATE Date

CAMERA_READY_DUE_DATE Date

CAMERA_READY_RECEIVED_DATE Date

COMMENTS Character

PROOF_SHEET_SENT_DATE Date

TEAR_SHEET_SENT_DATE Date

ADVERTISER_TEAR_SHEET_QTY Numeric

AGENCY_TEAR_SHEET_QTY Numeric

INVOICE_RULE_CODE Character

AVAILABLE_TO_INVOICE_DATE Date

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

ADVERTISEMENT TYPE CODE	Character
-------------------------	-----------

CREDITS_FULFILL_FREQ_FLAG Character

ADV_RATE_CARD_YEAR_CODE Character

ADV_AGENCY_MAST_CUST_ID Character

ADV_AGENCY_SUB_CUST_ID Numeric

EXHIBITION_CODE Character

FREQUENCY_CREDIT_QTY Numeric

INSERTION_ORDER_NO Character

PAGE_ORIENTATION_CODE Character

PAGE_POSITION_CODE Character

START_PAGE Character

END_PAGE Character

AD_DATE Date

DIGITAL_FILE_DUE_DATE Date

DIGITAL_FILE_RECEIVED_DATE Date

DIRECTORY_NAME Character

WORD_COUNT Numeric

AD_SIZE_PCT Numeric

DIRECTORY_DESCR Character

ASSOCIATED_PRODUCT_TYPE_CODE Character

MASTER_PRODUCT_FLAG Character

ADVERTISEMENT_DESCR Character

LINKED_SUBPRODUCT_ID Numeric

Table Name: ORDER_DETAIL

Columns

ORDER_NO Character

ORDER_LINE_NO Numeric

ORDER_DATE Date

PRODUCT_ID Numeric

ORG_ID Character

ORG_UNIT_ID Character

PARENT_PRODUCT Character

PRODUCT_CODE Character

SUBSYSTEM Character

PRODUCT_TYPE_CODE Character

RELATED_LINE_NO Numeric

ORIGINAL_ORDER_LINE_NO Numeric

LINE_LEVEL Numeric

INVOICE_NO Character

INVOICE_DATE Date

BATCH Character

DUE_DATE Date

PACKAGE_FLAG Character

PACKAGE_PRODUCT_ID Numeric

RATE_STRUCTURE Character

RATE_CODE Character

PRICING_CURRENCY_CODE Character

PRICE BE	GIN DATE	Date

aracter
ara

LINE_STATUS_DATE Date

LINE_STATUS_REASON_CODE Character

PAY_PRIORITY Numeric

SHIP_MASTER_CUSTOMER_ID Character

SHIP_SUB_CUSTOMER_ID Numeric

SHIP_ADDRESS_ID Numeric

SHIP_ADDRESS_TYPE_CODE Character

AGENCY_REFERENCE Character

FULFILL_STATUS_CODE Character

FULFILL_DATE Date

REQUESTED_QTY Numeric

ORDER_QTY Numeric

BASE_UNIT_PRICE Numeric

BASE_UNIT_PRICE_TAXABLE Numeric

BASE_UNIT_DISCOUNT Numeric

BASE_EXTENDED_AMOUNT Numeric

BASE_ADJUSTMENT Numeric

TAXABLE_FLAG Character

BASE_TAX_AMOUNT Numeric

ACTUAL_TAX_AMOUNT Numeric

TAX_CATEGORY_CODE Character

VAT_CATEGORY_CODE Character

VAT_PCT Numeric

PRODUCT_DISCOUNT_ID Character

SHIP_VIA_CODE Character

TRACKING_NO Character

BASE_SHIP_AMOUNT Numeric

ACTUAL_SHIP_AMOUNT Numeric

BASE_TOTAL_AMOUNT Numeric

ACTUAL_TOTAL_AMOUNT Numeric

BASE_CANCELLATION_AMOUNT Numeric

CURRENCY_CODE Character

XRATE Numeric

XRATE_DATE Date

COMMENTS Character

COMMENTS_ON_INVOICE_FLAG Character

DESCRIPTION Character

INITIAL_BEGIN_DATE Date

CYCLE_BEGIN_DATE Date

CYCLE_END_DATE Date

WAREHOUSE_ID Character

BIN_LOCATION Character

RENEWAL_CREATED_FLAG Character

RENEWAL_NOTICE_COUNT Numeric

AR ACCOUNT Cha

PPL_ACCOUNT Character

MARKET_CODE Character

LIST_CODE Character

KEY_CODE Character

START_ISSUE Numeric

END_ISSUE Numeric

START_SUPPLEMENT Numeric

END_SUPPLEMENT Numeric

BACK_ISSUES_FLAG Character

RECOGNITION_STATUS_CODE Character

GRACE_DATE Date

INVOICE_METHOD_CODE Character

INVOICE_PRINT_DATE Date

INVOICE_POSTED_FLAG Character

MANUAL_DISCOUNT_FLAG Character

SHIPPING_PROCESS_ID Numeric

ALWAYS_RENEW_FLAG Character

RMA_NUMBER Numeric

SHIP_DATE Date

PRORATE_FLAG Character

DUES_SCHEDULE_ID Character

CAMPAIGN Character

FUND Character

APPEAL Character

SOLICITOR_TEAM Character

SOLICITOR_MAST_CUST Character

SOLICITOR_SUB_CUST Numeric

APPEAL_ACTIVITY_CODE Character

ORIG_SHIP_ADDRESS_ID Numeric

ORIG_SHIP_ADDRESS_TYPE_CODE Character

ALLOW_PAYMENT_FLAG Character

RETURNED_QTY Numeric

RENEW_TO_CC_FLAG Character

MANUAL_SHIP_FLAG Character

PAY_FREQUENCY_CODE Character

AUTO_PAY_METHOD_CODE Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

RENEWAL_DATE_NEXT_ORDER Date

RENEWAL_DATE_THIS_ORDER Date

LINE_TYPE_CODE Character

ORIGINAL_ORDER_NO Character

DEFERRED RECEIPT NO	Numeric
---------------------	---------

DEFERRED_CC_AUTHORIZATION Character

DEFERRED_CC_AUTH_EXP_DATE Date

CONFIRMATION_DATE Date

RECURRING_CODE Character

ATTENDANCE_FLAG Character

GRADE_CODE Character

COURSE_CODE Character

EXAM_CODE Character

EXAM ID Numeric

PASSWORD Character

REVENUE_DIST_BEGIN_DATE Date

AGENCY_UNIT_DISCOUNT Numeric

BLOCK_SALES_TAX_FLAG Character

LINE_COMPLETE_FLAG Character

ADV_MEDIA_CODE Character

ADV_SCHEDULE_ID Character

SALES_COMMISSION_PCT Numeric

AGENCY_DISCOUNT_PCT Numeric

BASE_SHIP_TAX_AMOUNT Numeric

ACTUAL_SHIP_TAX_AMOUNT Numeric

MANUAL_RATE_OVERRIDE_FLAG Character

COUPON_CODE Character

BASE_COUPON_AMOUNT	Numeric
ACTUAL_COUPON_AMOUNT	Numeric
BASE_SPACE_CREDIT_AMOUNT	Numeric
ACTUAL_SPACE_CREDIT_AMOUNT	Numeric
BASE_TRADE_FOR_SERVICE_AMOUNT	Numeric
ACTUAL_TRADE_FOR_SERVICE_AMOUNT	Numeric
BASE_SALES_TAX_AMOUNT	Numeric
ACTUAL_SALES_TAX_AMOUNT	Numeric
BASE_VAT_TAX_AMOUNT	Numeric
ACTUAL_VAT_TAX_AMOUNT	Numeric
TRANSFER_FROM_ORDER_NO	Character
TRANSFER_FROM_ORDER_LINE_NO	Numeric
TRANSFER_TO_ORDER_NO	Character
TRANSFER_TO_ORDER_LINE_NO	Numeric
SHIPPING_VAT_CATEGORY_CODE	Character
SHIPPING_VAT_PCT	Numeric
ACTUAL_UNIT_PRICE	Numeric
ACTUAL_UNIT_PRICE_TAXABLE	Numeric
ACTUAL_UNIT_DISCOUNT	Numeric
ACTUAL_EXTENDED_AMOUNT	Numeric
ACTUAL_ADJUSTMENT	Numeric
ACTUAL_CANCELLATION_AMOUNT	Numeric
ACTUAL_AGENCY_UNIT_DISCOUNT	Numeric

MANUAL_AGENCY_DISCOUNT_FLAG Character

Account_Begin_Date Date

TRANSFER_DATE Date

TRANSCRIPT_CREATED_FLAG Character

DUES_SCHEDULE_BASIS_FROM Numeric

MBR_CAC_AUTO_CREATED_FLAG Character

Table Name:ORDER_DETAIL_SALES_REP

Columns

ORDER_DETAIL_SALES_REP_ID Numeric

ORD_SALES_REP_CUSTOMER_ID Numeric

ORDER NO Character

ORDER_LINE_NO Numeric

SALES_REP_MAST_CUST_ID Character

SALES_REP_SUB_CUST_ID Numeric

COMMISSION_TYPE_CODE Character

ASSIGNED_TO_SHIP_CUSTOMER_FLAG Character

ASSIGNED_TO_BILL_CUSTOMER_FLAG Character

SALES_REP_COMMISSION_PCT Numeric

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

MANUAL_OVERRIDE_FLAG Character

COMMENTS Character

COMMISSION_PYMT_STATUS_CODE Character

COMMISSION_PYMT_STATUS_DATE Date

COMMISSION_PYMT_AMOUNT Numeric

COMMISSION_PYMT_CK_NO Character

ORD640_OPER Character

ORG_ID Character

ORG_UNIT_ID Character

AGENCY_COMMISSION_PCT Numeric

CONSIGNMENT_COMMISSION_PCT Numeric

COMMISSION_ACTIVITY_CODE Character

Table Name:ORDER_DET_ADV_PRODUCT_SERVICE

Columns

ADV_CUS_PRODUCT_SERVICE_ID Numeric

ORDER_NO Character

ORDER_LINE_NO Numeric

SHIP_MASTER_CUSTOMER_ID Character

SHIP_SUB_CUSTOMER_ID Numeric

PRODUCT_CATEGORY_CODE Character

PRODUCT_CATEGORY_SUBCODE Character

PRODUCT_BRAND_NAME Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

Table Name:ORDER_MASTER

Columns

ORDER NO Character

ORDER_DATE Date

BATCH Character

APPLICATION Character

ORG_ID Character

ORG_UNIT_ID Character

BILL_MASTER_CUSTOMER_ID Character

BILL_SUB_CUSTOMER_ID Numeric

BILL_ADDRESS_ID Numeric

BILL_ADDRESS_TYPE_CODE Character

BILL_CUSTOMER_CLASS_CODE Character

BILL_CUSTOMER_STATUS_CODE Character

SHIP_MASTER_CUSTOMER_ID Character

SHIP_SUB_CUSTOMER_ID Numeric

SHIP_ADDRESS_ID Numeric

SHIP_ADDRESS_TYPE_CODE Character

SHIP_CUSTOMER_CLASS_CODE Character

SHIP_CUSTOMER_STATUS_CODE Character

RATE_STRUCTURE Character

ORDER_STATUS_CODE Character

ORDSTS REASON CODE	Character
--------------------	-----------

ORDER_STATUS_DATE Date

ORIGINAL_ORDER_NO Character

HOLD_BILLING_FLAG Character

PO_NUMBER Character

SHIPPER_ACCOUNT_REF Character

COMMENTS Character

CONFIRMATION_NO Character

MARKET_CODE Character

LIST_CODE Character

KEY_CODE Character

ORDER_METHOD_CODE Character

CURRENCY_CODE Character

XRATE Numeric

XRATE_DATE Date

ACK_LETTER_METHOD_CODE Character

ACK_LETTER_PRINT_DATE Date

POS_FLAG Character

POS_COUNTRY_CODE Character

POS_STATE Character

POS_POSTAL_CODE Character

ORIG_BILL_ADDRESS_ID Numeric

ORIG_BILL_ADDRESS_TYPE_CODE Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

CONFIRMATION_DATE Date

ORDER_COMPLETE_FLAG Character

ADV_CONTRACT_ID Numeric

ADV_RATE_CARD_YEAR_CODE Character

ADV_AGENCY_MAST_CUST_ID Character

ADV_AGENCY_SUB_CUST_ID Numeric

POS_WAREHOUSE_ID Character

COUPON_CODE Character

FND_GIVE_EMPLOYER_CREDIT_FLAG Character

Table Name:PRODUCT

Columns

PRODUCT_ID Numeric

ORG_ID Character

ORG_UNIT_ID Character

PARENT_PRODUCT Character

PRODUCT_CODE Character

SUBSYSTEM Character

SHORT_NAME Character

LONG_NAME Character

MASTER_PRODUCT_FLAG Character

PRODUCT_TYPE_CODE Character

PRICING_METHOD_CODE Character

PACKAGE_DISCOUNT_PCT Numeric

PRODUCT_CLASS_CODE Character

PRODUCT_STATUS_CODE Character

PRODUCT_STATUS_DATE Date

UNIT_OF_MEASURE_CODE Character

QUANTITY_PER_UNIT Numeric

AVAILABLE_TO_ORDERS_FLAG Character

AVAILABLE_DATE Date

EXPIRATION_DATE Date

RENEWABLE_FLAG Character

RETURNABLE_FLAG Character

STANDING_ORDER_BACKISS_FLAG Character

LAST_SOLD_DATE Date

CUM_SOLD_QTY Numeric

YTD_SOLD_QTY Numeric

DESCRIPTION_TEXT_ID Numeric

FUND Character

CAMPAIGN Character

APPEAL Character

CAMPAIGN_EXCLUSIVE_FLAG Character

FUND EXCLUSIVE FLAG	Character
---------------------	-----------

APPEAL_EXCLUSIVE_FLAG Character

VALID_FLAG Character

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

PRODUCT_URL Character

COURSE_CODE Character

EXAM_CODE Character

CREATE_TRANSACTION_FLAG Character

MEMBERS_ONLY_FLAG Character

DIRECT_PRICE_UPDATE_FLAG Character

PACKAGE_SELECTION_TYPE_CODE Character

ELIGIBLE_FOR_COMMISSION_FLAG Character

SEGMENT_RULE_CODE Character

SEGMENT_QUALIFIER1 Character

SEGMENT_QUALIFIER2 Character

SEGMENT_CONTROL_FLAG Character

SEGMENT_DESCR Character

CURRENCY_LOCK_CODE Character

ZEROPRICE_FLAG Character

PRODUCT_SUB_LINE Character

ELIGIBLE_FOR_AGENCY_COMMISSION_FLA@haracter

PRODUCT_MGR_EMAIL Character

Table Name:SUB_ISSUE

Columns

PRODUCT_ID Numeric

ISSUE_SEQ Numeric

SUPPLEMENT_SEQ Numeric

VOLUME Numeric

ISSUE Character

DESCR Character

ISSUE_DATE Date

FULFILL_DATE Date

MAIL_DATE Date

ORDERED_QTY Numeric

DAMAGED_QTY Numeric

FULFILLED_QTY Numeric

BACK_ISSUES_QTY Numeric

SINGLE_COPY_QTY Numeric

AVAILABLE_QTY Numeric

PAGES Numeric

START_PAGE Numeric

ADV_PAGES Numeric

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

AD_SPACE_CLOSE_DATE Date

DIGITAL_FILE_DUE_DATE Date

ART_DUE_DATE Date

COPY_DUE_DATE Date

CAMERA_READY_DUE_DATE Date

ADV_DISPLAY_AD_PAGES Numeric

ADV_CLASSIFIED_AD_PAGES Numeric

Table Name:dbo.PSM_USER

Columns

USER_ID Character

USER_NAME Character

DESCRIPTION Character

ACTIVE_FLAG Character

SEGMENT_CONTROL_FLAG Character

LANGUAGE_CODE Character

SUPER_USER_FLAG Character

BROADCAST_USER_ID Character

BROADCAST_PASSWORD Character

EMAIL_ADDRESS Character

REPLY_TO_EMAIL_ADDRESS Character

FAX_EMAIL_ADDRESS Character

FAX_NAME Character

PASSWORD_CHANGE_REQ_FLAG Character

LAST_PASSWORD_CHANGE_DATE Date

ADDOPER Character

ADDDATE Date

MODOPER Character

MODDATE Date

CONCURRENCY_ID Numeric

NETWORK_ACCOUNT_FLAG Character

ACCOUNT_EXPIRATION_DATE Date

LOCKED_FLAG Character

LOCKEDOUT_TIME Date

Join List

Join0: ORDER MASTER.ORDER NO=ORDER DETA

IL.ORDER_NO and ORDER_MASTER.ORG
_ID=ORDER_DETAIL.ORG_ID and ORDER
_MASTER.ORG_UNIT_ID=ORDER_DETAIL

.ORG_UNIT_ID

Join1: ORDER_DETAIL.PRODUCT_ID=PRODUCT.PRODUCT_ID

Join2: ORDER_DETAIL.ORDER_NO=ORDER_DETA

IL_SALES_REP.ORDER_NO and ORDER_D ETAIL.ORDER_LINE_NO=ORDER_DETAIL

_SALES_REP.ORDER_LINE_NO

Join3: ORDER_DETAIL.ORDER_NO=ORDER_DET_

ADV_PRODUCT_SERVICE.ORDER_NO and ORDER_DETAIL.ORDER_LINE_NO=ORDE R_DET_ADV_PRODUCT_SERVICE.ORDER_

LINE_NO

Join4: ORDER_DETAIL.ORDER_NO=ORDER_ADV_

DETAIL.ORDER_NO and ORDER_DETAIL.

ORDER_LINE_NO=ORDER_ADV_DETAIL.O

RDER_LINE_NO and ORDER_DETAIL.ORG

_ID=ORDER_ADV_DETAIL.ORG_ID and O

RDER_DETAIL.ORG_UNIT_ID=ORDER_AD

V_DETAIL.ORG_UNIT_ID

Join5: ORDER_MASTER.ADV_CONTRACT_ID=ADV_CONTRACT.CONTRACT_ID

Join6: ORDER_DETAIL.SHIP_MASTER_CUSTOME

R_ID=CUSTOMER_ADVERTISER.MASTER_ CUSTOMER_ID and ORDER_DETAIL.SHIP _SUB_CUSTOMER_ID=CUSTOMER_ADVERT

ISER.SUB_CUSTOMER_ID

Join7: ORDER_MASTER.BILL_MASTER_CUSTOME

R_ID=CUSTOMER_BILL_CUSTOMER.MAST ER_CUSTOMER_ID and ORDER_MASTER. BILL_SUB_CUSTOMER_ID=CUSTOMER_BI LL_CUSTOMER.SUB_CUSTOMER_ID

Join8: ORDER_ADV_DETAIL.ADV_AGENCY_MAST

_CUST_ID=CUSTOMER_AD_AGENCY.MAST ER_CUSTOMER_ID and ORDER_ADV_DET AIL.ADV_AGENCY_SUB_CUST_ID=CUSTO MER_AD_AGENCY.SUB_CUSTOMER_ID

Join9: ORDER_DETAIL.ORG_ID=ADV_MEDIA.OR

G_ID and ORDER_DETAIL.ORG_UNIT_ID =ADV_MEDIA.ORG_UNIT_ID and ORDER DETAIL.PARENT_PRODUCT=ADV_MEDIA

.MEDIA_CODE

Join10: ADV_CONTRACT.CONTRACT_ID=ADV_CONTRACT_CONTACT.CONTRACT_ID

Join11: ADV_MEDIA.ORG_ID=ADV_MEDIA_CONTA

CT.ORG_ID and ADV_MEDIA.ORG_UNIT_ID=ADV_MEDIA_CONTACT.ORG_UNIT_ID and ADV_MEDIA.MEDIA_CODE=ADV_ME

DIA_CONTACT.MEDIA_CODE

Join12: CUS_ADDRESS_ADVERTISER.CUS_ADDRE

SS ID=CUS ADDRESS DETAIL ADVERTI

SER.CUS_ADDRESS_ID and CUS_ADDRES
S_ADVERTISER.MASTER_CUSTOMER_ID=
CUS_ADDRESS_DETAIL_ADVERTISER.MA
STER_CUSTOMER_ID and CUS_ADDRESS
_ADVERTISER.SUB_CUSTOMER_ID=CUS_
ADDRESS_DETAIL_ADVERTISER.SUB_CU
STOMER_ID AND
CUS_ADDRESS_DETAIL_ADVERTISER.PRIORITY_SEQ = 0

Join13: CUSTOMER_ADVERTISER.MASTER_CUSTO
MER_ID=CUS_ADDRESS_ADVERTISER.MA
STER_CUSTOMER_ID and CUSTOMER_AD
VERTISER.SUB_CUSTOMER_ID=CUS_ADD
RESS_ADVERTISER.SUB_CUSTOMER_ID

Join14: ORDER_DETAIL.SHIP_MASTER_CUSTOME
R_ID=CUS_ADDRESS_ADVERTISER_ORDE
R_ADDRESS.MASTER_CUSTOMER_ID AND
ORDER_DETAIL.SHIP_SUB_CUSTOMER_I
D=CUS_ADDRESS_ADVERTISER_ORDER_A
DDRESS.SUB_CUSTOMER_ID AND
ORDER_DETAIL.SHIP_ADDRESS_ID=CUS
_ADDRESS_ADVERTISER_ORDER_ADDRESS
S.CUS_ADDRESS_ID

Join15: CUS_ADDRESS_DETAIL_ADVERTISER_OR
DER_ADDRESS.MASTER_CUSTOMER_ID=C
US_ADDRESS_ADVERTISER_ORDER_ADDR
ESS.MASTER_CUSTOMER_ID and CUS_AD
DRESS_DETAIL_ADVERTISER_ORDER_AD
DRESS.SUB_CUSTOMER_ID=CUS_ADDRES
S_ADVERTISER_ORDER_ADDRESS.SUB_C
USTOMER_ID and CUS_ADDRESS_DETAIL
_ADVERTISER_ORDER_ADDRESS.CUS_AD
DRESS_ID=CUS_ADDRESS_ADVERTISER_
ORDER_ADDRESS.CUS_ADDRESS_ID

Join16: CUS_ADDRESS_BILL_CUSTOMER_ORDER_
ADDRESS.CUS_ADDRESS_ID=CUS_ADDRE
SS_DETAIL_BILL_CUSTOMER_ORDER_AD
DRESS.CUS_ADDRESS_ID and CUS_ADDR
ESS_BILL_CUSTOMER_ORDER_ADDRESS.
MASTER_CUSTOMER_ID=CUS_ADDRESS_D
ETAIL_BILL_CUSTOMER_ORDER_ADDRESS
S.MASTER_CUSTOMER_ID and CUS_ADD
RESS_BILL_CUSTOMER_ORDER_ADDRESS

.SUB_CUSTOMER_ID=CUS_ADDRESS_DET AIL_BILL_CUSTOMER_ORDER_ADDRESS. SUB_CUSTOMER_ID

Join17: ADV_CUSTOMER.MASTER_CUSTOMER_ID= CUSTOMER_ADVERTISER.MASTER_CUSTO MER_ID and ADV_CUSTOMER.SUB_CUST OMER_ID=CUSTOMER_ADVERTISER.SUB_

Join18: ADV_CUSTOMER.PRIMARY_ADV_CONTACT
_MAST_CUST_ID=CUSTOMER_ADVERTISE

R_PRIMARY_CONTACT.MASTER_CUSTOME
R_ID and ADV_CUSTOMER.PRIMARY_ADV
_CONTACT_SUB_CUST_ID=CUSTOMER_AD
VERTISER_PRIMARY_CONTACT.SUB_CUS

TOMER_ID

CUSTOMER_ID

Join19: ADV_CUSTOMER.PRIMARY_AGENCY_MAST

_CUST_ID=CUSTOMER_ADVERTISER_PRI MARY_AGENCY.MASTER_CUSTOMER_ID a nd ADV_CUSTOMER.PRIMARY_AGENCY_S UB_CUST_ID=CUSTOMER_ADVERTISER_P RIMARY_AGENCY.SUB_CUSTOMER_ID

Join20: CUSTOMER_ADVERTISER_PRIMARY_AGEN

CY_CONTACT.MASTER_CUSTOMER_ID=AD V_CUSTOMER.PRIMARY_AGENCY_CONTAC T_MAST_CUST_ID and CUSTOMER_ADVE RTISER_PRIMARY_AGENCY_CONTACT.SU B_CUSTOMER_ID=ADV_CUSTOMER.PRIMA RY_AGENCY_CONTACT_SUB_CUST_ID

Join21: Cus_Relationship_Advertiser_Subsidi aries_Related_Cus_Info_VW.MASTER_C

USTOMER_ID=ADV_CUSTOMER.MASTER_C

USTOMER ID AND

Cus_Relationship_Advertiser_Subsidi aries_Related_Cus_Info_VW.SUB_CUST OMER_ID = ADV_CUSTOMER.SUB_CUSTO MER_ID and Cus_Relationship_Advert

iser_Subsidiaries_Related_Cus_Info_

VW.RELATIONSHIP TYPE = 'CORPORATE

' and Cus_Relationship_Advertiser_S ubsidiaries_Related_Cus_Info_VW.RE LATIONSHIP_CODE = 'PARENT' and Cu s_Relationship_Advertiser_Subsidiar ies_Related_Cus_Info_VW.HIERARCHIC AL FLAG = 'Y'

Join22: Cus_Relationship_Advertiser_Related

_Cus_Info_VW.MASTER_CUSTOMER_ID=
ADV_CUSTOMER.MASTER_CUSTOMER_ID
and Cus_Relationship_Advertiser_Rel

ated_Cus_Info_VW.SUB_CUSTOMER_ID=
ADV_CUSTOMER.SUB_CUSTOMER_ID

Join23: CUS_CURRENT_ADVERTISER_MEMBERSHI

P_INFO.MASTER_CUSTOMER_ID=ADV_CU STOMER.MASTER_CUSTOMER_ID and CU S_CURRENT_ADVERTISER_MEMBERSHIP_ INFO.SUB_CUSTOMER_ID=ADV_CUSTOME

R.SUB_CUSTOMER_ID

Join24: CUSTOMER_AD_AGENCY.MASTER_CUSTOM

ER_ID=CUS_ADDRESS_AD_AGENCY.MAST ER_CUSTOMER_ID and CUSTOMER_AD_A GENCY.SUB_CUSTOMER_ID=CUS_ADDRES

S_AD_AGENCY.SUB_CUSTOMER_ID

Join25: CUS_ADDRESS_DETAIL_AD_AGENCY.MAS

TER_CUSTOMER_ID=CUS_ADDRESS_AD_A
GENCY.MASTER_CUSTOMER_ID and CUS
_ADDRESS_DETAIL_AD_AGENCY.SUB_CU
STOMER_ID=CUS_ADDRESS_AD_AGENCY.
SUB_CUSTOMER_ID and CUS_ADDRESS_
DETAIL_AD_AGENCY.CUS_ADDRESS_ID=
CUS_ADDRESS_AD_AGENCY.CUS_ADDRESS

S_ID

Join26: ORDER_MASTER.BILL_MASTER_CUSTOME

R_ID=CUS_ADDRESS_BILL_CUSTOMER_O RDER_ADDRESS.MASTER_CUSTOMER_ID and ORDER_MASTER.BILL_SUB_CUSTOM ER_ID=CUS_ADDRESS_BILL_CUSTOMER_ ORDER_ADDRESS.SUB_CUSTOMER_ID an d ORDER_MASTER.BILL_ADDRESS_ID=C US_ADDRESS_BILL_CUSTOMER_ORDER_A

DDRESS.CUS ADDRESS ID

Join27: CUSTOMER_AD_AGENCY.MASTER_CUSTOM

ER ID=Cus Relationship AD Agency R

elated_Cus_Info_VW.MASTER_CUSTOME R_ID and CUSTOMER_AD_AGENCY.SUB_ CUSTOMER_ID=Cus_Relationship_AD_A gency_Related_Cus_Info_VW.SUB_CUS TOMER_ID

Join28: ADV_CONTRACT.BILL_MAST_CUST_ID=C

USTOMER_CONTRACT_BILL_CUSTOMER.M ASTER_CUSTOMER_ID and ADV_CONTRA CT.BILL_SUB_CUST_ID=CUSTOMER_CON TRACT_BILL_CUSTOMER.SUB_CUSTOMER

_ID

Join29: APP_CODE_PRODUCT_TYPE.SUBSYSTEM = 'ADV' AND

APP_CODE_PRODUCT_TYPE.TYPE = 'PRODUCT_TYPE' AND

PRODUCT.PRODUCT_TYPE_CODE=APP_CODE_PRODUCT_TYPE.CODE

Join30: APP_CODE_PRODUCT_CLASS.SUBSYSTEM = 'ADV' AND

APP_CODE_PRODUCT_CLASS.TYPE = 'PRODUCT_CLASS' AND

PRODUCT.PRODUCT_CLASS_CODE=APP_CODE_PRODUCT_CLASS.CODE

Join31: APP CODE MEDIA CONTACT TYPE.SUBSYSTEM = 'ADV' AND

APP_CODE_MEDIA_CONTACT_TYPE.TYPE = 'CONTACT_TYPE' AND

ADV_MEDIA_CONTACT.CONTACT_TYPE_CODE=APP_CODE_MEDIA_CONTACT_TYPE.CODE

Join32: ADV_MEDIA.LINKED_PRODUCT_ID=SUB_ISSUE.PRODUCT_ID

Join33: APP CODE PRODUCT CATEGORY.SUBSYSTEM = 'ADV' AND

APP_CODE_PRODUCT_CATEGORY.TYPE = 'PRODUCT_CATEGORY' AND

ORDER_DET_ADV_PRODUCT_SERVICE.PR ODUCT_CATEGORY_CODE=APP_CODE_PRO

DUCT_CATEGORY.CODE

Join34: APP SUBCODE PRODUCT CATEGORY.SUBSYSTEM = 'ADV' AND

APP_SUBCODE_PRODUCT_CATEGORY.TYPE = 'PRODUCT_CATEGORY' AND

APP_CODE_PRODUCT_CATEGORY.CODE=APP_SUBCODE_PRODUCT_CATEGORY.CODE

Join35: ADV_AD_TYPE.AD_TYPE_CODE=ORDER_ADV_DETAIL.AD_TYPE_CODE

Join36: ORDER ADV DETAIL.AD SIZE CODE=ADV AD SIZE.AD SIZE CODE

Join37: ADV_AD_COLOR_WEBMEDIA.AD_COLOR_W

EBMEDIA CODE=ORDER ADV DETAIL.AD

_COLOR_WEBMEDIA_CODE

Join38: ORDER ADV DETAIL.AD PREMIUM POSI

```
TION_CODE=ADV_PREMIUM_POSITION.P
          REMIUM POSITION CODE
Join39:
          ORDER_ADV_DETAIL.ADV_AGENCY_MAST
           _CUST_ID=ADV_AGENCY_CUSTOMER.MAS
          TER_CUSTOMER_ID and ORDER_ADV_DE
          TAIL.ADV_AGENCY_SUB_CUST_ID=ADV_
          AGENCY_CUSTOMER.SUB_CUSTOMER_ID
Join40:
          ADV AGENCY CUSTOMER.MASTER CUSTO
          MER_ID=Cus_Relationship_Ad_Agency_
          Primary_Contact_Related_Cus_Info_V
          W.MASTER CUSTOMER ID and ADV AGE
          NCY_CUSTOMER.SUB_CUSTOMER_ID=Cus
           _Relationship_Ad_Agency_Primary_Co
          ntact_Related_Cus_Info_VW.SUB_CUST
          OMER_ID AND PRIMARY_CONTACT_FLAG
           = 'Y'
Join41:
          CUSTOMER_BILL_CUSTOMER.ORG_ID = substring(@Variable('BOUSER')
           , charindex(' '
            , @Variable('BOUSER')) + 1
            , charindex('_'
            , substring(@Variable('BOUSER')
             , charindex('_'
             , @Variable('BOUSER')) + 1
             , len(@Variable('BOUSER')))) - 1)
          AND
          CUSTOMER_BILL_CUSTOMER.ORG_UNIT_
          ID = substring(substring(@Variable
          ('BOUSER'), charindex('_', @Variabl
          e('BOUSER')) + 1, LEN(@Variable('BO
          USER')))
           , charindex('_'
            , substring(@Variable('BOUSER'),
          charindex('_', @Variable('BOUSER'))
           + 1, LEN(@Variable('BOUSER')))) +
            , charindex(' '
            , substring (substring(@Variable(
          'BOUSER'), charindex('_', @Variable
          ('BOUSER')) + 1, LEN(@Variable('BO
          USER')))
             , charindex('_'
             , substring(@Variable('BOUSER'
```

```
), charindex('_', @Variable('BOUSER
            ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
              , len(substring(@Variable('BOUS
            ER'), charindex('_', @Variable('BOU
            SER')) + 1, LEN(@Variable('BOUSER')
           ))))) - 1)
Join42:
            ORDER_MASTER.ORG_ID = substring(@Variable('BOUSER')
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
               substring(@Variable('BOUSER')
              , charindex('_'
               , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
            AND
            ORDER_MASTER.ORG_UNIT_ID = subst
            ring(substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER')
           ) + 1, LEN(@Variable('BOUSER')))
            , charindex('_'
             , substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
            1
             , charindex('_'
             , substring (substring(@Variable(
            'BOUSER'), charindex('_', @Variable
            ('BOUSER')) + 1, LEN(@Variable('BO
            USER')))
              , charindex('_'
               , substring(@Variable('BOUSER'
            ), charindex('_', @Variable('BOUSER
            ')) + 1, LEN(@Variable('BOUSER'))))
              , len(substring(@Variable('BOUS
            ER'), charindex('_', @Variable('BOU
            SER')) + 1, LEN(@Variable('BOUSER')
           ))))) - 1)
Join43:
            ORDER_DETAIL.ORG_ID = substring(@Variable('BOUSER')
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
               substring(@Variable('BOUSER')
```

```
, charindex('_'
               , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
           AND
           ORDER_DETAIL.ORG_UNIT_ID = subst
           ring(substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER')
           ) + 1, LEN(@Variable('BOUSER')))
            , charindex('_'
             , substring(@Variable('BOUSER'),
           charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
             , charindex('_'
             , substring (substring(@Variable(
           'BOUSER'), charindex('_', @Variable
           ('BOUSER')) + 1, LEN(@Variable('BO
           USER')))
              , charindex('_'
               , substring(@Variable('BOUSER'
           ), charindex('_', @Variable('BOUSER
           ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
              , len(substring(@Variable('BOUS
           ER'), charindex('_', @Variable('BOU
           SER')) + 1, LEN(@Variable('BOUSER')
           ))))) - 1)
           CUSTOMER_CONTRACT_BILL_CUSTOMER.ORG_ID = substring(@Variable('BOUSER')
Join44:
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
              substring(@Variable('BOUSER')
              , charindex('_'
               , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
           AND
           CUSTOMER_CONTRACT_BILL_CUSTOMER.
           ORG_UNIT_ID = substring(substring)
           (@Variable('BOUSER'), charindex('_'
            , @Variable('BOUSER')) + 1, LEN(@V
           ariable('BOUSER')))
            , charindex('_'
             , substring(@Variable('BOUSER'),
           charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
```

```
, charindex('_'
              , substring (substring(@Variable(
            'BOUSER'), charindex('_', @Variable
            ('BOUSER')) + 1, LEN(@Variable('BO
            USER')))
              , charindex('_'
               , substring(@Variable('BOUSER'
            ), charindex('_', @Variable('BOUSER
            ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
              , len(substring(@Variable('BOUS
            ER'), charindex('_', @Variable('BOU
            SER')) + 1, LEN(@Variable('BOUSER')
            ))))) - 1)
            ADV_CONTRACT.ORG_ID = substring(@Variable('BOUSER')
Join45:
             , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
               substring(@Variable('BOUSER')
              , charindex('_'
               , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
            AND
            ADV_CONTRACT.ORG_UNIT_ID = subst
            ring(substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER')
            ) + 1, LEN(@Variable('BOUSER')))
             , charindex('_'
             , substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
             , charindex('_'
              , substring (substring(@Variable(
            'BOUSER'), charindex('_', @Variable
            ('BOUSER')) + 1, LEN(@Variable('BO
            USER')))
              , charindex('_'
               , substring(@Variable('BOUSER'
            ), charindex('_', @Variable('BOUSER
            ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
              , len(substring(@Variable('BOUS
            ER'), charindex('_', @Variable('BOU
```

```
SER')) + 1, LEN(@Variable('BOUSER')
            ))))) - 1)
Join46:
            ORDER_ADV_DETAIL.ORG_ID = substring(@Variable('BOUSER')
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
             , substring(@Variable('BOUSER')
              , charindex('_'
               , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
            AND
            ORDER_ADV_DETAIL.ORG_UNIT_ID = s
            ubstring(substring(@Variable('BOUSE
            R'), charindex('_', @Variable('BOUS
            ER')) + 1, LEN(@Variable('BOUSER'))
            )
            , charindex('_'
             , substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
             , charindex('_'
              , substring (substring(@Variable(
            'BOUSER'), charindex('_', @Variable
            ('BOUSER')) + 1, LEN(@Variable('BO
            USER')))
              , charindex(' '
               , substring(@Variable('BOUSER'
            ), charindex('_', @Variable('BOUSER
            ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
              , len(substring(@Variable('BOUS
            ER'), charindex('_', @Variable('BOU
            SER')) + 1, LEN(@Variable('BOUSER')
            ))))) - 1)
Join47:
            PRODUCT.ORG_ID = substring(@Variable('BOUSER')
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
              , substring(@Variable('BOUSER')
              , charindex('_'
               , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
            AND
```

```
PRODUCT.ORG_UNIT_ID = substring(s
            ubstring(@Variable('BOUSER'), chari
            ndex('_', @Variable('BOUSER')) + 1,
            LEN(@Variable('BOUSER')))
            , charindex('_'
             , substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
            1
             , charindex('_'
             , substring (substring(@Variable(
            'BOUSER'), charindex('_', @Variable
            ('BOUSER')) + 1, LEN(@Variable('BO
            USER')))
              , charindex('_'
               , substring(@Variable('BOUSER'
            ), charindex('_', @Variable('BOUSER
            ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
              , len(substring(@Variable('BOUS
            ER'), charindex('_', @Variable('BOU
            SER')) + 1, LEN(@Variable('BOUSER')
            ))))) - 1)
Join48:
            ADV_MEDIA.ORG_ID = substring(@Variable('BOUSER')
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
             , substring(@Variable('BOUSER')
              , charindex('_'
               , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
            AND
            ADV_MEDIA.ORG_UNIT_ID = substrin
            g(substring(@Variable('BOUSER'), ch
            arindex('_', @Variable('BOUSER')) +
            1, LEN(@Variable('BOUSER')))
            , charindex('_'
             , substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
             , charindex('_'
             , substring (substring(@Variable(
            'BOUSER'), charindex('_', @Variable
            ('BOUSER')) + 1, LEN(@Variable('BO
```

Join50:

```
USER')))
              , charindex('_'
               , substring(@Variable('BOUSER'
           ), charindex('_', @Variable('BOUSER
           ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
              , len(substring(@Variable('BOUS
           ER'), charindex('_', @Variable('BOU
           SER')) + 1, LEN(@Variable('BOUSER')
           ))))) - 1)
Join49:
           ADV_MEDIA_CONTACT.ORG_ID = substring(@Variable('BOUSER')
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
              substring(@Variable('BOUSER')
              , charindex('_'
               , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
           AND
           ADV_MEDIA_CONTACT.ORG_UNIT_ID =
           substring(substring(@Variable('BOUS
           ER'), charindex('_', @Variable('BOU
           SER')) + 1, LEN(@Variable('BOUSER')
            , charindex('_'
             , substring(@Variable('BOUSER'),
           charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
             , charindex('_'
             , substring (substring(@Variable(
           'BOUSER'), charindex('_', @Variable
           ('BOUSER')) + 1, LEN(@Variable('BO
           USER')))
              , charindex('_'
               , substring(@Variable('BOUSER'
           ), charindex('_', @Variable('BOUSER
           ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
              , len(substring(@Variable('BOUS
           ER'), charindex('_', @Variable('BOU
           SER')) + 1, LEN(@Variable('BOUSER')
           ))))) - 1)
           CUSTOMER_ADVERTISER_PRIMARY_CONTACT.ORG_ID = substring(@Variable('BOUSER')
```

```
, charindex('_'
            , @Variable('BOUSER')) + 1
            , charindex('_'
             , substring(@Variable('BOUSER')
             , charindex('_'
              , @Variable('BOUSER')) + 1
             , len(@Variable('BOUSER')))) - 1)
           AND
           CUSTOMER_ADVERTISER_PRIMARY_CONT
           ACT.ORG_UNIT_ID = substring(subst
           ring(@Variable('BOUSER'), charindex
           ('_', @Variable('BOUSER')) + 1, LEN
           (@Variable('BOUSER')))
            , charindex('_'
            , substring(@Variable('BOUSER'),
           charindex('_', @Variable('BOUSER'))
           + 1, LEN(@Variable('BOUSER')))) +
            , charindex('_'
             , substring (substring(@Variable(
           'BOUSER'), charindex('_', @Variable
           ('BOUSER')) + 1, LEN(@Variable('BO
           USER')))
             , charindex('_'
              , substring(@Variable('BOUSER'
           ), charindex('_', @Variable('BOUSER
           ')) + 1, LEN(@Variable('BOUSER'))))
             , len(substring(@Variable('BOUS
           ER'), charindex('_', @Variable('BOU
           SER')) + 1, LEN(@Variable('BOUSER')
           ))))) - 1)
Join51:
           CUSTOMER_ADVERTISER_PRIMARY_AGENCY.ORG_ID = substring(@Variable('BOUSER')
            , charindex('_'
            , @Variable('BOUSER')) + 1
            , charindex('_'
              substring(@Variable('BOUSER')
             , charindex('_'
              , @Variable('BOUSER')) + 1
             , len(@Variable('BOUSER')))) - 1)
           AND
           CUSTOMER ADVERTISER PRIMARY AGEN
           CY.ORG_UNIT_ID = substring(substr
           ing(@Variable('BOUSER'), charindex(
```

```
@Variable('BOUSER')))
            , charindex('_'
             , substring(@Variable('BOUSER'),
           charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
             , charindex('_'
             , substring (substring(@Variable(
           'BOUSER'), charindex('_', @Variable
           ('BOUSER')) + 1, LEN(@Variable('BO
           USER')))
              , charindex('_'
               , substring(@Variable('BOUSER'
           ), charindex('_', @Variable('BOUSER
           ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
              , len(substring(@Variable('BOUS
           ER'), charindex('_', @Variable('BOU
           SER')) + 1, LEN(@Variable('BOUSER')
           ))))) - 1)
           CUSTOMER_ADVERTISER_PRIMARY_AGENCY_CONTACT.ORG_ID = substring(@Variable('BOUSER
Join52:
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
              substring(@Variable('BOUSER')
              , charindex('_'
               , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
           AND
           CUSTOMER ADVERTISER PRIMARY AGEN
           CY_CONTACT.ORG_UNIT_ID = substri
           ng(substring(@Variable('BOUSER'), c
           harindex('_', @Variable('BOUSER'))
           + 1, LEN(@Variable('BOUSER')))
            , charindex('_'
             , substring(@Variable('BOUSER'),
           charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
             , charindex('_'
             , substring (substring(@Variable(
           'BOUSER'), charindex('_', @Variable
           ('BOUSER')) + 1, LEN(@Variable('BO
           USER')))
              , charindex('_'
```

```
, substring(@Variable('BOUSER'
          ), charindex('_', @Variable('BOUSER
          ')) + 1, LEN(@Variable('BOUSER'))))
             , len(substring(@Variable('BOUS
          ER'), charindex('_', @Variable('BOU
          SER')) + 1, LEN(@Variable('BOUSER')
          ))))) - 1)
Join53:
          APP CODE ADVERTISER CLASS.SUBSYS
          TEM='CUS' and APP_CODE_ADVERTISER
          _CLASS.TYPE='CUSTOMER_CLASS' and
          APP CODE ADVERTISER CLASS.CODE=C
          USTOMER_ADVERTISER.CUSTOMER_CLAS
          S CODE
Join54:
          APP_CODE_ADVERTISER_STATUS.SUBSY
          STEM='CUS' and APP_CODE_ADVERTISE
          R STATUS.TYPE='CUSTOMER STATUS' a
          nd APP_CODE_ADVERTISER_STATUS.CO
          DE=CUSTOMER_ADVERTISER.CUSTOMER
          STATUS CODE
Join55:
          FISCAL_YEAR_ORGANIZATION.ORG_ID=substring(@Variable('BOUSER')
           , charindex(' '
           , @Variable('BOUSER')) + 1
           , charindex('_'
            , substring(@Variable('BOUSER')
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , len(@Variable('BOUSER')))) - 1)
Join56:
          CUS_ACTIVITY.STAFF_USER_ID=Right(
          @Variable('BOUSER'), Case When CHA
          RINDEX('_rt_', reverse(@Variable('B
          OUSER'))) =0 Then 0 Else CHARINDE
          X('_rt_', reverse(@Variable('BOUSER
          ')))-1 End)
Join57:
          CUS ACTIVITY.ACTIVITY CODE='CONTACTTRACKING'
Join58:
          CUS_ACTIVITY.RESOLVED_FLAG='N'
Join59:
          CUSTOMER_SALES_REP.MASTER_CUSTOM
          ER_ID=ORDER_DETAIL_SALES_REP.SALE
```

S REP MAST CUST ID and CUSTOMER

SALES_REP.SUB_CUSTOMER_ID=ORDER_ DETAIL_SALES_REP.SALES_REP_SUB_CU

ST_ID

Join60: dbo.PSM_USER.USER_ID=Right(@Varia

ble('BOUSER'), Case When CHARINDEX ('_rt_', reverse(@Variable('BOUSER'))) = 0 Then 0 Else CHARINDEX('_rt_', reverse(@Variable('BOUSER')))-1

End)

Joins

Join0: ORDER_MASTER.ORDER_NO=ORDER_DETA

IL.ORDER_NO and ORDER_MASTER.ORG
_ID=ORDER_DETAIL.ORG_ID and ORDER
_MASTER.ORG_UNIT_ID=ORDER_DETAIL

.ORG_UNIT_ID

Qualification: one to many

Outer: No

Join1: ORDER_DETAIL.PRODUCT_ID=PRODUCT.PRODUCT_ID

Qualification: many to one

Outer: No

Join2: ORDER_DETAIL.ORDER_NO=ORDER_DETA

IL_SALES_REP.ORDER_NO and ORDER_D ETAIL.ORDER_LINE_NO=ORDER_DETAIL

_SALES_REP.ORDER_LINE_NO

Qualification: one to many

Outer: No

Join3: ORDER_DETAIL.ORDER_NO=ORDER_DET_

ADV_PRODUCT_SERVICE.ORDER_NO and ORDER_DETAIL.ORDER_LINE_NO=ORDE R_DET_ADV_PRODUCT_SERVICE.ORDER_

LINE_NO

Qualification: one to many

Outer: Right

Join4: ORDER_DETAIL.ORDER_NO=ORDER_ADV_

DETAIL.ORDER_NO and ORDER_DETAIL.

ORDER_LINE_NO=ORDER_ADV_DETAIL.O

RDER_LINE_NO and ORDER_DETAIL.ORG
_ID=ORDER_ADV_DETAIL.ORG_ID and O

RDER_DETAIL.ORG_UNIT_ID=ORDER_AD V DETAIL.ORG UNIT ID

Qualification: one to many

Outer: No

Join5: ORDER_MASTER.ADV_CONTRACT_ID=ADV_CONTRACT.CONTRACT_ID

Qualification: many to one

Outer: No

Join6: ORDER_DETAIL.SHIP_MASTER_CUSTOME

R_ID=CUSTOMER_ADVERTISER.MASTER_ CUSTOMER_ID and ORDER_DETAIL.SHIP _SUB_CUSTOMER_ID=CUSTOMER_ADVERT

ISER.SUB_CUSTOMER_ID

Qualification: many to one

Outer: No

Join7: ORDER_MASTER.BILL_MASTER_CUSTOME

R_ID=CUSTOMER_BILL_CUSTOMER.MAST ER_CUSTOMER_ID and ORDER_MASTER. BILL_SUB_CUSTOMER_ID=CUSTOMER_BI

LL_CUSTOMER.SUB_CUSTOMER_ID

Qualification: many to one

Outer: No

Join8: ORDER_ADV_DETAIL.ADV_AGENCY_MAST

_CUST_ID=CUSTOMER_AD_AGENCY.MAST ER_CUSTOMER_ID and ORDER_ADV_DET AIL.ADV_AGENCY_SUB_CUST_ID=CUSTO MER_AD_AGENCY.SUB_CUSTOMER_ID

Qualification: unknown

Outer: No

Join9: ORDER_DETAIL.ORG_ID=ADV_MEDIA.OR

G_ID and ORDER_DETAIL.ORG_UNIT_ID = ADV_MEDIA.ORG_UNIT_ID and ORDER _DETAIL.PARENT_PRODUCT=ADV_MEDIA

.MEDIA_CODE

Qualification: many to one

Outer: No

Join10: ADV_CONTRACT.CONTRACT_ID=ADV_CONTRACT_CONTACT.CONTRACT_ID

Qualification: unknown
Outer: No

Join11: ADV MEDIA.ORG ID=ADV MEDIA CONTA

CT.ORG_ID and ADV_MEDIA.ORG_UNIT_
ID=ADV_MEDIA_CONTACT.ORG_UNIT_ID
and ADV_MEDIA.MEDIA_CODE=ADV_ME
DIA_CONTACT.MEDIA_CODE

Qualification: one to many

Outer: No

Join12: CUS_ADDRESS_ADVERTISER.CUS_ADDRE

SS_ID=CUS_ADDRESS_DETAIL_ADVERTI SER.CUS_ADDRESS_ID and CUS_ADDRES S_ADVERTISER.MASTER_CUSTOMER_ID= CUS_ADDRESS_DETAIL_ADVERTISER.MA STER_CUSTOMER_ID and CUS_ADDRESS _ADVERTISER.SUB_CUSTOMER_ID=CUS_ ADDRESS_DETAIL_ADVERTISER.SUB_CU

STOMER ID AND

CUS_ADDRESS_DETAIL_ADVERTISER.PRIORITY_SEQ = 0

Qualification: unknown

Outer: No

Join13: CUSTOMER_ADVERTISER.MASTER_CUSTO

MER_ID=CUS_ADDRESS_ADVERTISER.MA STER_CUSTOMER_ID and CUSTOMER_AD VERTISER.SUB_CUSTOMER_ID=CUS_ADD RESS_ADVERTISER.SUB_CUSTOMER_ID

Qualification: one to many

Outer: No

Join14: ORDER_DETAIL.SHIP_MASTER_CUSTOME

R_ID=CUS_ADDRESS_ADVERTISER_ORDE R_ADDRESS.MASTER_CUSTOMER_ID AND ORDER_DETAIL.SHIP_SUB_CUSTOMER_I D=CUS_ADDRESS_ADVERTISER_ORDER_A

DDRESS.SUB CUSTOMER ID AND

ORDER_DETAIL.SHIP_ADDRESS_ID=CUS
_ADDRESS_ADVERTISER_ORDER_ADDRES

S.CUS_ADDRESS_ID

Qualification: many to one

Outer: No

Join15: CUS_ADDRESS_DETAIL_ADVERTISER_OR

DER_ADDRESS.MASTER_CUSTOMER_ID=C
US_ADDRESS_ADVERTISER_ORDER_ADDR
ESS.MASTER_CUSTOMER_ID and CUS_AD
DRESS_DETAIL_ADVERTISER_ORDER_AD
DRESS.SUB_CUSTOMER_ID=CUS_ADDRES

S_ADVERTISER_ORDER_ADDRESS.SUB_C USTOMER_ID and CUS_ADDRESS_DETAIL _ADVERTISER_ORDER_ADDRESS.CUS_AD DRESS_ID=CUS_ADDRESS_ADVERTISER_ ORDER_ADDRESS.CUS_ADDRESS_ID

Qualification: one to many

Outer: No

Join16: CUS_ADDRESS_BILL_CUSTOMER_ORDER_

ADDRESS.CUS_ADDRESS_ID=CUS_ADDRE SS_DETAIL_BILL_CUSTOMER_ORDER_AD DRESS.CUS_ADDRESS_ID and CUS_ADDR ESS_BILL_CUSTOMER_ORDER_ADDRESS. MASTER_CUSTOMER_ID=CUS_ADDRESS_D ETAIL_BILL_CUSTOMER_ID and CUS_ADD RESS_BILL_CUSTOMER_ID and CUS_ADD RESS_BILL_CUSTOMER_ORDER_ADDRESS .SUB_CUSTOMER_ID=CUS_ADDRESS_DET AIL_BILL_CUSTOMER_ORDER_ADDRESS.

SUB_CUSTOMER_ID

Qualification: many to one

Outer: No

Join17: ADV_CUSTOMER.MASTER_CUSTOMER_ID=

CUSTOMER_ADVERTISER.MASTER_CUSTO MER_ID and ADV_CUSTOMER.SUB_CUST OMER_ID=CUSTOMER_ADVERTISER.SUB_

CUSTOMER ID

Qualification: one to one

Outer: No

Join18: ADV_CUSTOMER.PRIMARY_ADV_CONTACT

_MAST_CUST_ID=CUSTOMER_ADVERTISE R_PRIMARY_CONTACT.MASTER_CUSTOME R_ID and ADV_CUSTOMER.PRIMARY_ADV _CONTACT_SUB_CUST_ID=CUSTOMER_AD VERTISER_PRIMARY_CONTACT.SUB_CUS

TOMER_ID

Qualification: many to one

Outer: No

Join19: ADV_CUSTOMER.PRIMARY_AGENCY_MAST

_CUST_ID=CUSTOMER_ADVERTISER_PRI MARY_AGENCY.MASTER_CUSTOMER_ID a nd ADV_CUSTOMER.PRIMARY_AGENCY_S UB CUST ID=CUSTOMER ADVERTISER P RIMARY_AGENCY.SUB_CUSTOMER_ID

Qualification: unknown
Outer: No

Join20: CUSTOMER_ADVERTISER_PRIMARY_AGEN

CY_CONTACT.MASTER_CUSTOMER_ID=AD V_CUSTOMER.PRIMARY_AGENCY_CONTAC T_MAST_CUST_ID and CUSTOMER_ADVE RTISER_PRIMARY_AGENCY_CONTACT.SU B_CUSTOMER_ID=ADV_CUSTOMER.PRIMA RY_AGENCY_CONTACT_SUB_CUST_ID

Qualification: unknown
Outer: No

Join21: Cus_Relationship_Advertiser_Subsidi

aries_Related_Cus_Info_VW.MASTER_C USTOMER_ID=ADV_CUSTOMER.MASTER_C

USTOMER_ID AND

Cus_Relationship_Advertiser_Subsidi aries_Related_Cus_Info_VW.SUB_CUST OMER_ID = ADV_CUSTOMER.SUB_CUSTO

MER_ID and Cus_Relationship_Advert iser_Subsidiaries_Related_Cus_Info_

VW.RELATIONSHIP_TYPE = 'CORPORATE

' and Cus_Relationship_Advertiser_S
ubsidiaries_Related_Cus_Info_VW.RE
LATIONSHIP_CODE = 'PARENT' and Cu
s_Relationship_Advertiser_Subsidiar
ies_Related_Cus_Info_VW.HIERARCHIC
AL_FLAG = 'Y'

Qualification: unknown
Outer: Left

Join22: Cus Relationship Advertiser Related

_Cus_Info_VW.MASTER_CUSTOMER_ID=
ADV_CUSTOMER.MASTER_CUSTOMER_ID

and Cus_Relationship_Advertiser_Rel ated_Cus_Info_VW.SUB_CUSTOMER_ID= ADV_CUSTOMER.SUB_CUSTOMER_ID

Qualification: unknown Outer: Left

Join23: CUS_CURRENT_ADVERTISER_MEMBERSHI

P_INFO.MASTER_CUSTOMER_ID=ADV_CU STOMER.MASTER_CUSTOMER_ID and CU S_CURRENT_ADVERTISER_MEMBERSHIP_ INFO.SUB_CUSTOMER_ID=ADV_CUSTOME R.SUB_CUSTOMER_ID

Qualification: unknown
Outer: Left

Join24: CUSTOMER_AD_AGENCY.MASTER_CUSTOM

ER_ID=CUS_ADDRESS_AD_AGENCY.MAST ER_CUSTOMER_ID and CUSTOMER_AD_A GENCY.SUB_CUSTOMER_ID=CUS_ADDRES

S_AD_AGENCY.SUB_CUSTOMER_ID

Qualification: one to many

Outer: No

Join25: CUS_ADDRESS_DETAIL_AD_AGENCY.MAS

TER_CUSTOMER_ID=CUS_ADDRESS_AD_A
GENCY.MASTER_CUSTOMER_ID and CUS
_ADDRESS_DETAIL_AD_AGENCY.SUB_CU
STOMER_ID=CUS_ADDRESS_AD_AGENCY.
SUB_CUSTOMER_ID and CUS_ADDRESS_
DETAIL_AD_AGENCY.CUS_ADDRESS_ID=
CUS_ADDRESS_AD_AGENCY.CUS_ADDRES

S_ID

Qualification: unknown

Outer: No

Join26: ORDER_MASTER.BILL_MASTER_CUSTOME

R_ID=CUS_ADDRESS_BILL_CUSTOMER_O RDER_ADDRESS.MASTER_CUSTOMER_ID and ORDER_MASTER.BILL_SUB_CUSTOM ER_ID=CUS_ADDRESS_BILL_CUSTOMER_ ORDER_ADDRESS.SUB_CUSTOMER_ID an d ORDER_MASTER.BILL_ADDRESS_ID=C US_ADDRESS_BILL_CUSTOMER_ORDER_A

DDRESS.CUS_ADDRESS_ID

Qualification: many to many

Outer: No

Join27: CUSTOMER_AD_AGENCY.MASTER_CUSTOM

ER_ID=Cus_Relationship_AD_Agency_R
elated_Cus_Info_VW.MASTER_CUSTOME
R_ID and CUSTOMER_AD_AGENCY.SUB_
CUSTOMER_ID=Cus_Relationship_AD_A
gency_Related_Cus_Info_VW.SUB_CUS

TOMER ID

Qualification: one to many

Outer: Right

Join28: ADV_CONTRACT.BILL_MAST_CUST_ID=C

USTOMER_CONTRACT_BILL_CUSTOMER.M ASTER_CUSTOMER_ID and ADV_CONTRA CT.BILL_SUB_CUST_ID=CUSTOMER_CON TRACT_BILL_CUSTOMER.SUB_CUSTOMER

ID

Qualification: many to one

Outer: No

Join29: APP_CODE_PRODUCT_TYPE.SUBSYSTEM = 'ADV' AND

APP_CODE_PRODUCT_TYPE.TYPE = 'PRODUCT_TYPE' AND

PRODUCT.PRODUCT_TYPE_CODE=APP_CODE_PRODUCT_TYPE.CODE

Qualification: unknown

Outer: No

Join30: APP_CODE_PRODUCT_CLASS.SUBSYSTEM = 'ADV' AND

APP_CODE_PRODUCT_CLASS.TYPE = 'PRODUCT_CLASS' AND

PRODUCT.PRODUCT_CLASS_CODE=APP_CODE_PRODUCT_CLASS.CODE

Qualification: unknown

Outer: No

Join31: APP_CODE_MEDIA_CONTACT_TYPE.SUBSYSTEM = 'ADV' AND

APP_CODE_MEDIA_CONTACT_TYPE.TYPE = 'CONTACT_TYPE' AND

ADV_MEDIA_CONTACT.CONTACT_TYPE_CODE=APP_CODE_MEDIA_CONTACT_TYPE.CODE

Qualification: one to many

Outer: No

Join32: ADV_MEDIA.LINKED_PRODUCT_ID=SUB_ISSUE.PRODUCT_ID

Qualification: one to many

Outer: Right

Join33: APP_CODE_PRODUCT_CATEGORY.SUBSYSTEM = 'ADV' AND

APP CODE PRODUCT CATEGORY. TYPE = 'PRODUCT CATEGORY' AND

ORDER_DET_ADV_PRODUCT_SERVICE.PR
ODUCT_CATEGORY_CODE=APP_CODE_PRO

DUCT_CATEGORY.CODE

Qualification: unknown
Outer: No

Join34: APP_SUBCODE_PRODUCT_CATEGORY.SUBSYSTEM = 'ADV' AND

APP_SUBCODE_PRODUCT_CATEGORY.TYPE = 'PRODUCT_CATEGORY' AND

APP_CODE_PRODUCT_CATEGORY.CODE=APP_SUBCODE_PRODUCT_CATEGORY.CODE

Qualification: many to one

Outer: No

Join35: ADV_AD_TYPE.AD_TYPE_CODE=ORDER_ADV_DETAIL.AD_TYPE_CODE

Qualification: one to many

Outer: No

Join36: ORDER_ADV_DETAIL.AD_SIZE_CODE=ADV_AD_SIZE.AD_SIZE_CODE

Qualification: many to one

Outer: No

Join37: ADV_AD_COLOR_WEBMEDIA.AD_COLOR_W

EBMEDIA_CODE=ORDER_ADV_DETAIL.AD

_COLOR_WEBMEDIA_CODE

Qualification: unknown

Outer: No

Join38: ORDER_ADV_DETAIL.AD_PREMIUM_POSI

TION_CODE=ADV_PREMIUM_POSITION.P

REMIUM_POSITION_CODE

Qualification: one to many

Outer: No

Join39: ORDER_ADV_DETAIL.ADV_AGENCY_MAST

_CUST_ID=ADV_AGENCY_CUSTOMER.MAS TER_CUSTOMER_ID and ORDER_ADV_DE TAIL.ADV_AGENCY_SUB_CUST_ID=ADV_ AGENCY_CUSTOMER.SUB_CUSTOMER_ID

Qualification: many to one

Outer: No

Join40: ADV_AGENCY_CUSTOMER.MASTER_CUSTO

MER_ID=Cus_Relationship_Ad_Agency_
Primary_Contact_Related_Cus_Info_V
W.MASTER_CUSTOMER_ID and ADV_AGE
NCY_CUSTOMER.SUB_CUSTOMER_ID=Cus

_Relationship_Ad_Agency_Primary_Co ntact_Related_Cus_Info_VW.SUB_CUST OMER_ID AND PRIMARY_CONTACT_FLAG

= 'Y'

Qualification: unknown
Outer: Right

Join41: CUSTOMER_BILL_CUSTOMER.ORG_ID = substring(@Variable('BOUSER')

, charindex(' '

, @Variable('BOUSER')) + 1

, charindex('_'

, substring(@Variable('BOUSER')

```
, charindex('_'
               , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
           AND
            CUSTOMER_BILL_CUSTOMER.ORG_UNIT_
            ID = substring(substring(@Variable
            ('BOUSER'), charindex('_', @Variabl
            e('BOUSER')) + 1, LEN(@Variable('BO
            USER')))
            , charindex('_'
             , substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
            1
             , charindex('_'
             , substring (substring(@Variable(
            'BOUSER'), charindex('_', @Variable
            ('BOUSER')) + 1, LEN(@Variable('BO
            USER')))
              , charindex('_'
               , substring(@Variable('BOUSER'
           ), charindex('_', @Variable('BOUSER
            ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
              , len(substring(@Variable('BOUS
            ER'), charindex('_', @Variable('BOU
            SER')) + 1, LEN(@Variable('BOUSER')
           ))))) - 1)
Qualification:
                                unknown
Outer:
                                No
Join42:
            ORDER_MASTER.ORG_ID = substring(@Variable('BOUSER')
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
             , substring(@Variable('BOUSER')
              , charindex('_'
               , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
           AND
            ORDER_MASTER.ORG_UNIT_ID = subst
            ring(substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER')
            ) + 1, LEN(@Variable('BOUSER')))
            , charindex('_'
             , substring(@Variable('BOUSER'),
```

```
charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
             , charindex('_'
              , substring (substring(@Variable(
            'BOUSER'), charindex('_', @Variable
            ('BOUSER')) + 1, LEN(@Variable('BO
            USER')))
              , charindex('_'
               , substring(@Variable('BOUSER'
            ), charindex('_', @Variable('BOUSER
            ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
               , len(substring(@Variable('BOUS
            ER'), charindex('_', @Variable('BOU
            SER')) + 1, LEN(@Variable('BOUSER')
            ))))) - 1)
Qualification:
                                 unknown
Outer:
                                 No
Join43:
            ORDER_DETAIL.ORG_ID = substring(@Variable('BOUSER')
             , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
              , substring(@Variable('BOUSER')
               , charindex('_'
               , @Variable('BOUSER')) + 1
               , len(@Variable('BOUSER')))) - 1)
            AND
            ORDER_DETAIL.ORG_UNIT_ID = subst
            ring(substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER')
            ) + 1, LEN(@Variable('BOUSER')))
             , charindex('_'
             , substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
            1
             , charindex('_'
              , substring (substring(@Variable(
            'BOUSER'), charindex('_', @Variable
            ('BOUSER')) + 1, LEN(@Variable('BO
            USER')))
               , charindex('_'
               , substring(@Variable('BOUSER'
            ), charindex('_', @Variable('BOUSER
```

```
')) + 1, LEN(@Variable('BOUSER'))))
            + 1
              , len(substring(@Variable('BOUS
           ER'), charindex('_', @Variable('BOU
           SER')) + 1, LEN(@Variable('BOUSER')
           ))))) - 1)
Qualification:
                                unknown
Outer:
                                No
           CUSTOMER_CONTRACT_BILL_CUSTOMER.ORG_ID = substring(@Variable('BOUSER')
Join44:
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
              substring(@Variable('BOUSER')
              , charindex('_'
              , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
           AND
           CUSTOMER_CONTRACT_BILL_CUSTOMER.
           ORG_UNIT_ID = substring(substring
           (@Variable('BOUSER'), charindex('_'
            , @Variable('BOUSER')) + 1, LEN(@V
           ariable('BOUSER')))
            , charindex('_'
             , substring(@Variable('BOUSER'),
           charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
             , charindex('_'
             , substring (substring(@Variable(
           'BOUSER'), charindex('_', @Variable
           ('BOUSER')) + 1, LEN(@Variable('BO
           USER')))
              , charindex('_'
              , substring(@Variable('BOUSER'
           ), charindex('_', @Variable('BOUSER
           ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
              , len(substring(@Variable('BOUS
           ER'), charindex('_', @Variable('BOU
           SER')) + 1, LEN(@Variable('BOUSER')
           ))))) - 1)
Qualification:
                                unknown
Outer:
                                No
           ADV CONTRACT.ORG ID = substring(@Variable('BOUSER')
Join45:
```

```
, charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
               substring(@Variable('BOUSER')
              , charindex('_'
               , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
            AND
            ADV_CONTRACT.ORG_UNIT_ID = subst
            ring(substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER')
            ) + 1, LEN(@Variable('BOUSER')))
            , charindex('_'
             , substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
             , charindex('_'
              , substring (substring(@Variable(
            'BOUSER'), charindex('_', @Variable
            ('BOUSER')) + 1, LEN(@Variable('BO
            USER')))
              , charindex('_'
               , substring(@Variable('BOUSER'
            ), charindex('_', @Variable('BOUSER
            ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
              , len(substring(@Variable('BOUS
            ER'), charindex('_', @Variable('BOU
            SER')) + 1, LEN(@Variable('BOUSER')
            ))))) - 1)
Qualification:
                                unknown
Outer:
                                No
Join46:
            ORDER_ADV_DETAIL.ORG_ID = substring(@Variable('BOUSER')
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
              , substring(@Variable('BOUSER')
              , charindex('_'
               , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
            AND
            ORDER_ADV_DETAIL.ORG_UNIT_ID = s
            ubstring(substring(@Variable('BOUSE
            R'), charindex('_', @Variable('BOUS
```

```
ER')) + 1, LEN(@Variable('BOUSER'))
            , charindex('_'
             , substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
             , charindex('_'
              , substring (substring(@Variable(
            'BOUSER'), charindex('_', @Variable
            ('BOUSER')) + 1, LEN(@Variable('BO
            USER')))
              , charindex('_'
               , substring(@Variable('BOUSER'
            ), charindex('_', @Variable('BOUSER
            ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
              , len(substring(@Variable('BOUS
            ER'), charindex('_', @Variable('BOU
            SER')) + 1, LEN(@Variable('BOUSER')
            ))))) - 1)
Qualification:
                                 unknown
Outer:
                                 No
Join47:
            PRODUCT.ORG_ID = substring(@Variable('BOUSER')
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
              , substring(@Variable('BOUSER')
              , charindex('_'
               , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
            AND
            PRODUCT.ORG_UNIT_ID = substring(s
            ubstring(@Variable('BOUSER'), chari
            ndex('_', @Variable('BOUSER')) + 1,
            LEN(@Variable('BOUSER')))
            , charindex('_'
             , substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
             , charindex('_'
              , substring (substring(@Variable(
            'BOUSER'), charindex('_', @Variable
            ('BOUSER')) + 1, LEN(@Variable('BO
```

```
USER')))
               , charindex('_'
               , substring(@Variable('BOUSER'
            ), charindex('_', @Variable('BOUSER
            ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
               , len(substring(@Variable('BOUS
            ER'), charindex('_', @Variable('BOU
            SER')) + 1, LEN(@Variable('BOUSER')
            ))))) - 1)
Qualification:
                                 unknown
Outer:
                                 No
Join48:
            ADV_MEDIA.ORG_ID = substring(@Variable('BOUSER')
             , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
              , substring(@Variable('BOUSER')
               , charindex('_'
               , @Variable('BOUSER')) + 1
               , len(@Variable('BOUSER')))) - 1)
            AND
            ADV_MEDIA.ORG_UNIT_ID = substrin
            g(substring(@Variable('BOUSER'), ch
            arindex('_', @Variable('BOUSER')) +
            1, LEN(@Variable('BOUSER')))
             , charindex('_'
             , substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
             , charindex('_'
              , substring (substring(@Variable(
            'BOUSER'), charindex('_', @Variable
            ('BOUSER')) + 1, LEN(@Variable('BO
            USER')))
               , charindex('_'
               , substring(@Variable('BOUSER'
            ), charindex('_', @Variable('BOUSER
            ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
               , len(substring(@Variable('BOUS
            ER'), charindex('_', @Variable('BOU
            SER')) + 1, LEN(@Variable('BOUSER')
            ))))) - 1)
Qualification:
                                 unknown
```

```
Outer:
                                No
           ADV_MEDIA_CONTACT.ORG_ID = substring(@Variable('BOUSER')
Join49:
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
              substring(@Variable('BOUSER')
              , charindex('_'
              , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
           AND
           ADV_MEDIA_CONTACT.ORG_UNIT_ID =
            substring(substring(@Variable('BOUS
            ER'), charindex('_', @Variable('BOU
            SER')) + 1, LEN(@Variable('BOUSER')
           ))
            , charindex('_'
             , substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
            1
             , charindex('_'
             , substring (substring(@Variable(
            'BOUSER'), charindex('_', @Variable
            ('BOUSER')) + 1, LEN(@Variable('BO
            USER')))
              , charindex('_'
               , substring(@Variable('BOUSER'
            ), charindex('_', @Variable('BOUSER
            ')) + 1, LEN(@Variable('BOUSER'))))
            + 1
              , len(substring(@Variable('BOUS
            ER'), charindex('_', @Variable('BOU
            SER')) + 1, LEN(@Variable('BOUSER')
           ))))) - 1)
Qualification:
                                unknown
Outer:
                                No
Join50:
            CUSTOMER_ADVERTISER_PRIMARY_CONTACT.ORG_ID = substring(@Variable('BOUSER')
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
              substring(@Variable('BOUSER')
              , charindex('_'
               , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
```

Outer:

Join51:

```
AND
           CUSTOMER_ADVERTISER_PRIMARY_CONT
           ACT.ORG_UNIT_ID = substring(subst
           ring(@Variable('BOUSER'), charindex
           ('_', @Variable('BOUSER')) + 1, LEN
           (@Variable('BOUSER')))
            , charindex('_'
             , substring(@Variable('BOUSER'),
           charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
             , charindex('_'
             , substring (substring(@Variable(
           'BOUSER'), charindex('_', @Variable
           ('BOUSER')) + 1, LEN(@Variable('BO
           USER')))
              , charindex('_'
              , substring(@Variable('BOUSER'
           ), charindex('_', @Variable('BOUSER
           ')) + 1, LEN(@Variable('BOUSER'))))
              , len(substring(@Variable('BOUS
           ER'), charindex('_', @Variable('BOU
           SER')) + 1, LEN(@Variable('BOUSER')
           ))))) - 1)
Qualification:
                                unknown
                                No
           CUSTOMER_ADVERTISER_PRIMARY_AGENCY.ORG_ID = substring(@Variable('BOUSER')
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
              substring(@Variable('BOUSER')
              , charindex('_'
              , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
           AND
           CUSTOMER_ADVERTISER_PRIMARY_AGEN
           CY.ORG_UNIT_ID = substring(substr
           ing(@Variable('BOUSER'), charindex(
           '_', @Variable('BOUSER')) + 1, LEN(
           @Variable('BOUSER')))
            , charindex('_'
             , substring(@Variable('BOUSER'),
           charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
```

```
, charindex('_'
             , substring (substring(@Variable(
            'BOUSER'), charindex('_', @Variable
            ('BOUSER')) + 1, LEN(@Variable('BO
            USER')))
              , charindex('_'
               , substring(@Variable('BOUSER'
           ), charindex('_', @Variable('BOUSER
            ')) + 1, LEN(@Variable('BOUSER'))))
              , len(substring(@Variable('BOUS
            ER'), charindex('_', @Variable('BOU
            SER')) + 1, LEN(@Variable('BOUSER')
           ))))) - 1)
Qualification:
                                unknown
Outer:
                                No
            CUSTOMER_ADVERTISER_PRIMARY_AGENCY_CONTACT.ORG_ID = substring(@Variable('BOUSER
Join52:
            , charindex('_'
             , @Variable('BOUSER')) + 1
             , charindex('_'
               substring(@Variable('BOUSER')
              , charindex('_'
               , @Variable('BOUSER')) + 1
              , len(@Variable('BOUSER')))) - 1)
           AND
            CUSTOMER_ADVERTISER_PRIMARY_AGEN
            CY_CONTACT.ORG_UNIT_ID = substri
            ng(substring(@Variable('BOUSER'), c
            harindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))
            , charindex('_'
             , substring(@Variable('BOUSER'),
            charindex('_', @Variable('BOUSER'))
            + 1, LEN(@Variable('BOUSER')))) +
             , charindex('_'
             , substring (substring(@Variable(
            'BOUSER'), charindex('_', @Variable
            ('BOUSER')) + 1, LEN(@Variable('BO
            USER')))
              , charindex('_'
               , substring(@Variable('BOUSER'
           ), charindex('_', @Variable('BOUSER
            ')) + 1, LEN(@Variable('BOUSER'))))
```

+ 1

, len(substring(@Variable('BOUS ER'), charindex('_', @Variable('BOU SER')) + 1, LEN(@Variable('BOUSER')))))) - 1)

Qualification: unknown

Outer: No

Join53: APP_CODE_ADVERTISER_CLASS.SUBSYS

TEM='CUS' and APP_CODE_ADVERTISER
_CLASS.TYPE='CUSTOMER_CLASS' and
APP_CODE_ADVERTISER_CLASS.CODE=C
USTOMER_ADVERTISER.CUSTOMER_CLAS

S_CODE

Qualification: one to many

Outer: Left

Join54: APP_CODE_ADVERTISER_STATUS.SUBSY

STEM='CUS' and APP_CODE_ADVERTISE R_STATUS.TYPE='CUSTOMER_STATUS' a nd APP_CODE_ADVERTISER_STATUS.CO DE=CUSTOMER_ADVERTISER.CUSTOMER_

STATUS_CODE

Qualification: one to many

Outer: Left

Join55: FISCAL_YEAR_ORGANIZATION.ORG_ID=substring(@Variable('BOUSER')

, charindex('_'

, @Variable('BOUSER')) + 1

, charindex('_'

, substring(@Variable('BOUSER')

, charindex('_'

, @Variable('BOUSER')) + 1

, len(@Variable('BOUSER')))) - 1)

Qualification: unknown
Outer: No

Join56: CUS_ACTIVITY.STAFF_USER_ID=Right(

@Variable('BOUSER'), Case When CHA RINDEX('_rt_', reverse(@Variable('B OUSER'))) =0 Then 0 Else CHARINDE X('_rt_', reverse(@Variable('BOUSER

')))-1 End)

Qualification: unknown

Outer: No

Join57: CUS_ACTIVITY.ACTIVITY_CODE='CONTACTTRACKING'

Qualification: unknown
Outer: No

Join58: CUS_ACTIVITY.RESOLVED_FLAG='N'

Qualification: unknown

Outer: No

Join59: CUSTOMER_SALES_REP.MASTER_CUSTOM

ER_ID=ORDER_DETAIL_SALES_REP.SALE
S_REP_MAST_CUST_ID and CUSTOMER_
SALES_REP.SUB_CUSTOMER_ID=ORDER_
DETAIL_SALES_REP.SALES_REP_SUB_CU

ST_ID

Qualification: one to many

Outer: No

Join60: dbo.PSM_USER.USER_ID=Right(@Varia

ble('BOUSER'), Case When CHARINDEX ('_rt_', reverse(@Variable('BOUSER'))) =0 Then 0 Else CHARINDEX('_rt_ ', reverse(@Variable('BOUSER')))-1

End)

Qualification: unknown


Outer: No


Context List


No context

Context

No context







FISCAL_YEAR_ORGANIZATION