
Object List

Frequently Used

Link to Ship Customer
Ship-To Customer ID
Ship-To Customer Last First Name
Bill-Customer ID
Link to Bill Customer
Related Customer Last First Name
Order Date
Order Month
Order Year
Link to Order
Order Number
Order Line Number
Order No Line No
Subsystem
Product Short Name
Product Long Name
Parent Product
Product Code
Product Type Code
Product Type Description
Product Class Description
Product Class
Product ID
Package?
Package Product ID
Order Line Status Code
Order Line Fulfill Status Code
Original Order Number
Market Code
List Code
Key Code
Rate Structure
Rate Code
Base Total Amount
Base Paid Amount
Base Balance Amount
Order Quantity
Order Balance

General Order Info

Order Date
Link to Order
Order Number
Order Line Number

Order No Line No
Subsystem
Product Short Name
Product Long Name
Parent Product
Product Code
Product Type Code
Product Type Description
Product Class
Product Class Description
Product ID
Package?
Package Product ID
Cycle Begin Date
Cycle End Date
Grace Date

Organization Info

Organization ID
Organization Unit ID
Organization Unit Name

Order Line Status Info

Order Line Status Code
Order Line Status Date
Order Line Status Reason Code
Order Line Fulfill Status Code
Order Line Fulfill Status Date

Misc Order Line Info

Original Order Number
Original Order Line Number
Transfer From Order Number
Transfer From Order Line Number
Transfer To Order Number
Transfer To Order Line Number
Order Line Type Code
Order Line Level
Related Order Line Number
Line Complete?

GL Account Info

AR GL Account Number
PPL GL Account Number
Revenue Distribution Begin Date
Inventory GL Account Number
Cost-of-Goods Sold GL Account Number

Customer Info

Ship-To Customer Info

Ship-To Customer ID
Link to Ship Customer
Ship-To Customer Master Customer ID
Ship-To Customer Sub Customer ID

Ship-To Customer Name Components
Ship-To Customer Label Name
Ship-To Customer Last First Name
Ship-To Customer Last Name
Ship-To Customer First Name
Ship-To Customer Name Prefix
Ship-To Customer Suffix
Ship-To Customer Professional Credentials

Ship-To Customer Membership Info
Ship-To Customer Member Type
Ship-To Customer Membership Begin Date
Ship-To Customer Membership End Date
Ship-To Customer Membership Grace Date
Ship-To Customer Membership Description
Ship-To Customer Member Since Date
Ship-To Customer Chapter 1
Ship-To Customer Chapter 2
Ship-To Customer Section 1
Ship-To Customer Section 2
Is an Associate Flag
Associate Class Code

Ship-To Customer Primary Employer
Ship-Customer Employee Relationship Code
Employer Reciprocal Code
Employer Master Customer ID
Employer Sub Customer ID
Employer Customer ID
Employer Label Name
Employer Customer Class Code
Employer Customer Status Code
Employer Primary Phone
Employer Primary Fax
Employer Primary Email
Employer Primary Address

Ship-To Customer All Relationships
Relationship Code
Relationship Type
Reciprocal Code
Begin Date
End Date
Related Master Customer ID
Related Sub Customer ID

Related Customer ID
Related Customer Last First Name
Related Customer Label Name
Related Customer Class Code
Related Customer Status Code
Related Customer Primary Phone
Related Customer Primary Fax
Related Customer Primary Email
Related Customer Primary Address

Ship-To Customer Demographics

Ship-To Customer Class Code
Ship-To Customer Status Code
Ship-To Customer Status Date
Ship-To Customer Primary Job Title
Ship-To Customer Job Function Code
Ship-To Customer Gender Code
Ship-To Customer Ethnicity Code
Ship-To Customer Birthdate
Ship-To Customer Age

Ship-To Customer List Demographics

List Demographic Code
List Demographic Code Description
List Demographic Subcode
List Demographic Subcode Description
List Demographic Begin Date
List Demographic End Date

Ship-To Customer Specialty

Specialty Code
Specialty Description
Specialty Level Code
Specialty Level Description

Shipping Address

Ship-To Address ID
Ship-To Address Type Code
Ship-To Address Line 1
Ship-To Address Line 2
Ship-To Address Line 3
Ship-To Address Line 4
Ship-To City
Ship-To State
Ship-To Zip
Ship-To Country Code
Ship-To Country Description
Ship-To Full Address
Ship-To Formatted City State Zip

Ship-To Customer Communication Info

Ship-To Primary Fax
Ship-To Primary Phone
Ship-To Primary Email Address
Preferred Communication Method Code

Ship-To Customer Communication Rules

Allow Phone?
Allow Fax?
Allow Label Sales?
Allow Solicitation?
Allow Internal Mail?
Publish Primary Phone?
Publish Primary Email?
Publish Primary Fax?
Publish Home Phone?
Publish Work Phone

Ship-To Customer Creation & Modification Info

Ship-To Customer Creation Date
Ship-To Customer Creation User
Ship-To Customer Modification Date
Ship-To Customer Modification User

Bill Customer Info

Bill-Customer ID
Link to Bill Customer
Bill-Customer Master Customer ID
Bill-Customer Sub Customer ID

Bill-Customer Name Components

Bill-Customer Label Name
Bill-Customer Last First Name
Bill-Customer Last Name
Bill-Customer First Name
Bill-Customer Name Prefix
Bill-Customer Suffix
Bill-Customer Professional Credentials

Bill Customer Membership Info

Bill Customer Member Type
Bill Customer Membership Begin Date
Bill Customer Membership End Date
Bill Customer Membership Grace Date
Bill Customer Membership Description
Bill Customer Member Since Date
Bill Customer Chapter 1
Bill Customer Chapter 2
Bill Customer Section 1
Bill Customer Section 2

Bill-Customer Corporate Relationships

Subsidiary Customer ID
Subsidiary Master Customer ID
Subsidiary Sub Customer ID
Subsidiary Full Name
Relationship Code
Reciprocal Code
Relationship Begin Date
Relationship End Date
Subsidiary Customer Class Code
Subsidiary Record Type

Bill-Customer All Relationships

Relationship Code
Relationship Type
Reciprocal Code
Begin Date
End Date
Related Master Customer ID
Related Sub Customer ID
Related Customer ID
Related Customer Last First Name
Related Customer Label Name
Related Customer Class Code
Related Customer Status Code
Related Customer Primary Phone
Related Customer Primary Fax
Related Customer Primary Email
Related Customer Primary Address

Bill-Customer Demographics

Bill-Customer Class Code
Bill-Customer Status Code
Bill-Customer Status Date

Billing Address

Bill-To Address ID
Bill-To Address Type Code
Bill-To Address Line 1
Bill-To Address Line 2
Bill-To Address Line 3
Bill-To Address Line 4
Bill-To City
Bill-To State
Bill-To Zip
Bill-To Country Code
Bill-To Country Description
Bill-To Full Address
Bill-To Formatted City State Zip

Bill-Customer Communication Info

Bill-To Primary Fax
Bill-To Primary Phone
Bill-To Primary Email Address
Preferred Communication Method Code

Bill-To Customer Creation & Modification Info

Bill-To Customer Creation Date
Bill-To Customer Creation User
Bill-To Customer Modification Date
Bill-To Customer Modification User

Solicitor Info

Solicitor Team
Solicitor Customer ID
Solicitor Master Customer ID
Solicitor Sub Customer ID
Solicitor Label Name
Solicitor Last First Name

Agency Info

Agency Customer ID
Ad Agency Master Customer ID
Ad Agency Sub Customer ID
Agency Label Name
Agency Reference

Subsystem-Specific Order Info**Advertising**

Ad Date
Ad Insertion Order Number
Advertising Media Code
Issue Sequence
Supplement Sequence
Issue/Supplement Date
Issue/Supplement Description
Ad Type Code
Ad Size Code
Ad Premium Position Code
Ad Color/Webmedia Code
Advertising Rate Card
Advertising Schedule ID

Web Ad Info

Web Ad Begin Date
Web Ad End Date
Web Ad Delivery Method
Web Ad Redirect URL

Contract Info

Advertising Contract ID
Contract Effective Date

Contract Expiration Date
Contract Class Code
Contract Status Code
Frequency Credit Quantity
Earned Page Percent

Advertisement Info

Advertisement ID
Advertisement Text
Advertisement Campaign
House Ad
PSA Ad
Ad Position Request
Ad Section
Special Ad Instructions
Bleed Instructions
Insertion Order Comments
Reader Service Card
Exhibition
Booth Number

Ad Material Dates

Ad Copy Due Date
Ad Copy Received Date
Ad Art Due Date
Ad Art Received Date
Proof Sheet Sent Date
Advertiser Signature Date
Tear Sheet Sent Date
Advertiser Tear Sheet Quantity
Agency Tear Sheet Quantity

Exhibition

Show Start Date
Show End Date
Booth Number
Booth Type Code
Booth Length
Booth Width
Show Location
Show Facility Name
Show Facility Phone
Show Facility Fax
Show Facility Email
Show Facility City
Show Facility URL
Show Facility State
Show Facility Country Code
Show Facility Address

Show Facility Customer ID
Show Facility Master Customer ID
Show Facility Sub Customer ID

Fund Raising

Recognition Status Code
Campaign
Fund
Appeal
Appeal Activity Code

Inventory Products

Warehouse ID
Warehouse Bin Location
Return Merchandise No.

Meetings

Start Date
End Date
Primary Facility Name
Primary Facility Phone
Primary Facility Fax
Primary Facility Email
Primary Facility URL
Primary Facility City
Primary Facility State
Primary Facility Country Code
Primary Facility Address
Primary Facility Customer ID
Primary Facility Master Customer ID
Primary Facility Sub Customer ID
Meeting Confirmation Date
Meeting Attendance Flag

Membership

Membership Initial Begin Date
Membership Cycle Begin Date
Membership Cycle End Date
Membership Grace Date
Mbr Renewal Created?
Mbr Renewal Notice Count
Mbr Original Order Number
Mbr Original Order Line Number
Renewal Date This Mbr Order
Renewal Date Next Mbr Order
Mbr Renew to Credit Card?
Mbr Always Renew?
Dues Schedule ID

Miscellaneous Invoice Items

Recurring Invoice Code

Subscriptions

Subscription Initial Begin Date
Subscription Cycle Begin Date
Subscription Cycle End Date
Subscription Grace Date
Subscription Renewal Created?
Subscription Renewal Notice Count
Start Issue
End Issue
Start Supplement
End Supplement
Back Issues?
Sub Original Order Number
Sub Original Order Line Number
Renewal Date This Sub Order
Renewal Date Next Sub Order
Sub Renew to Credit Card?
Sub Always Renew?

Order-Related Education Activity

Transcript Program ID
Transcript Program Title
Grade Code
Passing Grade Code
Course Code
Course Type Code
Course Description
Exam Code
Exam Type Code
Exam Description
Ship-To Customer Exam ID
Ship-To Customer Exam Password

Marketing Info

Market Code
List Code
Key Code
Order Method Code

Shipping Info

Ship-Via Code
Ship Date
Base Currency Ship Amount
Actual Currency Ship Amount
Tracking Number
Shipping Process ID

Product Info

Product ID
Subsystem

Parent Product
Product Code
Product Short Name
Product Long Name
Master Product?
Product Type Code
Product Type Description
Product Type Sort Order
Product Class
Product Class Description
Product Status Code
Product Status Date
Product Available Date
Product Expiration Date

Categories and Keywords

Category
Category Description
Subcategory
Subcategory Description
Keyword
Discount Category

Product Creation & Modification Info

Product Creation Date
Product Creation User
Product Modification Date
Product Modification User

Order Commissions

Commission Order Number
Commission Order Line Number
Commission Order No Line No
Commission Type Code
Assigned To Ship Customer Flag
Assigned To Bill Customer Flag
Assigned To Product Flag
Commission Split Pct
Commission Split Calc Code

Order Commission Detail

Commission Activity Code
Commission Activity Date
Adjustment Reason Code
Commission Act Status Code
Commission Activity Status Date
Commission Pct
Base Commissionable Amount
Commission Price Source Code
Base Commission Amount

Manual Update Flag
Commission Payment Id
Commission Pymt Status Code
Override Flag
Comments

Order Commission Payment

Commission Customer Mast Cust Id
Commission Customer Sub Cust Id
Commission Pymt Status Code
Commission Pymt Status Date
Pymt Status Reason Code
Commission Pymt Date
Base Commission Pymt Amount
Commission Pymt Check No
Commission Pymt Method Code

Sales Rep

Sales Rep Customer ID
Sales Rep Mast Cust Id
Sales Rep Sub Cust Id
Sales Rep Label Name
Sales Rep Last First Name
Sales Rep Last Name
Sales Rep First Name
Sales Rep Name Prefix
Sales Rep Suffix
Sales Rep Professional Credentials
Sales Rep Manager

Sales Territory

Sales Rep Sales Territory
Sales Territory Category Code
Sales Territory Descr
Sales Territory Type Code
Subsystem
Product Sales Type Code
Sales Rep Source Code
Sales Territory Group Code
Sales Territory Group Level No
Current Parent Sales Territory
Sales Territory Status Code
Sales Territory Status Date
Commission Pct Rule Code
Comments

Sales Territory Sales Rep

Sales Rep Role Code
Active Flag
Begin Date

End Date
Earns Commission Flag
Commission Pct
Commission Split Pct
Commission Split Calc Code
Comments

Order Commission Creation & Modification Info

Order Commission Creation User
Order Commission Creation Date
Order Commission Modification User
Order Commission Modification Date

Order Rates & Currency Info

Rate Structure
Rate Code
Pay Priority
Currency Exchange Rate
Currency Code
Currency Exchange Rate Date

Order Sales Amounts & Quantities

Base Net Billed Amount
Base Unit Price
Base Net Paid Amount
Base Balance Amount
Base Writeoff Amount
Base Paid Amount
Base Refund Amount
Base Unit Taxable Amount
Base Unit Discount Amount
Base Agency Unit Discount Amount
Base Extended Amount
Base Adjustment Amount
Base Coupon Amount
Base Ship Amount
Base Cancellation Amount
Base Ship Tax Amount
Base Total Amount
Order Quantity
Requested Quantity
Returned Quantity

Discount & Coupon Info

Discount ID
Manual Discount?
Coupon Code

Invoice & Financial Info

Order Batch
Due Date

Invoice Number
Invoice Date
Invoice Print Date
Invoiced Posted?
Invoice Method Code
Purchase Order Number on Order

Actual (Non-Base-Currency) Sales Amounts

Actual Unit Price
Actual Unit Price Taxable
Actual Unit Discount
Actual Agency Unit Discount
Actual Extended Amount
Actual Adjustment
Actual Coupon Amount
Actual Ship Amount
Actual Cancellation Amount
Actual Ship Tax Amount
Actual Sales Tax Amount
Actual Tax Amount
Actual Vat Tax Amount
Actual Space Credit Amount
Actual Trade For Service Amount
Actual Total Amount

Order Payment Method Info

Deferred Receipt Number
Deferred Credit Card Authorization
Deferred Credit Card Auth Expiration Date
Auto Pay Method Code
Pay Frequency Code

Order Creation & Modification Info

Order Creation Date
Order Creation User
Order Modification Date
Order Modification User

Financial Transaction Info

Transaction Date
Transaction Type
Transaction Number
Base Amount
Actual Currency Code
Actual Amount
Receipt Number
Purchase Order Number on Receipt
Voucher Number
Payment Currency Code
Payment Amount

Payment Exchange Rate
Posted?

GL Transaction No.
Transaction Comments

Batch Information

Batch
Batch Type Code
Batch Type Description
Batch User Group
Batch Operator
Batch Status Code
Batch Status Description
Batch Date
Batch Posting Date
CC Settled?
Batch Comments

Point-Of-Sale Batch Information

Point-Of-Sale Batch?
Point-Of-Sale Batch Country Code
Point-Of-Sale Batch State
Point-Of-Sale Batch Postal Code
Point-Of-Sale Batch Warehouse ID

Batch Detail

Receipt Type Code
Receipt Type Description
Currency Code
Currency Description
Debit Account
Control Count
Base Control Amount
Actual Control Amount
Calculated Count
Base Calculated Amount
Actual Calculated Amount
Base Deferred Amount
Actual Deferred Amount
Base Currency Adjustment Amount
Exchange Rate
Exchange Rate Date

Conditions

Subsystem Filters

Order Filters

All Orders
Order Date
Today

Advertising
 Inventoried Products
 Meeting
 Memberships
 Membership Type
 Subscription
 Financial Filters

Object Properties

Class:	Frequently Used
Description:	

Object: Link to Ship Customer
 Type: Character
 Description: Use this object to open the selected Ship Customer in Customer Central. You can only link the selected Ship Customer to Customer Central when the report is viewed in view mode.

Select equivalent: '

Where equivalent:

Qualification: dimension
 List of values: Zip, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show
 Format

Object: Ship-To Customer ID
 Type: Character
 Description: This field contains the ship master customer id if the ship sub customer id =

0. If the ship sub customer id is not 0 then it contains the ship master customer id concatenated with ship sub customer id separated by a hyphen

Select equivalent: CASE WHEN SHIP_CUSTOMER.SUB_CUSTOMER_ID = 0 THEN SHIP_CUSTOMER.MASTER_CUSTOMER_ID ELSE SHIP_CUSTOMER.MASTER_CUSTOMER_ID + '-' + Convert(char, SHIP_CUSTOMER.SUB_CUSTOMER_ID) END

Where equivalent:

Qualification: dimension
 List of values: 2dm, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Customer Last First Name
 Type: Character
 Description: This is the last name concatenated with first name in case of an individual ship customer. For a company ship customer this is the company name.

Select equivalent: SHIP_CUSTOMER.LAST_FIRST_NAME
 Where equivalent:

Qualification: dimension
 List of values: 2dn, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Bill-Customer ID
 Type: Character
 Description: This field contains the bill master customer id if the bill sub customer id =

0. If the bill sub customer id is not 0 then it contains the bill master customer id concatenated with bill sub customer id separated by a hyphen

Select equivalent: CASE WHEN BILL_CUSTOMER.SUB_CUSTOMER_ID = 0 THEN BILL_CUSTOMER.MASTER_CUSTOMER_ID ELSE BILL_CUSTOMER.MASTER_CUSTOMER_ID + '-' + Convert(char, BILL_CUSTOMER.SUB_CUSTOMER_ID) END

Where equivalent:

Qualification: dimension

List of values: 2do, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Link to Bill Customer

Type: Character

Description: Use this object to open the selected Bill Customer in Customer Central. You can only link the selected Bill Customer to Customer Central when the report is viewed in view mode.

Select equivalent: '<a href=cmd://Main/OpenView?Name=CusCentral&Key='+BILL_CUSTOMER.MASTER_CUSTOMER_ID+'|'+Convert(char, BILL_CUSTOMER.SUB_CUSTOMER_ID)+ ' Target=_Blank'+BILL_CUSTOMER.MASTER_CUSTOMER_ID+''

Where equivalent:

Qualification: dimension

List of values: 2j0, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Format

Object: Related Customer Last First Name
 Type: Character
 Description:

Select equivalent: BILL_CUS_ALL_RELATIONSHIPS.RELATED_CUS_LAST_FIRST_NAME
 Where equivalent:

Qualification: dimension
 List of values: 2dp, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Date
 Type: Date
 Description: The date when the order was placed
 Select equivalent: ORDER_DETAIL.ORDER_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Month
 Type: Number
 Description:

Select equivalent: month(ORDER_DETAIL.ORDER_DATE)
 Where equivalent:

Qualification: dimension
 List of values: 2e0, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Year
 Type: Number
 Description:

Select equivalent: year(ORDER_DETAIL.ORDER_DATE)
Where equivalent:

Qualification: dimension
List of values: 2e1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Link to Order**
Type: Character
Description: Use this object to open the selected Order in Order Entry. You can only link the selected Order to Order Entry when the report is viewed in view mode.
Select equivalent: 'Where equivalent:
Qualification: dimension
List of values: 2ix, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format

Object: **Order Number**
Type: Character
Description: The order number of the order
Select equivalent: ORDER_DETAIL.ORDER_NO
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Order Line Number
Type: Number
Description: The order line number of the order
Select equivalent: ORDER_DETAIL.ORDER_LINE_NO
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Order No Line No
Type: Character
Description: The order number and line number in the format order number + '-' + order line number i.e. 1000002345-1
Select equivalent: rtrim(Convert(char,ORDER_DETAIL.ORDER_NO)) + '-' + rtrim(Convert(char,ORDER_DETAIL.ORDER_LINE_NO))

Where equivalent:
Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Subsystem
Type: Character
Description: The subsystem of the order
Select equivalent: ORDER_DETAIL.SUBSYSTEM
Where equivalent:

Qualification: dimension
List of values: 0r3, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Product Short Name
Type: Character
Description: The short name of the product.
Select equivalent: PRODUCT.SHORT_NAME
Where equivalent:

Qualification: dimension
List of values: 0qr, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Product Long Name
Type: Character
Description: The long name of the product.
Select equivalent: PRODUCT.LONG_NAME
Where equivalent:

Qualification: dimension
List of values: 0qs, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Product
Type: Character
Description: The name of the parent product on the order line item.
Select equivalent: ORDER_DETAIL.PARENT_PRODUCT
Where equivalent:

Qualification: dimension
List of values: 0qt, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Product Code
Type: Character
Description: The product code on the order line item..
Select equivalent: ORDER_DETAIL.PRODUCT_CODE
Where equivalent:

Qualification: dimension
List of values: 0qu, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Product Type Code
Type: Character
Description: The type of the product.
Select equivalent: ORDER_DETAIL.PRODUCT_TYPE_CODE
Where equivalent:

Qualification: dimension
List of values: 0qv, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Product Type Description
Type: Character
Description: The description of the product type.
Select equivalent: PRODUCT_TYPE_APP_CODE.DESCR
Where equivalent:

Qualification: dimension
List of values: 0qw, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Product Class Description
Type: Character
Description: The description of the class of the product.
Select equivalent: PRODUCT_CLASS_APP_CODE.DESCR
Where equivalent:

Qualification: dimension
List of values: 0qy, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Product Class
Type: Character
Description: The class of the product.
Select equivalent: PRODUCT.PRODUCT_CLASS_CODE
Where equivalent:

Qualification: dimension
List of values: 0qx, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Product ID
Type: Number
Description: The product id of the product.
Select equivalent: ORDER_DETAIL.PRODUCT_ID
Where equivalent:

Qualification: dimension
List of values: 0r0, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format: Number
Category = Number
0

Object: Package?
Type: Character
Description: Is this order line part of a package?
Select equivalent: ORDER_DETAIL.PACKAGE_FLAG
Where equivalent:

Qualification: dimension
List of values: 0r1, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Package Product ID
Type: Number
Description: If this line is part of pac

kage then this is the prod
 uct id on the order line i
 tem.
 Select equivalent: ORDER_DETAIL.PACKAGE_PRODUCT_ID
 Where equivalent:

 Qualification: dimension
 List of values: Or2, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Line Status Code
 Type: Character
 Description: The status of the order line item.
 Select equivalent: ORDER_DETAIL.LINE_STATUS_CODE
 Where equivalent:

 Qualification: dimension
 List of values: 2dj, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Line Fulfill Status Code
 Type: Character
 Description: The fulfill status for the order line item.
 Select equivalent: ORDER_DETAIL.FULFILL_STATUS_CODE
 Where equivalent:

 Qualification: dimension
 List of values: 2dk, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Original Order Number
 Type: Character
 Description: The original order number
 of the order from which th
 is order was renewed.
 Select equivalent: ORDER_DETAIL.ORIGINAL_ORDER_NO
 Where equivalent:

Qualification: dimension
List of values: 2dl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Market Code**
Type: Character
Description: This is the market code on the order line item.
Select equivalent: ORDER_DETAIL.MARKET_CODE
Where equivalent:

Qualification: dimension
List of values: 2dq, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **List Code**
Type: Character
Description: This is the list code on the order line item.
Select equivalent: ORDER_DETAIL.LIST_CODE
Where equivalent:

Qualification: dimension
List of values: 2dr, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Key Code**
Type: Character
Description: This is the key code on the order line item.
Select equivalent: ORDER_DETAIL.KEY_CODE
Where equivalent:

Qualification: dimension
List of values: 2ds, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Rate Structure
Type: Character
Description: This is the rate structure of the order line item.
Select equivalent: PRODUCT_RATE_CODE.RATE_STRUCTURE
Where equivalent:

Qualification: dimension
List of values: 2dt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Rate Code
Type: Character
Description: This is the rate code of the order line item.
Select equivalent: PRODUCT_RATE_CODE.RATE_CODE
Where equivalent:

Qualification: dimension
List of values: 2du, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Base Total Amount
Type: Number
Description: This is the base unit total amount for the order line item.
Select equivalent: SUM(ORDER_DETAIL.BASE_TOTAL_AMOUNT)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: 2dv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
 Category = Currency
 \$#,##0;\$-#,##0[Red]

Object: Base Paid Amount
Type: Number

Description: Net Payments , does not include refunds (only posted transactions)
 Select equivalent: FAR_TXN_POSTED_SUMMARY_VW.BASE_PAID_AMOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: 2dx, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Base Balance Amount
 Type: Number
 Description: Order Line Balance , includes all adjustments
 Select equivalent: FAR_TXN_POSTED_SUMMARY_VW.BASE_BALANCE_AMOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: 2dy, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Quantity
 Type: Number
 Description: This is the order quantity for the order line item.
 Select equivalent: SUM(ORDER_DETAIL.ORDER_QTY)
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: 2dw, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Balance
 Type: Number
 Description:
 Select equivalent: ORDER_BALANCE_VW.ACTUAL_BALANCE_AMOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: 2io, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	General Order Info
Description:	

Object: Order Date
 Type: Date
 Description: The date when the order was placed
 Select equivalent: ORDER_DETAIL.ORDER_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Link to Order
 Type: Character
 Description: Use this object to open the selected Order in Order Entry. You can only link the selected Order to Order Entry when the report is viewed in view mode.
 Select equivalent: ''+rtrim(Convert(char,ORDER_DETAIL.ORDER_NO)) + '-' + rtrim(Convert(char,ORDER_DETAIL.ORDER_LINE_NO))+'
 Where equivalent:

Qualification: dimension
 List of values: 2j1, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort

Object status: show
Format

Object: Order Number
Type: Character
Description: The order number of the order
Select equivalent: ORDER_DETAIL.ORDER_NO
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Order Line Number
Type: Number
Description: The order line number of the order
Select equivalent: ORDER_DETAIL.ORDER_LINE_NO
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Order No Line No
Type: Character
Description: The order number and line number in the format order number + '-' + order line number i.e. 1000002345-1
Select equivalent: rtrim(Convert(char,ORDER_DETAIL.ORDER_NO)) + '-' + rtrim(Convert(char,ORDER_DETAIL.ORDER_LINE_NO))
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Subsystem
Type: Character
Description: The subsystem of the order
Select equivalent: ORDER_DETAIL.SUBSYSTEM
Where equivalent:

Qualification: dimension
List of values: 0r3, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Product Short Name
Type: Character
Description: The short name of the product.
Select equivalent: PRODUCT.SHORT_NAME
Where equivalent:

Qualification: dimension
List of values: 0qr, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Product Long Name
Type: Character
Description: The long name of the product.
Select equivalent: PRODUCT.LONG_NAME
Where equivalent:

Qualification: dimension
List of values: 0qs, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Product
Type: Character
Description: The name of the parent product on the order line item.
Select equivalent: ORDER_DETAIL.PARENT_PRODUCT

Where equivalent:

Qualification: dimension
 List of values: 0qt, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Product Code**
 Type: Character
 Description: The product code on the order line item..
 Select equivalent: ORDER_DETAIL.PRODUCT_CODE
 Where equivalent:

Qualification: dimension
 List of values: 0qu, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Product Type Code**
 Type: Character
 Description: The type of the product.
 Select equivalent: ORDER_DETAIL.PRODUCT_TYPE_CODE
 Where equivalent:

Qualification: dimension
 List of values: 0qv, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Product Type Description**
 Type: Character
 Description: The description of the product type.
 Select equivalent: PRODUCT_TYPE_APP_CODE.DESCR
 Where equivalent:

Qualification: dimension
 List of values: 0qw, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Product Class
Type: Character
Description: The class of the product.
Select equivalent: PRODUCT.PRODUCT_CLASS_CODE
Where equivalent:

Qualification: dimension
List of values: 0qx, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Product Class Description
Type: Character
Description: The description of the class of the product.
Select equivalent: PRODUCT_CLASS_APP_CODE.DESCR
Where equivalent:

Qualification: dimension
List of values: 0qy, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Product ID
Type: Number
Description: The product id of the product.
Select equivalent: ORDER_DETAIL.PRODUCT_ID
Where equivalent:

Qualification: dimension
List of values: 0r0, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Package?
Type: Character
Description: Is this order line part of a package?
Select equivalent: ORDER_DETAIL.PACKAGE_FLAG
Where equivalent:

Qualification: dimension
 List of values: 0r1, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Package Product ID
 Type: Number
 Description: If this line is part of package then this is the product id on the order line item.
 Select equivalent: ORDER_DETAIL.PACKAGE_PRODUCT_ID
 Where equivalent:

Qualification: dimension
 List of values: 0r2, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Cycle Begin Date
 Type: Date
 Description:

Select equivalent: ORDER_DETAIL.CYCLE_BEGIN_DATE
 Where equivalent:

Qualification: dimension
 List of values: 2ic, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Cycle End Date
 Type: Date
 Description:

Select equivalent: ORDER_DETAIL.CYCLE_END_DATE
 Where equivalent:

Qualification: dimension

List of values: 2id, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Grace Date**
 Type: Date
 Description:

Select equivalent: ORDER_DETAIL.GRACE_DATE
 Where equivalent:

Qualification: dimension
 List of values: 2ie, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Organization Info
Description:	

Object: **Organization ID**
 Type: Character
 Description: The Organization id on the order line item.
 Select equivalent: PRODUCT.ORG_ID
 Where equivalent:

Qualification: dimension
 List of values: 00j, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Organization Unit ID**
 Type: Character
 Description: The Organization Unit id
 Select equivalent: PRODUCT.ORG_UNIT_ID
 Where equivalent:

Qualification: dimension
 List of values: 00k, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort

Object status: show

Object: Organization Unit Name
 Type: Character
 Description: The name of the Organization unit on the order line item.
 Select equivalent: APP_ORG_UNIT.ORG_UNIT_NAME
 Where equivalent:

Qualification: dimension
 List of values: 00l, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Order Line Status Info
Description:	

Object: Order Line Status Code
 Type: Character
 Description: The status of the order line item.
 Select equivalent: ORDER_DETAIL.LINE_STATUS_CODE
 Where equivalent:

Qualification: dimension
 List of values: 00m, editable, manual refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Line Status Date
 Type: Date
 Description: The last change date for the order line item status.
 Select equivalent: ORDER_DETAIL.LINE_STATUS_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Line Status Reason Code

Type: Character
 Description: The reason for change in the order line status.
 Select equivalent: ORDER_DETAIL.LINE_STATUS_REASON_CODE
 Where equivalent:

Qualification: dimension
 List of values: 00o, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Line Fulfill Status Code
 Type: Character
 Description: The fulfill status for the order line item.
 Select equivalent: ORDER_DETAIL.FULFILL_STATUS_CODE
 Where equivalent:

Qualification: dimension
 List of values: 00p, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Line Fulfill Status Date
 Type: Date
 Description: The last change date for the order line item fulfill status.
 Select equivalent: ORDER_DETAIL.FULFILL_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Misc Order Line Info
Description:	

Object: Original Order Number
 Type: Character
 Description: The original order number of the order from which th is order was renewed.

Select equivalent: ORDER_DETAIL.ORIGINAL_ORDER_NO
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Original Order Line Number
Type: Number
Description: If this is a renewed order
then, this is the original
order line item number.
Select equivalent: ORDER_DETAIL.ORIGINAL_ORDER_LINE_NO
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Transfer From Order Number
Type: Character
Description: If this order was created
because an order was tran
sferred to this order then
this is the order number
of the original order.
Select equivalent: ORDER_DETAIL.TRANSFER_FROM_ORDER_NO
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Transfer From Order Line Number
Type: Number
Description: If this order was created
because an order was tran

sferred to this order then
this is the order line nu
mber of the original order

Select equivalent: ORDER_DETAIL.TRANSFER_FROM_ORDER_LINE_NO
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Transfer To Order Number
Type: Character
Description: If this order was transfer
red to another order then
this is the new order numb
er.

Select equivalent: ORDER_DETAIL.TRANSFER_TO_ORDER_NO
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Transfer To Order Line Number
Type: Number
Description: If this order was transfer
red to another order then
this is the new order line
number.

Select equivalent: ORDER_DETAIL.TRANSFER_TO_ORDER_LINE_NO
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Order Line Type Code
Type: Character
Description: This signifies the type of product present in the order line item. Possible values are 'IP' - Individual Product, 'IC' - Individual Component, 'PC' - Package Component, 'PK' - Package.
Select equivalent: ORDER_DETAIL.LINE_TYPE_CODE
Where equivalent:

Qualification: dimension
List of values: 00x, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Order Line Level
Type: Number
Description: This is the level to which line relates to. For instance, if line #2 is a child of line #1, then it would exist at level 2.
Select equivalent: ORDER_DETAIL.LINE_LEVEL
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Related Order Line Number
Type: Number
Description: If the line relates to another line item what line item does it relate to. E.g. if an event is related to a meeting then this field will contain the order line number of the meeting

for the event order line.
 Select equivalent: ORDER_DETAIL.RELATED_LINE_NO
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Line Complete?
 Type: Character
 Description: Is the order detail line complete? Possible values will be 'Y' or 'N'.
 Select equivalent: ORDER_DETAIL.LINE_COMPLETE_FLAG
 Where equivalent:

Qualification: dimension
 List of values: 011, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	GL Account Info
Description:	

Object: AR GL Account Number
 Type: Character
 Description: The AR Account number associated with the order line item.
 Select equivalent: ORDER_DETAIL.AR_ACCOUNT
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: PPL GL Account Number
 Type: Character
 Description: The PPL Account number associated with the order line item.
 Select equivalent: ORDER_DETAIL.PPL_ACCOUNT
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Revenue Distribution Begin Date
 Type: Date
 Description: This is the effective begin date of the product revenue distribution.
 Select equivalent: ORDER_DETAIL.REVENUE_DIST_BEGIN_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Inventory GL Account Number
 Type: Character
 Description: The inventory Account number associated with the order line item.
 Select equivalent: INV_PRODUCT.INVENTORY_ACCOUNT
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Cost-of-Goods Sold GL Account Number
 Type: Character
 Description: The COGS Account number associated with the order line item.
 Select equivalent: INV_PRODUCT.COGS_ACCOUNT
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Customer Info
--------	---------------

Description:

No objects

Class:	Ship-To Customer Info
Description:	

Object:	Ship-To Customer ID
Type:	Character
Description:	This field contains the ship master customer id if the ship sub customer id = 0. If the ship sub customer id is not 0 then it contains the ship master customer id concatenated with ship sub customer id separated by a hyphen
Select equivalent:	CASE WHEN SHIP_CUSTOMER.SUB_CUSTOMER_ID = 0 THEN SHIP_CUSTOMER.MASTER_CUSTOMER_ID ELSE SHIP_CUSTOMER.MASTER_CUSTOMER_ID + '-' + Convert(char, SHIP_CUSTOMER.SUB_CUSTOMER_ID) END
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Link to Ship Customer
Type:	Character
Description:	Use this object to open the selected Ship Customer in Customer Central. You can only link the selected Ship Customer to Customer Central when the report is viewed in view mode.

Select equivalent: '[SHIP_CUSTOMER.MASTER_CU
STOMER_ID+'|'+Convert\(ch
ar, SHIP_CUSTOMER.SUB_CU
STOMER_ID\)+ ' Target=_Bl
ank>'+SHIP_CUSTOMER.MAST
ER_CUSTOMER_ID+''](cmd://Main/OpenView?Name=CusCentral&Key='+<br/)

Where equivalent:

Qualification: dimension
List of values: 2j2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format

Object: Ship-To Customer Master Customer ID
Type: Character
Description: This is the ship master cu
stomer id of the ship cust
omer on the order line.

Select equivalent: SHIP_CUSTOMER.MASTER_CUSTOMER_ID

Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Sub Customer ID
Type: Number
Description: This is the ship sub custo
mer id of the ship custome
r on the order line.

Select equivalent: SHIP_CUSTOMER.SUB_CUSTOMER_ID

Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class:	Ship-To Customer Name Components
--------	----------------------------------

Description:

Object: Ship-To Customer Label Name
Type: Character
Description: This is the label name of the ship customer on the order line.
Select equivalent: SHIP_CUSTOMER.LABEL_NAME
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Last First Name
Type: Character
Description: This is the last name concatenated with first name in case of an individual ship customer. For a company ship customer this is the company name.
Select equivalent: SHIP_CUSTOMER.LAST_FIRST_NAME
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Last Name
Type: Character
Description: This is the last name in case of an individual ship to customer.
Select equivalent: SHIP_CUSTOMER.LAST_NAME
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer First Name
Type: Character
Description: This is the first name in case of an individual ship to customer.
Select equivalent: SHIP_CUSTOMER.FIRST_NAME
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Name Prefix
Type: Character
Description: This is the name prefix in case of an individual ship to customer.
Select equivalent: SHIP_CUSTOMER.NAME_PREFIX
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Suffix
Type: Character
Description: This is the name suffix in case of an individual ship to customer.
Select equivalent: SHIP_CUSTOMER.NAME_SUFFIX
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Professional Credentials
Type: Character
Description: These are the credentials in case of an individual ship to customer.
Select equivalent: SHIP_CUSTOMER.NAME_CREDENTIALS
Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Ship-To Customer Membership Info
Description:	

Object: Ship-To Customer Member Type
 Type: Character
 Description: This is the current level2
 /member type of the ship t
 o customer's membership a
 t the national level.
 Select equivalent: SHIP_CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_LEVEL2
 Where equivalent:

Qualification: dimension
 List of values: 01h, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Customer Membership Begin Date
 Type: Date
 Description: This is the begin date of the membership of the ship to customer.
 Select equivalent: SHIP_CUS_CURRENT_MEMBERSHIP_INFO.CYCLE_BEGIN_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Customer Membership End Date
 Type: Date
 Description: This is the end date of the membership of the ship to customer.
 Select equivalent: SHIP_CUS_CURRENT_MEMBERSHIP_INFO.CYCLE_END_DATE
 Where equivalent:

Qualification: dimension

List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Customer Membership Grace Date
 Type: Date
 Description: This is the grace date of the bill customer's current membership.
 Select equivalent: SHIP_CUS_CURRENT_MEMBERSHIP_INFO.GRACE_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Customer Membership Description
 Type: Character
 Description: This is the description of
 the national membership
 of the ship to customer.
 Select equivalent: SHIP_CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_DESCR
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Customer Member Since Date
 Type: Date
 Description: This is the ship to custom
 er's current national memb
 ership member since date.
 Select equivalent: SHIP_CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_SINCE_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort

Object status: show

Object: Ship-To Customer Chapter 1
Type: Character
Description: This is the chapter description of the ship to customer's 1st chapter.
Select equivalent: SHIP_CUS_CURRENT_MEMBERSHIP_INFO.CHAPTER_DESCR
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Chapter 2
Type: Character
Description: This is the chapter description of the ship to customer's 2nd chapter.
Select equivalent: SHIP_CUS_CURRENT_MEMBERSHIP_INFO.CHAPTER2_DESCR
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Section 1
Type: Character
Description: This is the chapter description of the ship to customer's 1st section.
Select equivalent: SHIP_CUS_CURRENT_MEMBERSHIP_INFO.SECTION_DESCR
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Section 2
Type: Character
Description: This is the chapter description of the ship to customer's 2nd section.
Select equivalent: SHIP_CUS_CURRENT_MEMBERSHIP_INFO.SECTION2_DESCR

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Is an Associate Flag
 Type: Character
 Description: If this is an associate membership? 'Y' for yes and 'N' for no.
 Select equivalent: CASE ISNULL(ORDER_MBR_AS
 SOCIATE.MASTER_CUSTOMER
 _ID, 'N') WHEN 'N' THEN '
 N' ELSE 'Y' END

Where equivalent:

Qualification: dimension
 List of values: 01r, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Associate Class Code
 Type: Character
 Description: If this is an associate me
 mbership then this contain
 s the associate class.
 Select equivalent: ORDER_MBR_ASSOCIATE.ASSOCIATE_CLASS_CODE
 Where equivalent:

Qualification: dimension
 List of values: 01s, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Ship-To Customer Primary Employer
Description:	

Object: Ship-Customer Employee Relationship Code
 Type: Character
 Description: This is the ship to custom

er's primary employment e
mployee relationship code.

Select equivalent: SHIP_CUS_PRIMARY_EMPLOYMENT.RELATIONSHIP_CODE
Where equivalent:

Qualification: dimension
List of values: 01t, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Employer Reciprocal Code
Type: Character
Description: This is the ship to custom
er's primary employment e
mployee relationship code.

Select equivalent: SHIP_CUS_PRIMARY_EMPLOYMENT.RECIPROCAL_CODE
Where equivalent:

Qualification: dimension
List of values: 01u, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Employer Master Customer ID
Type: Character
Description: This is the master custom
er id of the ship to custo
mer's primary employer.

Select equivalent: SHIP_CUS_PRIMARY_EMPLOY
MENT.RELATED_MASTER_CUS
TOMER_ID

Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Employer Sub Customer ID
Type: Number

Description: This is the sub customer id of the ship to customer's primary employer.

Select equivalent: SHIP_CUS_PRIMARY_EMPLOYMENT.RELATED_SUB_CUSTOMER_ID

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Employer Customer ID

Type: Character

Description: This is the master customer id concatenated with the sub customer id of the ship to customer's primary employer.

Select equivalent: SHIP_CUS_PRIMARY_EMPLOYMENT.RELATED_CUS_CusMastSubID

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Employer Label Name

Type: Character

Description: This is the label name of the ship to customer's primary employer.

Select equivalent: SHIP_CUS_PRIMARY_EMPLOYMENT.RELATED_CUS_LABEL_NAME

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Employer Customer Class Code

Type: Character

Description: This is the customer class

of the ship to customer's
primary employer.

Select equivalent: SHIP_CUS_PRIMARY_EMPLOY
MENT.RELATED_CUS_CUSTOM
ER_CLASS_CODE

Where equivalent:

Qualification: dimension
List of values: 020, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Employer Customer Status Code**
Type: Character
Description: This is the customer statu
s of the ship to customer'
s primary employer.

Select equivalent: SHIP_CUS_PRIMARY_EMPLOY
MENT.RELATED_CUS_CUSTOM
ER_STATUS_CODE

Where equivalent:

Qualification: dimension
List of values: 021, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Employer Primary Phone**
Type: Character
Description: This is the primary phone
number of the ship to cust
omer's primary employer.

Select equivalent: SHIP_CUS_PRIMARY_EMPLOY
MENT.RELATED_CUS_PRIMAR
Y_PHONE

Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Employer Primary Fax
Type: Character
Description: This is the primary fax number of the ship to customer's primary employer.
Select equivalent: SHIP_CUS_PRIMARY_EMPLOYMENT.RELATED_CUS_PRIMARY_FAX
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Employer Primary Email
Type: Character
Description: This is the primary email of the ship to customer's primary employer.
Select equivalent: SHIP_CUS_PRIMARY_EMPLOYMENT.RELATED_CUS_PRIMARY_EMAIL_ADDRESS
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Employer Primary Address
Type: Character
Description: This is the primary address of the ship to customer's primary employer.
Select equivalent: SHIP_CUS_PRIMARY_EMPLOYMENT.RELATED_CUS_ADDRESSES_LABEL
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Class:	Ship-To Customer All Relationships
Description:	

Object: Relationship Code
 Type: Character
 Description: This is the ship to customer's relationship code.
 Select equivalent: SHIP_CUS_ALL_RELATIONSHIPS.RELATIONSHIP_CODE
 Where equivalent:

Qualification: dimension
 List of values: 01t, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Relationship Type
 Type: Character
 Description: This is the ship to customer's relationship type.
 Select equivalent: SHIP_CUS_ALL_RELATIONSHIPS.RELATIONSHIP_TYPE
 Where equivalent:

Qualification: dimension
 List of values: 2ia, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Reciprocal Code
 Type: Character
 Description: This is the ship to customer's relationship reciprocal code.
 Select equivalent: SHIP_CUS_ALL_RELATIONSHIPS.RECIPROCAL_CODE
 Where equivalent:

Qualification: dimension
 List of values: 01u, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Begin Date

Type: Date
 Description:
 Select equivalent: SHIP_CUS_ALL_RELATIONSHIPS.BEGIN_DATE
 Where equivalent:
 Qualification: dimension
 List of values: 2if, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: End Date
 Type: Date
 Description:
 Select equivalent: SHIP_CUS_ALL_RELATIONSHIPS.END_DATE
 Where equivalent:
 Qualification: dimension
 List of values: 2ig, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Related Master Customer ID
 Type: Character
 Description: This is the master customer id of the ship to customer's related customer.
 Select equivalent: SHIP_CUS_ALL_RELATIONSHIPS.RELATED_MASTER_CUSTOMER_ID
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Related Sub Customer ID
 Type: Number
 Description: This is the sub customer id of the ship to customer'

s related customer.
 Select equivalent: SHIP_CUS_ALL_RELATIONSHIPS.RELATED_SUB_CUSTOMER_ID
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Related Customer ID
 Type: Character
 Description: This is the master customer id concatenated with the sub customer id of the ship to customer's related customer.

Select equivalent: SHIP_CUS_ALL_RELATIONSHIPS.RELATED_CUS_CusMastSubID
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Related Customer Last First Name
 Type: Character
 Description:

Select equivalent: SHIP_CUS_ALL_RELATIONSHIPS.RELATED_CUS_LAST_FIRST_NAME
 Where equivalent:

Qualification: dimension
 List of values: 2cd, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Related Customer Label Name
 Type: Character
 Description: This is the label name of the ship to customer's related customer.
 Select equivalent: SHIP_CUS_ALL_RELATIONSHIPS.RELATED_CUS_LABEL_NAME

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Related Customer Class Code**
 Type: Character
 Description: This is the customer class of the ship to customer's related customer.
 Select equivalent: SHIP_CUS_ALL_RELATIONSHI
 PS.RELATED_CUS_CUSTOMER
 _CLASS_CODE

Where equivalent:

Qualification: dimension
 List of values: 020, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Related Customer Status Code**
 Type: Character
 Description: This is the customer status of the ship to customer's related customer.
 Select equivalent: SHIP_CUS_ALL_RELATIONSHI
 PS.RELATED_CUS_CUSTOMER
 _STATUS_CODE

Where equivalent:

Qualification: dimension
 List of values: 021, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Related Customer Primary Phone**
 Type: Character
 Description: This is the primary phone number of the ship to customer's related customer.

Select equivalent: SHIP_CUS_ALL_RELATIONSHIPS.RELATED_CUS_PRIMARY_PHONE
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Related Customer Primary Fax**
Type: Character
Description: This is the primary fax number of the ship to customer's related customer.
Select equivalent: SHIP_CUS_ALL_RELATIONSHIPS.RELATED_CUS_PRIMARY_FAX
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Related Customer Primary Email**
Type: Character
Description: This is the primary email of the ship to customer's related customer.
Select equivalent: SHIP_CUS_ALL_RELATIONSHIPS.RELATED_CUS_PRIMARY_EMAIL_ADDRESS
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Related Customer Primary Address**
Type: Character
Description: This is the primary address of the ship to customer's related customer.
Select equivalent: SHIP_CUS_ALL_RELATIONSHIPS.RELATED_CUS_ADDRESS_LABEL

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Ship-To Customer Demographics
Description:	

Object: Ship-To Customer Class Code
 Type: Character
 Description: This is the customer class of the ship to customer.
 Select equivalent: SHIP_CUSTOMER.CUSTOMER_CLASS_CODE
 Where equivalent:

Qualification: dimension
 List of values: 026, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Customer Status Code
 Type: Character
 Description: This is the customer status of the ship to customer.
 Select equivalent: SHIP_CUSTOMER.CUSTOMER_STATUS_CODE
 Where equivalent:

Qualification: dimension
 List of values: 027, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Customer Status Date
 Type: Date
 Description: This is the date the ship to customer's status was last changed.
 Select equivalent: SHIP_CUSTOMER.CUSTOMER_STATUS_DATE
 Where equivalent:

Qualification: dimension
 List of values: no

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Primary Job Title
Type: Character
Description: This is the primary job title of the ship to customer.
Select equivalent: SHIP_CUSTOMER.PRIMARY_JOB_TITLE
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Job Function Code
Type: Character
Description: This is the job function of the ship to customer.
Select equivalent: SHIP_CUSTOMER.JOB_FUNCTION_CODE
Where equivalent:

Qualification: dimension
List of values: 02a, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Gender Code
Type: Character
Description: This is the gender of the ship to customer.
Select equivalent: SHIP_CUSTOMER.GENDER_CODE
Where equivalent:

Qualification: dimension
List of values: 02b, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Ethnicity Code
Type: Character

Description: This is the ethnicity of the ship to customer.
 Select equivalent: SHIP_CUSTOMER.ETHNICITY_CODE
 Where equivalent:

Qualification: dimension
 List of values: 02c, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Customer Birthdate
 Type: Date
 Description: This is the birthdate of the ship to customer.
 Select equivalent: SHIP_CUSTOMER.BIRTH_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Customer Age
 Type: Number
 Description: This is the age of the ship to customer.
 Select equivalent: CASE WHEN cast(datepart(m, getdate()) as int) > cast(datepart(m, SHIP_CUSTOMER.BIRTH_DATE) as int) THEN cast(datediff(yyyy, SHIP_CUSTOMER.BIRTH_DATE, getdate()) as int) WHEN cast(datepart(m, getdate()) as int) = cast(datepart(m, SHIP_CUSTOMER.BIRTH_DATE) as int) AND datepart(d, getdate()) >= datepart(d, SHIP_CUSTOMER.BIRTH_DATE) THEN cast(datediff(yyyy, SHIP_CUSTOMER.BIRTH_DATE, getdate()) as int) ELSE cast(datediff(yyyy, SHIP_CUSTOMER.BIRTH_DATE,

getdate()) as int) -1
END

Where equivalent:

Qualification: measure
Aggregate function: None
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class:	Ship-To Customer List Demographics
Description:	

Object: List Demographic Code
Type: Character
Description: This is the ship to customer's demographic code.
Select equivalent: SHIP_CUS_DEMOGRAPHIC.DEMOGRAPHIC_CODE
Where equivalent:

Qualification: dimension
List of values: 02g, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: List Demographic Code Description
Type: Character
Description: This is description of the ship to customer's demographic code.
Select equivalent: SHIP_CUS_DEMOGRAPHIC.DEMOGRAPHIC_CODE_DESCR
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: List Demographic Subcode
Type: Character
Description: This is the ship to customer's demographic subcode.
Select equivalent: SHIP_CUS_DEMOGRAPHIC.DEMOGRAPHIC_SUBCODE
Where equivalent:

Qualification: dimension
List of values: 02i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: List Demographic Subcode Description
Type: Character
Description: This is the description of
the ship to customer's de
mographic subcode.
Select equivalent: SHIP_CUS_DEMOGRAPHIC.DEMOGRAPHIC_SUBCODE_DESCR
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: List Demographic Begin Date
Type: Date
Description: This is the begin date of
the ship to customer's de
mographic information.
Select equivalent: SHIP_CUS_DEMOGRAPHIC.USER_D1
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: List Demographic End Date
Type: Date
Description: This is the end date of th
e ship to customer's demo
graphic information.
Select equivalent: SHIP_CUS_DEMOGRAPHIC.USER_D2
Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Ship-To Customer Specialty
Description:	

Object: Specialty Code
 Type: Character
 Description: This is the specialty code of the ship to customer.
 Select equivalent: SHIP_CUS_SPECIALTY.CUS_SPECIALTY_CODE
 Where equivalent:

Qualification: dimension
 List of values: 02n, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Specialty Description
 Type: Character
 Description: This is the specialty description of the ship to customer.
 Select equivalent: SHIP_CUS_SPECIALTY.COMMENTS
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Specialty Level Code
 Type: Character
 Description: This is the status of the customer specialty.
 Select equivalent: SHIP_CUS_SPECIALTY.SPECIALTY_STATUS_CODE
 Where equivalent:

Qualification: dimension
 List of values: 02p, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort

Object status: show

Object: Specialty Level Description
 Type: Character
 Description: This is the description of the ship to customer's specialty.
 Select equivalent: SHIP_CUS_SPECIALTY.SPECIALTY_STATUS_CODE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class: Shipping Address
Description:

Object: Ship-To Address ID
 Type: Number
 Description: This is the ship customer's address id.
 Select equivalent: SHIP_CUS_ADDRESS_DETAIL.CUS_ADDRESS_ID
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Address Type Code
 Type: Character
 Description: This is the ship customer's address type.
 Select equivalent: SHIP_CUS_ADDRESS_DETAIL.ADDRESS_TYPE_CODE
 Where equivalent:

Qualification: dimension
 List of values: 02s, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Address Line 1

Type: Character
Description: This is the ship customer's address line 1.
Select equivalent: SHIP_CUS_ADDRESS.ADDRESS_1
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Address Line 2
Type: Character
Description: This is the ship customer's address line 2.
Select equivalent: SHIP_CUS_ADDRESS.ADDRESS_2
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Address Line 3
Type: Character
Description: This is the ship customer's address line 3.
Select equivalent: SHIP_CUS_ADDRESS.ADDRESS_3
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Address Line 4
Type: Character
Description: This is the ship customer's address line 4.
Select equivalent: SHIP_CUS_ADDRESS.ADDRESS_4
Where equivalent:

Qualification: dimension
List of values: no

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Ship-To City**
Type: Character
Description: This is the ship customer's city.
Select equivalent: SHIP_CUS_ADDRESS.CITY
Where equivalent:

Qualification: dimension
List of values: 02x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Ship-To State**
Type: Character
Description: This is the ship customer's state.
Select equivalent: SHIP_CUS_ADDRESS.STATE
Where equivalent:

Qualification: dimension
List of values: 02y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Ship-To Zip**
Type: Character
Description: This is the ship customer's zip.
Select equivalent: SHIP_CUS_ADDRESS.POSTAL_CODE
Where equivalent:

Qualification: dimension
List of values: 030, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Ship-To Country Code**
Type: Character

Description: This is the ship customer's country code.
 Select equivalent: SHIP_CUS_ADDRESS.COUNTRY_CODE
 Where equivalent:

Qualification: dimension
 List of values: 031, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Country Description
 Type: Character
 Description: This is the ship customer's country description.
 Select equivalent: SHIP_CUS_ADDRESS.COUNTRY_DESCR
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Full Address
 Type: Character
 Description: This is the shipping address of the ship to customer.
 Select equivalent: SHIP_CUS_ADDRESS_DETAIL.
 FORMATTED_DETAIL + SHIP_
 CUS_ADDRESS.FORMATTED_A
 DDRESS
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Formatted City State Zip
 Type: Character
 Description: This is the Formatted City State Zip of the ship to customer.
 Select equivalent: SHIP_CUS_ADDRESS.FORMATTED_CITY_STATE_POSTAL
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Ship-To Customer Communication Info
Description:	

Object: Ship-To Primary Fax
 Type: Character
 Description: This is the primary fax number of the ship to customer.
 Select equivalent: SHIP_CUSTOMER.PRIMARY_FAX
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Primary Phone
 Type: Character
 Description: This is the primary phone number of the ship to customer.
 Select equivalent: SHIP_CUSTOMER.PRIMARY_PHONE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship-To Primary Email Address
 Type: Character
 Description: This is the primary email address of the ship to customer.
 Select equivalent: SHIP_CUSTOMER.PRIMARY_EMAIL_ADDRESS
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort

Object status: show

Object: Preferred Communication Method Code
 Type: Character
 Description: This is the preferred communication method of the ship to customer.
 Select equivalent: SHIP_CUSTOMER.PREFERRED_COMM_METHOD_CODE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Ship-To Customer Communication Rules
Description:	

Object: Allow Phone?
 Type: Character
 Description: Does the ship customer allow soliciting phone calls made for marketing purposes?
 Select equivalent: SHIP_CUSTOMER.ALLOW_PHONE_FLAG
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Allow Fax?
 Type: Character
 Description: Does the ship customer allow soliciting faxes made for marketing purposes?
 Select equivalent: SHIP_CUSTOMER.ALLOW_FAX_FLAG
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Object: **Allow Label Sales?**
Type: Character
Description: Does the ship customer allow soliciting label sales for marketing purposes?
Select equivalent: SHIP_CUSTOMER.ALLOW_LABEL_SALES_FLAG
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Allow Solicitation?**
Type: Character
Description: Does the ship customer allow any solicitation for marketing purposes?
Select equivalent: SHIP_CUSTOMER.ALLOW_SOLICITATION_FLAG
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Allow Internal Mail?**
Type: Character
Description: Does the ship customer allow any internal mail sent for marketing purposes?
Select equivalent: SHIP_CUSTOMER.ALLOW_INTERNAL_MAIL_FLAG
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Publish Primary Phone?
Type: Character
Description: Does the ship to customer allow the publishing of the primary phone number.
Select equivalent: SHIP_CUSTOMER.PUBLISH_PRIMARY_PHONE_FLAG
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Publish Primary Email?
Type: Character
Description: Does the ship to customer allow the publishing of the primary email address.
Select equivalent: SHIP_CUSTOMER.PUBLISH_PRIMARY_EMAIL_FLAG
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Publish Primary Fax?
Type: Character
Description: Does the ship to customer allow the publishing of the primary fax number.
Select equivalent: SHIP_CUSTOMER.PUBLISH_PRIMARY_FAX_FLAG
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Publish Home Phone?
Type: Character
Description: Does the ship to customer allow the publishing of the primary home phone number.
Select equivalent: SHIP_CUSTOMER.PUBLISH_HOME_PHONE_FLAG
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Publish Work Phone
Type: Character
Description: Does the ship to customer allow the publishing of the work phone number.
Select equivalent: SHIP_CUSTOMER.PUBLISH_WORK_PHONE_FLAG
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class:	Ship-To Customer Creation & Modification Info
Description:	

Object: Ship-To Customer Creation Date
Type: Date
Description: The date when the customer record of the ship-to customer was created.
Select equivalent: SHIP_CUSTOMER.ADDDATE
Where equivalent:

Qualification: dimension
List of values: Owe, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Creation User
Type: Character
Description: The username of the user who created the customer record of the ship-to customer.
Select equivalent: SHIP_CUSTOMER.ADDOPER
Where equivalent:

Qualification: dimension
List of values: 0wf, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Modification Date
Type: Date
Description: The date when the customer record of the ship-to customer was last modified.
Select equivalent: SHIP_CUSTOMER.MODDATE
Where equivalent:

Qualification: dimension
List of values: 0wd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Modification User
Type: Character
Description: The user name of the user who last modified the customer record of the ship-to customer.
Select equivalent: SHIP_CUSTOMER.MODOPER
Where equivalent:

Qualification: dimension

List of values: Owg, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Bill Customer Info
Description:	

Object: Bill-Customer ID
 Type: Character
 Description: This field contains the bill master customer id if the bill sub customer id = 0. If the bill sub customer id is not 0 then it contains the bill master customer id concatenated with bill sub customer id separated by a hyphen
 Select equivalent: CASE WHEN BILL_CUSTOMER.SUB_CUSTOMER_ID = 0 THEN BILL_CUSTOMER.MASTER_CUSTOMER_ID ELSE BILL_CUSTOMER.MASTER_CUSTOMER_ID + '-' + Convert(char, BILL_CUSTOMER.SUB_CUSTOMER_ID) END
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Link to Bill Customer
 Type: Character
 Description: Use this object to open the selected Bill Customer in Customer Central. You can only link the selected Bill Customer to Customer Central when the report is viewed in view mode.

Select equivalent: '[BILL_CUSTOMER.MASTER_CU
STOMER_ID+'|'+Convert\(ch
ar, BILL_CUSTOMER.SUB_CU
STOMER_ID\)+ ' Target=_Bl
ank>'+BILL_CUSTOMER.MAST
ER_CUSTOMER_ID+''](cmd://Main/OpenView?Name=CusCentral&Key='+<br/)

Where equivalent:

Qualification: dimension
List of values: 2j3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format

Object: Bill-Customer Master Customer ID
Type: Character
Description: This is the bill master cu
stomer id of the bill cust
omer on the order line.
Select equivalent: BILL_CUSTOMER.MASTER_CUSTOMER_ID
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Bill-Customer Sub Customer ID
Type: Number
Description: This is the bill sub customer id of the bill customer on the order line.
Select equivalent: BILL_CUSTOMER.SUB_CUSTOMER_ID
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class:	Bill-Customer Name Components
Description:	

Object: Bill-Customer Label Name
Type: Character
Description: This is the label name of the bill customer.
Select equivalent: BILL_CUSTOMER.LABEL_NAME
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Bill-Customer Last First Name
Type: Character
Description: In case the bill customer
is an individual this is th
e concatenation of the las
t name and the first name.
But if it is a company th
en this is the name of the
company.
Select equivalent: BILL_CUSTOMER.LAST_FIRST_NAME
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Bill-Customer Last Name
Type: Character
Description: This is the last name of the bill customer.
Select equivalent: BILL_CUSTOMER.LAST_NAME
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bill-Customer First Name**
Type: Character
Description: This is the chapter description of the ship to customer's 1st chapter.
Select equivalent: BILL_CUSTOMER.FIRST_NAME
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bill-Customer Name Prefix**
Type: Character
Description: This is the name prefix of the bill customer.
Select equivalent: BILL_CUSTOMER.NAME_PREFIX
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bill-Customer Suffix**
Type: Character
Description: This is the name suffix of the bill customer.
Select equivalent: BILL_CUSTOMER.NAME_SUFFIX
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bill-Customer Professional Credentials**
Type: Character
Description: These are the professional credentials of the bill customer.
Select equivalent: BILL_CUSTOMER.NAME_CREDENTIALS
Where equivalent:

Qualification: dimension

List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Bill Customer Membership Info
Description:	

Object: Bill Customer Member Type
 Type: Character
 Description: This is the current level2
 /member type of the bill t
 o customer's membership a
 t the national level.
 Select equivalent: BILL_CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_LEVEL2
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Bill Customer Membership Begin Date
 Type: Date
 Description: This is the begin date of the bill to customers current membership.
 Select equivalent: BILL_CUS_CURRENT_MEMBERSHIP_INFO.CYCLE_BEGIN_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Bill Customer Membership End Date
 Type: Date
 Description: This is the end date of the bill to customers current membership.
 Select equivalent: BILL_CUS_CURRENT_MEMBERSHIP_INFO.CYCLE_END_DATE
 Where equivalent:

Qualification: dimension
 List of values: no

Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Bill Customer Membership Grace Date
 Type: Date
 Description: This is the grace date of the bill to customers current membership.
 Select equivalent: BILL_CUS_CURRENT_MEMBERSHIP_INFO.GRACE_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Bill Customer Membership Description
 Type: Character
 Description: This is the description of
 the current level2/membe
 r type of the bill to custo
 mer's membership at the n
 ational level.
 Select equivalent: BILL_CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_DESCR
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Bill Customer Member Since Date
 Type: Date
 Description: This is the members since
 date of the bill to custom
 er's current membership.
 Select equivalent: BILL_CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_SINCE_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Object: **Bill Customer Chapter 1**
Type: Character
Description: This is the description of
the 1st chapter to which
the bill customer belongs.
Select equivalent: BILL_CUS_CURRENT_MEMBERSHIP_INFO.CHAPTER_DESCR
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bill Customer Chapter 2**
Type: Character
Description: This is the description of
the 2nd chapter to which
the bill customer belongs.
Select equivalent: BILL_CUS_CURRENT_MEMBERSHIP_INFO.CHAPTER2_DESCR
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bill Customer Section 1**
Type: Character
Description: This is the description of
the 1st section to which
the bill customer belongs.
Select equivalent: BILL_CUS_CURRENT_MEMBERSHIP_INFO.SECTION_DESCR
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Bill Customer Section 2

Type: Character

Description: This is the description of
the 2nd section to which
the bill customer belongs.

Select equivalent: BILL_CUS_CURRENT_MEMBERSHIP_INFO.SECTION2_DESCR

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class:	Bill-Customer Corporate Relationships
--------	---------------------------------------

Description:	
--------------	--

Object: Subsidiary Customer ID

Type: Character

Description: This is the Bill Customer's Subsidiary Customer ID

Select equivalent: Cus_Relationship_Subsiary_Info_VW.RELATED_CUS_CusMastSubID

Where equivalent:

Qualification: dimension

List of values: 2bv, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Subsidiary Master Customer ID

Type: Character

Description: This is the Bill Customer's Subsidiary Master Customer ID

Select equivalent: Cus_Relationship_Subsiary_Info_VW.RELATED_MASTE
R_CUSTOMER_ID

Where equivalent:

Qualification: dimension

List of values: 2bw, editable, manual refresh, not exportable

Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Subsidiary Sub Customer ID**
 Type: Number
 Description: This is the Bill Customer's Subsidiary Sub Customer ID

Select equivalent: Cus_Relationship_Subsidia
 ry_Info_VW.RELATED_SUB_C
 USTOMER_ID

Where equivalent:

Qualification: dimension
 List of values: 2bx, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Subsidiary Full Name**
 Type: Character
 Description: This is the Bill Customer's Subsidiary Full Name

Select equivalent: Cus_Relationship_Subsidiary_Info_VW.RELATED_CUS_LABEL_NAME

Where equivalent:

Qualification: dimension
 List of values: 2bm, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Relationship Code**
 Type: Character
 Description: This is the Bill Customer's Subsidiary Relationship Code

Select equivalent: Cus_Relationship_Subsidiary_Info_VW.RELATIONSHIP_CODE

Where equivalent:

Qualification: dimension

List of values: 2bn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Reciprocal Code**
Type: Character
Description: This is the Bill Customer's Subsidiary Reciprocal Code

Select equivalent: Cus_Relationship_Subsidiary_Info_VW.RECIPROCAL_CODE

Where equivalent:

Qualification: dimension
List of values: 2bo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Relationship Begin Date**
Type: Date
Description: This is the Bill Customer's Subsidiary Relationship Begin Date

Select equivalent: Cus_Relationship_Subsidiary_Info_VW.BEGIN_DATE

Where equivalent:

Qualification: dimension
List of values: 2bp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Relationship End Date**
Type: Date
Description: This is the Bill Customer's Subsidiary Relationship End Date

Select equivalent: Cus_Relationship_Subsidiary_Info_VW.END_DATE

Where equivalent:

Qualification: dimension
List of values: 2bq, editable, manual refresh, not exportable

Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Subsidiary Customer Class Code**
 Type: Character
 Description: This is the Bill Customer's Subsidiary Customer Class Code

Select equivalent: Cus_Relationship_Subsidia
 ry_Info_VW.Related_Cus_Cu
 stomer_Class_Code

Where equivalent:

Qualification: dimension
 List of values: 2br, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Subsidiary Record Type**
 Type: Character
 Description: This is the Bill Customer's Subsidiary Record Type

Select equivalent: Cus_Relationship_Subsidiary_Info_VW.Related_Cus_Record_Type

Where equivalent:

Qualification: dimension
 List of values: 2bs, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Bill-Customer All Relationships
Description:	

Object: **Relationship Code**
 Type: Character
 Description: This is the bill to customer's relationship code.
 Select equivalent: BILL_CUS_ALL_RELATIONSHIPS.RELATIONSHIP_CODE
 Where equivalent:

Qualification: dimension
List of values: 01t, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Relationship Type**
Type: Character
Description: This is the bill to customer's relationship type.
Select equivalent: BILL_CUS_ALL_RELATIONSHIPS.RELATIONSHIP_TYPE
Where equivalent:

Qualification: dimension
List of values: 2ib, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Reciprocal Code**
Type: Character
Description: This is the bill to customer's relationship reciprocal code.
Select equivalent: BILL_CUS_ALL_RELATIONSHIPS.RECIPROCAL_CODE
Where equivalent:

Qualification: dimension
List of values: 01u, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Begin Date**
Type: Date
Description:

Select equivalent: BILL_CUS_ALL_RELATIONSHIPS.BEGIN_DATE
Where equivalent:

Qualification: dimension
List of values: 2ih, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: End Date
Type: Date
Description:

Select equivalent: BILL_CUS_ALL_RELATIONSHIPS.END_DATE
Where equivalent:

Qualification: dimension
List of values: 2ii, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Related Master Customer ID
Type: Character
Description: This is the master customer id of the bill to customer's related customer.

Select equivalent: BILL_CUS_ALL_RELATIONSHIPS.RELATED_MASTER_CUSTOMER_ID
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Related Sub Customer ID
Type: Number
Description: This is the sub customer id of the bill to customer's related customer.
Select equivalent: BILL_CUS_ALL_RELATIONSHIPS.RELATED_SUB_CUSTOMER_ID
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Related Customer ID
Type: Character
Description: This is the master customer

er id concatenated with the sub customer id of the bill to customer's related customer.

Select equivalent: BILL_CUS_ALL_RELATIONSHIPS.RELATED_CUS_CusMastSubID
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Related Customer Last First Name
 Type: Character
 Description:

Select equivalent: BILL_CUS_ALL_RELATIONSHIPS.RELATED_CUS_LAST_FIRST_NAME
 Where equivalent:
 Qualification: dimension
 List of values: 2ce, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Related Customer Label Name
 Type: Character
 Description: This is the label name of the bill to customer's related customer.
 Select equivalent: BILL_CUS_ALL_RELATIONSHIPS.RELATED_CUS_LABEL_NAME
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Related Customer Class Code
 Type: Character
 Description: This is the customer class of the bill to customer's related customer.
 Select equivalent: BILL_CUS_ALL_RELATIONSHIPS.RELATED_CUS_CUSTOMER

_CLASS_CODE

Where equivalent:

Qualification: dimension
 List of values: 020, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Related Customer Status Code**
 Type: Character
 Description: This is the customer status of the bill to customer's related customer.
 Select equivalent: BILL_CUS_ALL_RELATIONSHI
 PS.RELATED_CUS_CUSTOMER
 _STATUS_CODE

Where equivalent:

Qualification: dimension
 List of values: 021, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Related Customer Primary Phone**
 Type: Character
 Description: This is the primary phone number of the bill to customer's related customer.
 Select equivalent: BILL_CUS_ALL_RELATIONSHIPS.RELATED_CUS_PRIMARY_PHONE

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Related Customer Primary Fax**
 Type: Character
 Description: This is the primary fax number of the bill to customer's related customer.
 Select equivalent: BILL_CUS_ALL_RELATIONSHIPS.RELATED_CUS_PRIMARY_FAX

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Related Customer Primary Email
 Type: Character
 Description: This is the primary email of the bill to customer's related customer.
 Select equivalent: BILL_CUS_ALL_RELATIONSHI
 PS.RELATED_CUS_PRIMARY_E
 MAIL_ADDRESS

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Related Customer Primary Address
 Type: Character
 Description: This is the primary address of the bill to customer's related customer.
 Select equivalent: BILL_CUS_ALL_RELATIONSHIPS.RELATED_CUS_ADDRESS_LABEL
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Bill-Customer Demographics
Description:	

Object: Bill-Customer Class Code
 Type: Character
 Description: This is the customer class of the bill customer.
 Select equivalent: BILL_CUSTOMER.CUSTOMER_CLASS_CODE
 Where equivalent:

Qualification: dimension
 List of values: 043, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Bill-Customer Status Code**
 Type: Character
 Description: This is the customer status of the bill to customer.
 Select equivalent: BILL_CUSTOMER.CUSTOMER_STATUS_CODE
 Where equivalent:

Qualification: dimension
 List of values: 044, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Bill-Customer Status Date**
 Type: Date
 Description: This is the date when the bill customer's customer status was last changed.
 Select equivalent: BILL_CUSTOMER.CUSTOMER_STATUS_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Billing Address
Description:	

Object: **Bill-To Address ID**
 Type: Number
 Description: This is the address id of the bill customer's address.
 Select equivalent: BILL_CUS_ADDRESS_DETAIL.CUS_ADDRESS_ID
 Where equivalent:

Qualification: dimension
 List of values: no

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bill-To Address Type Code**
Type: Character
Description: This is the address type of the bill customer address.
Select equivalent: BILL_CUS_ADDRESS_DETAIL.ADDRESS_TYPE_CODE
Where equivalent:

Qualification: dimension
List of values: 047, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bill-To Address Line 1**
Type: Character
Description: This is the address line 1 of the bill customer's address.
Select equivalent: BILL_CUS_ADDRESS.ADDRESS_1
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bill-To Address Line 2**
Type: Character
Description: This is the address line 2 of the bill customer's address.
Select equivalent: BILL_CUS_ADDRESS.ADDRESS_2
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bill-To Address Line 3**
Type: Character

Description: This is the address line 3 of the bill customer's address.
Select equivalent: BILL_CUS_ADDRESS.ADDRESS_3
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Bill-To Address Line 4
Type: Character
Description: This is the address line 4 of the bill customer's address.
Select equivalent: BILL_CUS_ADDRESS.ADDRESS_4
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Bill-To City
Type: Character
Description: This is the city of the bill customer's address.
Select equivalent: BILL_CUS_ADDRESS.CITY
Where equivalent:

Qualification: dimension
List of values: 04c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Bill-To State
Type: Character
Description: This is the state of the bill customer's address.
Select equivalent: BILL_CUS_ADDRESS.STATE
Where equivalent:

Qualification: dimension
List of values: 04d, editable, manual refresh, not exportable
Security access level: 0

Can be used: in result, in condition, in sort
 Object status: show

Object: **Bill-To Zip**
 Type: Character
 Description: This is the zip code of the bill customer's address.
 Select equivalent: BILL_CUS_ADDRESS.POSTAL_CODE
 Where equivalent:

Qualification: dimension
 List of values: 04e, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Bill-To Country Code**
 Type: Character
 Description: This is the country code of the bill customer's address.
 Select equivalent: BILL_CUS_ADDRESS.COUNTRY_CODE
 Where equivalent:

Qualification: dimension
 List of values: 04f, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Bill-To Country Description**
 Type: Character
 Description: This is the country description of the bill customer's address.
 Select equivalent: BILL_CUS_ADDRESS.COUNTRY_DESCR
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Bill-To Full Address**
 Type: Character
 Description: This is the full address of the bill to customer.

Select equivalent: BILL_CUS_ADDRESS_DETAIL.
FORMATTED_DETAIL + BILL_
CUS_ADDRESS.FORMATTED_A
DDRESS

Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Bill-To Formatted City State Zip
Type: Character
Description: This is the Formatted City State Zip of the bill to customer.
Select equivalent: BILL_CUS_ADDRESS.FORMATTED_CITY_STATE_POSTAL
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class:	Bill-Customer Communication Info
Description:	

Object: Bill-To Primary Fax
Type: Character
Description: This is the primary fax number of the bill to customer.
Select equivalent: BILL_CUSTOMER.PRIMARY_FAX
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Bill-To Primary Phone
Type: Character
Description: This is the primary phone number of the bill customer.
Select equivalent: BILL_CUSTOMER.PRIMARY_PHONE

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Bill-To Primary Email Address**
 Type: Character
 Description: This is the primary email address of the bill to customer.
 Select equivalent: BILL_CUSTOMER.PRIMARY_EMAIL_ADDRESS
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Preferred Communication Method Code**
 Type: Character
 Description: This is the preferred communication method of the ship to customer.
 Select equivalent: SHIP_CUSTOMER.PREFERRED_COMM_METHOD_CODE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Bill-To Customer Creation & Modification Info
Description:	

Object: **Bill-To Customer Creation Date**
 Type: Date
 Description: The date when the customer record of the bill-to customer was created.
 Select equivalent: BILL_CUSTOMER.ADDDATE
 Where equivalent:

Qualification: dimension
 List of values: 0we, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Bill-To Customer Creation User
 Type: Character
 Description: The username of the user
 who created the customer
 record of the bill-to customer.
 Select equivalent: BILL_CUSTOMER.ADDOPER
 Where equivalent:

Qualification: dimension
 List of values: 0wf, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Bill-To Customer Modification Date
 Type: Date
 Description: The date when the customer
 record of the bill-to customer
 was last modified.
 Select equivalent: BILL_CUSTOMER.MODDATE
 Where equivalent:

Qualification: dimension
 List of values: 0wd, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Bill-To Customer Modification User
 Type: Character
 Description: The username of the user
 who last modified the bill
 -to customer's record.
 Select equivalent: BILL_CUSTOMER.MODOPER
 Where equivalent:

Qualification: dimension
 List of values: 0wg, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Solicitor Info
Description:	

Object: Solicitor Team
 Type: Character
 Description: This is the solicitor team.
 Select equivalent: ORDER_DETAIL.SOLICITOR_TEAM
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Solicitor Customer ID
 Type: Character
 Description: If the sub customer id is 0 then this is the master customer id of the solicit or else it will be the master customer id concatenated with sub customer id with a hyphen in between.
 Select equivalent: CASE WHEN ORDER_DETAIL.SOLICITOR_SUB_CUST = 0 THEN ORDER_DETAIL.SOLICITOR_MAST_CUST ELSE ORDER_DETAIL.SOLICITOR_MAST_CUST + '-' + Convert(char, ORDER_DETAIL.SOLICITOR_SUB_CUST) END
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort

Object status: show

Object: Solicitor Master Customer ID
Type: Character
Description: This is the master customer id of the solicitor.
Select equivalent: ORDER_DETAIL.SOLICITOR_MAST_CUST
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Solicitor Sub Customer ID
Type: Number
Description: This is the sub customer id of the solicitor.
Select equivalent: ORDER_DETAIL.SOLICITOR_SUB_CUST
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Solicitor Label Name
Type: Character
Description: This is the label name of the solicitor.
Select equivalent: SOLICITOR_CUSTOMER.LABEL_NAME
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Solicitor Last First Name
Type: Character
Description: This is the last name concatenated with the first name

me for the solicitor.
 Select equivalent: SOLICITOR_CUSTOMER.LAST_FIRST_NAME
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Agency Info
Description:	

Object: Agency Customer ID
 Type: Character
 Description: If the sub customer id is 0 then this is the master customer id of the advertising agency else it will be the master customer id concatenated with sub customer id with a hyphen in between.
 Select equivalent: CASE WHEN ORDER_ADV_DETAIL.ADV_AGENCY_SUB_CUSTOMER_ID = 0 THEN ORDER_ADV_DETAIL.ADV_AGENCY_MASTER_CUSTOMER_ID ELSE ORDER_ADV_DETAIL.ADV_AGENCY_MASTER_CUSTOMER_ID + '-' + Convert(char, ORDER_ADV_DETAIL.ADV_AGENCY_SUB_CUSTOMER_ID) END
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ad Agency Master Customer ID
 Type: Character
 Description: This is the master customer id of the advertising agency.
 Select equivalent: ORDER_ADV_DETAIL.ADV_AGENCY_MASTER_CUSTOMER_ID

Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ad Agency Sub Customer ID
Type: Number
Description: This is the sub customer id of the advertising agency.
Select equivalent: ORDER_ADV_DETAIL.ADV_AGENCY_SUB_CUST_ID
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Agency Label Name
Type: Character
Description: This is the label name of the advertising agency.
Select equivalent: ADV_AGENCY_CUS_PRIMARY_INFO.LABEL_NAME
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Agency Reference
Type: Character
Description: This is the Agency reference.
Select equivalent: ORDER_DETAIL.AGENCY_REFERENCE
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class:	Subsystem-Specific Order Info
Description:	

No objects

Class:	Advertising
Description:	

Object: Ad Date
 Type: Date
 Description:

Select equivalent: ORDER_ADV_DETAIL.AD_DATE
 Where equivalent:

Qualification: dimension
 List of values: Ova, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ad Insertion Order Number
 Type: Character
 Description: This is the advertising insertion order number.
 Select equivalent: ORDER_ADV_DETAIL.INSERTION_ORDER_NO
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Advertising Media Code
 Type: Character
 Description: This is the advertising media code.
 Select equivalent: ORDER_DETAIL.ADV_MEDIA_CODE
 Where equivalent:

Qualification: dimension
 List of values: 04y, editable, automatic refresh, exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Issue Sequence
Type: Number
Description: This is the sequence number of the issue.
Select equivalent: ORDER_ADV_DETAIL.ISSUE_SEQ
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Supplement Sequence
Type: Number
Description: This is the supplement sequence number.
Select equivalent: ORDER_ADV_DETAIL.SUPPLEMENT_SEQ
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Issue/Supplement Date
Type: Date
Description: This is the issue date of the issue where the advertisement appears.
Select equivalent: ORDER_ADV_DETAIL.ISSUE_DATE
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Issue/Supplement Description
Type: Character

Description: This is the issue description of the issue where the advertisement appears.

Select equivalent: ORDER_ADV_DETAIL.ISSUE_DESCR

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Type Code

Type: Character

Description: This is the type of code.

Select equivalent: ORDER_ADV_DETAIL.AD_TYPE_CODE

Where equivalent:

Qualification: dimension

List of values: 054, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Size Code

Type: Character

Description: This is the advertisement size.

Select equivalent: ORDER_ADV_DETAIL.AD_SIZE_CODE

Where equivalent:

Qualification: dimension

List of values: 055, editable, automatic refresh, exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ad Premium Position Code

Type: Character

Description: This specifies the advertisement premium position.

Select equivalent: ORDER_ADV_DETAIL.AD_PREMIUM_POSITION_CODE

Where equivalent:

Qualification: dimension

List of values: 056, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ad Color/Webmedia Code
 Type: Character
 Description: This is the advertisement color or webmedia.
 Select equivalent: ORDER_ADV_DETAIL.AD_COLOR_WEBMEDIA_CODE
 Where equivalent:

Qualification: dimension
 List of values: 057, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Advertising Rate Card
 Type: Character
 Description: This is the advertising rate card.
 Select equivalent: ORDER_ADV_DETAIL.ADV_RATE_CARD_YEAR_CODE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Advertising Schedule ID
 Type: Character
 Description: This is the advertising schdule that defines pricing.
 Select equivalent: ORDER_DETAIL.ADV_SCHEDULE_ID
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Web Ad Info
Description:	

Object: Web Ad Begin Date
Type: Date
Description: This is the begin date of the web advertisement.
Select equivalent: ORDER_DETAIL.CYCLE_BEGIN_DATE
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Web Ad End Date
Type: Date
Description: This is the end date of the web advertisement.
Select equivalent: ORDER_DETAIL.CYCLE_END_DATE
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Web Ad Delivery Method
Type: Character
Description: This is the web advertisement delivery method.
Select equivalent: ORDER_ADV_DETAIL.WEB_DELIVERY_METHOD_CODE
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Web Ad Redirect URL
Type: Character
Description: This is the web advertisement redirect URL.
Select equivalent: ORDER_ADV_DETAIL.REDIRECT_URL
Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Contract Info
Description:	

Object: Advertising Contract ID
 Type: Number
 Description: This is the contract id of the advertisement.
 Select equivalent: ORDER_MASTER.ADV_CONTRACT_ID
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Contract Effective Date
 Type: Date
 Description: This is the effective date of the advertisement contract.
 Select equivalent: ADV_CONTRACT.EFFECTIVE_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Contract Expiration Date
 Type: Date
 Description: This is the contract expiration date.
 Select equivalent: ADV_CONTRACT.EXPIRATION_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0

Can be used: in result, in condition, in sort
 Object status: show

Object: **Contract Class Code**
 Type: Character
 Description: This is the type of the contract.
 Select equivalent: ADV_CONTRACT.CONTRACT_CLASS_CODE
 Where equivalent:

Qualification: dimension
 List of values: 05h, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Contract Status Code**
 Type: Character
 Description: The date the contract status was last changed.
 Select equivalent: ADV_CONTRACT.CONTRACT_STATUS_CODE
 Where equivalent:

Qualification: dimension
 List of values: 05i, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Frequency Credit Quantity**
 Type: Number
 Description: This is the frequency credit quantity.
 Select equivalent: ORDER_ADV_DETAIL.FREQUENCY_CREDIT_QTY
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Earned Page Percent**
 Type: Number
 Description: The earned page % that sh

ould be credited based on
the ad size of the inserti
on order. Typically, one
page counts as 100%, a ha
lf page ad counts as 50%,
a quarter page ad counts
as 25%.

Select equivalent: ORDER_ADV_DETAIL.EARNED_PAGE_PCT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class:	Advertisement Info
Description:	

Object: Advertisement ID
Type: Number
Description: This is the advertisement id.
Select equivalent: ORDER_ADV_DETAIL.ADVERTISEMENT_ID
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Advertisement Text
Type: Character
Description: This is the advertisement text.
Select equivalent: ORDER_ADV_DETAIL.ADVERTISEMENT_TEXT
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Advertisement Campaign
Type: Character
Description: This is the advertisement campaign.
Select equivalent: ADV_ADVERTISEMENT.AD_CAMPAIGN
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: House Ad
Type: Character
Description: This identifies the House Ad.
Select equivalent: ORDER_ADV_DETAIL.HOUSE_AD_FLAG
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: PSA Ad
Type: Character
Description: Identifies an ad that is being run as a Public Service Announcement.
Select equivalent: ORDER_ADV_DETAIL.PSA_AD_FLAG
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ad Position Request
Type: Character
Description: This is the position requested for the advertisement.
Select equivalent: ORDER_ADV_DETAIL.POSITION_REQUEST
Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ad Section
Type: Character
Description: This is the section where the advertisement runs.
Select equivalent: ORDER_ADV_DETAIL.SECTION_CODE
Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Special Ad Instructions
Type: Character
Description: This is the special instruction for the advertisement.
Select equivalent: ORDER_ADV_DETAIL.SPECIAL_INSTRUCTIONS
Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Bleed Instructions
Type: Character
Description: This records the bleed instructions from the advertiser for the ad.
Select equivalent: ORDER_ADV_DETAIL.BLEED_INSTRUCTIONS
Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Insertion Order Comments
Type: Character
Description: These are the insertion order comments.
Select equivalent: ORDER_ADV_DETAIL.COMMENTS
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Reader Service Card
Type: Character
Description: This is the reader service card no.
Select equivalent: ORDER_ADV_DETAIL.READER_SERVICE_CARD_NO
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Exhibition
Type: Character
Description: This is the exhibition where the advertisement is displayed.
Select equivalent: ORDER_ADV_DETAIL.EXHIBITION_CODE
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Booth Number
Type: Character
Description: This is the booth number where the advertisement is displayed.
Select equivalent: ORDER_ADV_DETAIL.BOOTH_NO
Where equivalent:

Qualification: dimension

List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Ad Material Dates
Description:	

Object: Ad Copy Due Date
 Type: Date
 Description: This is the copy due date.
 Select equivalent: ORDER_ADV_DETAIL.COPY_DUE_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ad Copy Received Date
 Type: Date
 Description: This is the copy received date.
 Select equivalent: ORDER_ADV_DETAIL.COPY_RECEIVED_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ad Art Due Date
 Type: Date
 Description: This is the art due date.
 Select equivalent: ORDER_ADV_DETAIL.ART_DUE_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ad Art Received Date
Type: Date
Description: This is the art received date.
Select equivalent: ORDER_ADV_DETAIL.ART_RECEIVED_DATE
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Proof Sheet Sent Date
Type: Date
Description: This is the proof sheet sent date.
Select equivalent: ORDER_ADV_DETAIL.PROOF_SHEET_SENT_DATE
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Advertiser Signature Date
Type: Date
Description: This is the advertiser signature date.
Select equivalent: ORDER_ADV_DETAIL.SIGNATURE_DATE
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Tear Sheet Sent Date
Type: Date
Description: This is the tear sheet sent date.
Select equivalent: ORDER_ADV_DETAIL.TEAR_SHEET_SENT_DATE
Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Advertiser Tear Sheet Quantity
 Type: Number
 Description: This is the advertiser tear sheet quantity.
 Select equivalent: ORDER_ADV_DETAIL.ADVERTISER_TEAR_SHEET_QTY
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Agency Tear Sheet Quantity
 Type: Number
 Description: This is the advertiser tear sheet quantity.
 Select equivalent: ORDER_ADV_DETAIL.AGENCY_TEAR_SHEET_QTY
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Exhibition
Description:	

Object: Show Start Date
 Type: Date
 Description: This is the start date of the exhibition.
 Select equivalent: XBT_PRODUCT.START_DATE
 Where equivalent:

Qualification: dimension

List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Show End Date**
 Type: Date
 Description: This is the end date of the exhibition.
 Select equivalent: XBT_PRODUCT.END_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Booth Number**
 Type: Character
 Description: This is the booth number of the booth in the exhibition.
 Select equivalent: XBT_PRODUCT_BOOTH.BOOTH_NO
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Booth Type Code**
 Type: Character
 Description: This is the booth type of the booth in the exhibition.
 Select equivalent: XBT_PRODUCT.BOOTH_TYPE_CODE
 Where equivalent:

Qualification: dimension
 List of values: 06b, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Booth Length**

Type: Number
Description: This is the booth length of the booth in the exhibition.
Select equivalent: XBT_PRODUCT_BOOTH.LENGTH
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Booth Width
Type: Number
Description: This is the booth width of the booth in the exhibition.
Select equivalent: XBT_PRODUCT_BOOTH.WIDTH
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Show Location
Type: Character
Description: This is the location of the exhibition.
Select equivalent: XBT_PRODUCT_BOOTH.LOCATION
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Show Facility Name
Type: Character
Description: This is the name of the facility where the exhibition is being held.
Select equivalent: CUS_FACILITY_PRIMARY_INFO_VW.FACILITY_LABEL_NAME
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Show Facility Phone**
Type: Character
Description: This is the primary phone number of the facility where the exhibition is being held.
Select equivalent: CUS_FACILITY_PRIMARY_INFO_VW.FACILITY_PRIMARY_PHONE
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Show Facility Fax**
Type: Character
Description: This is the primary fax number of the facility where the exhibition is being held.
Select equivalent: CUS_FACILITY_PRIMARY_INFO_VW.FACILITY_PRIMARY_FAX
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Show Facility Email**
Type: Character
Description: This is the primary email address of the facility where the exhibition is being held.
Select equivalent: CUS_FACILITY_PRIMARY_INF

O_VW.FACILITY_PRIMARY_EM
AIL_ADDRESS

Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Show Facility City
Type: Character
Description: This is the city of the facility where the exhibition is being held.
Select equivalent: CUS_FACILITY_PRIMARY_INFO_VW.CITY
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Show Facility URL
Type: Character
Description: This is the primary URL of the facility where the exhibition is being held.
Select equivalent: CUS_FACILITY_PRIMARY_INFO_VW.FACILITY_PRIMARY_URL
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Show Facility State
Type: Character
Description: This is the state of the facility where the exhibition is being held.
Select equivalent: CUS_FACILITY_PRIMARY_INFO_VW.STATE
Where equivalent:

Qualification: dimension

List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Show Facility Country Code
 Type: Character
 Description: This is the country code of the facility where the exhibition is being held.
 Select equivalent: CUS_FACILITY_PRIMARY_INFO_VW.COUNTRY_CODE
 Where equivalent:

Qualification: dimension
 List of values: 06m, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Show Facility Address
 Type: Character
 Description: This is the address of the facility where the exhibition is being held.
 Select equivalent: CUS_FACILITY_PRIMARY_INFO_VW.ADDRESS_LABEL
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Show Facility Customer ID
 Type: Character
 Description: This field contains the facility master customer id if the facility sub customer id = 0. If the facility sub customer id is not 0 then it contains the facility master customer id concatenated with facility sub customer id separated by a hyphen

Select equivalent: CUS_FACILITY_PRIMARY_INFO_VW.FacilityMastSubID
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Show Facility Master Customer ID
Type: Character
Description: This is the master customer id of the exhibition facility.
Select equivalent: XBT_PRODUCT.FACILITY_MAST_CUST
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Show Facility Sub Customer ID
Type: Number
Description: This is the sub customer id of the exhibition facility.
Select equivalent: XBT_PRODUCT.FACILITY_SUB_CUST
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class:	Fund Raising
Description:	

Object: Recognition Status Code
Type: Character
Description: This is the recognition status of the funds raising line item.
Select equivalent: ORDER_DETAIL.RECOGNITION_STATUS_CODE
Where equivalent:

Qualification: dimension

List of values: 06r, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Campaign
Type: Character
Description: This is the campaign associated with the fund raising line item.
Select equivalent: ORDER_DETAIL.CAMPAIGN
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Fund
Type: Character
Description: This is the fund associated with the fund raising line item.
Select equivalent: ORDER_DETAIL.FUND
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Appeal
Type: Character
Description: This is the appeal associated with the fund raising line item.
Select equivalent: ORDER_DETAIL.APPEAL
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Appeal Activity Code

Type: Character
 Description: This is the appeal activity associated with the fund raising line item.
 Select equivalent: ORDER_DETAIL.APPEAL_ACTIVITY_CODE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Inventory Products
Description:	

Object: Warehouse ID
 Type: Character
 Description: This will contain the warehouse ID if the subsystem is 'INV' else it will be Null.
 Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'INV' THEN ORDER_DETAIL.WAREHOUSE_ID ELSE NULL END
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Warehouse Bin Location
 Type: Character
 Description: This will contain the warehouse bin location if the subsystem is 'INV' else it will be Null.
 Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'INV' THEN ORDER_DETAIL.BIN_LOCATION ELSE NULL END
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Return Merchandise No.**
 Type: Number
 Description: This will contain the return merchandise no. if the subsystem is 'INV' else it will be Null.
 Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'INV' THEN ORDER_DETAIL.RMA_NUMBER ELSE NULL END
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Meetings
Description:	

Object: **Start Date**
 Type: Date
 Description: This is the start date of the meeting.
 Select equivalent: MTG_PRODUCT.START_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **End Date**
 Type: Date
 Description: This is the end date of the meeting.
 Select equivalent: MTG_PRODUCT.END_DATE

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Primary Facility Name
 Type: Character
 Description: This is the label name of the primary facility where the meeting is scheduled.
 Select equivalent: Primary_Mtg_Facility_Primary_Cus_Info_VW.FACILITY_LABEL_NAME
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Primary Facility Phone
 Type: Character
 Description: This is the phone number of the primary facility where the meeting is scheduled.
 Select equivalent: Primary_Mtg_Facility_Primary_Cus_Info_VW.FACILITY_PRIMARY_PHONE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Primary Facility Fax
 Type: Character
 Description: This is the fax number of the primary facility where

the meeting is scheduled.

Select equivalent: Primary_Mtg_Facility_Primary_Cus_Info_VW.FACILITY_PRIMARY_FAX

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Facility Email

Type: Character

Description: This is the email address of the primary facility where the meeting is scheduled.

Select equivalent: Primary_Mtg_Facility_Primary_Cus_Info_VW.FACILITY_PRIMARY_EMAIL_ADDRESS

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Facility URL

Type: Character

Description: This is the URL of the primary facility where the meeting is scheduled.

Select equivalent: Primary_Mtg_Facility_Primary_Cus_Info_VW.FACILITY_PRIMARY_URL

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Primary Facility City
Type: Character
Description: This is the city of the primary facility where the meeting is scheduled.
Select equivalent: Primary_Mtg_Facility_Primary_Cus_Info_VW.CITY
Where equivalent:

Qualification: dimension
List of values: 077, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Facility State
Type: Character
Description: This is the state of the primary facility where the meeting is scheduled.
Select equivalent: Primary_Mtg_Facility_Primary_Cus_Info_VW.STATE
Where equivalent:

Qualification: dimension
List of values: 078, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Facility Country Code
Type: Character
Description: This is the country of the primary facility where the meeting is scheduled.
Select equivalent: Primary_Mtg_Facility_Primary_Cus_Info_VW.COUNTRY_CODE
Where equivalent:

Qualification: dimension
List of values: 079, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Facility Address
Type: Character
Description: This is the address of the primary facility where the meeting is scheduled.
Select equivalent: Primary_Mtg_Facility_Primary_Cus_Info_VW.FACILITY_ADR_LABEL_NAME
Where equivalent:
Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Facility Customer ID
Type: Character
Description: This field contains the facility master customer id if the facility sub customer id = 0. If the facility sub customer id is not 0 then it contains the facility master customer id concatenated with facility sub customer id separated by a hyphen
Select equivalent: Primary_Mtg_Facility_Primary_Cus_Info_VW.FacilityMastSubID
Where equivalent:
Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Primary Facility Master Customer ID
Type: Character
Description: This is the master customer id of the primary facility where the meeting is scheduled.

Select equivalent: MTG_PRODUCT.FACILITY_MAST_CUST
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Primary Facility Sub Customer ID
 Type: Number
 Description: This is the sub customer i
 d of the primary facility
 where the meeting is sche
 duled.

Select equivalent: MTG_PRODUCT.FACILITY_SUB_CUST
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Meeting Confirmation Date
 Type: Date
 Description: This is the confirmation d
 ate if the subsystem is 'M
 TG' else it will be Null.

Select equivalent: CASE WHEN ORDER_DETAIL.S
 UBSYSTEM = 'MTG' THEN OR
 DER_DETAIL.CONFIRMATION_
 DATE ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Meeting Attendance Flag
 Type: Character

Description: This is the attendance flag if the subsystem is 'MTG' else it will be Null.

Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'MTG' THEN ORDER_DETAIL.ATTENDANCE_FLAG ELSE NULL END

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class:	Membership
Description:	

Object: **Membership Initial Begin Date**

Type: Date

Description: This is the membership initial begin date if the subsystem is 'MBR' else it will be Null.

Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'MBR' THEN ORDER_DETAIL.INITIAL_BEGIN_DATE ELSE NULL END

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Membership Cycle Begin Date**

Type: Date

Description: This is membership begin date if the subsystem is 'MBR' else it will be Null.

Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'MBR' THEN ORDER_DETAIL.CYCLE_BEGIN_D

ATE ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Membership Cycle End Date**
 Type: Date
 Description: This is the membership end date if the subsystem is 'MBR' else it will be Null

Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'MBR' THEN ORDER_DETAIL.CYCLE_END_DATE ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Membership Grace Date**
 Type: Date
 Description: This is the membership grace date if the subsystem is 'MBR' else it will be Null.

Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'MBR' THEN ORDER_DETAIL.GRACE_DATE ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Mbr Renewal Created?
Type: Character
Description: This indicates if the membership renewal has been created if the subsystem is 'MBR' else it will be Null.
Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'MBR' THEN ORDER_DETAIL.RENEWAL_CREATED_FLAG ELSE NULL END
Where equivalent:
Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Mbr Renewal Notice Count
Type: Number
Description: This is the membership renewal notice count if the subsystem is 'MBR' else it will be Null.
Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'MBR' THEN ORDER_DETAIL.RENEWAL_NOTICE_COUNT ELSE NULL END
Where equivalent:
Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Mbr Original Order Number
Type: Character
Description: This is the membership original order number if the subsystem is 'MBR' else it will be Null.

Select equivalent: CASE WHEN ORDER_DETAIL.S
UBSYSTEM = 'MBR' THEN OR
DER_DETAIL.ORIGINAL_ORDE
R_NO ELSE NULL END

Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Mbr Original Order Line Number
Type: Number

Description: This is the membership ori
ginal order line number if
the subsystem is 'MBR' el
se it will be Null.

Select equivalent: CASE WHEN ORDER_DETAIL.S
UBSYSTEM = 'MBR' THEN OR
DER_DETAIL.ORIGINAL_ORDE
R_LINE_NO ELSE NULL END

Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Renewal Date This Mbr Order
Type: Date

Description: This is the renewal date f
or the membership order if
the subsystem is 'MBR' el
se it will be Null.

Select equivalent: CASE WHEN ORDER_DETAIL.S
UBSYSTEM = 'MBR' THEN OR
DER_DETAIL.RENEWAL_DATE_
THIS_ORDER ELSE NULL END

Where equivalent:

Qualification: dimension
List of values: no

Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Renewal Date Next Mbr Order**
 Type: Date
 Description: This is the renewal date o
 f the next membership ord
 er if the subsystem is 'MB
 R' else it will be Null.
 Select equivalent: CASE WHEN ORDER_DETAIL.S
 UBSYSTEM = 'MBR' THEN OR
 DER_DETAIL.RENEWAL_DATE_
 NEXT_ORDER ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Mbr Renew to Credit Card?**
 Type: Character
 Description: This indicates if the memb
 ership renewal will renew
 to a credit card if the su
 bsystem is 'MBR' else it w
 ill be Null.
 Select equivalent: CASE WHEN ORDER_DETAIL.S
 UBSYSTEM = 'MBR' THEN OR
 DER_DETAIL.RENEW_TO_CC_F
 LAG ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Mbr Always Renew?**
 Type: Character

Description: This indicates if the membership line item will always renew if the subsystem is 'MBR' else it will be Null.

Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'MBR' THEN ORDER_DETAIL.ALWAYS_RENEW_FLAG ELSE NULL END

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Dues Schedule ID

Type: Character

Description: This indicates if the membership line item will always renew if the subsystem is 'MBR' else it will be Null.

Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'MBR' THEN ORDER_DETAIL.DUES_SCHEDULE_ID ELSE NULL END

Where equivalent:

Qualification: dimension

List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class:	Miscellaneous Invoice Items
Description:	

Object: Recurring Invoice Code

Type: Character

Description: This indicates if the order line item is a recurring invoice if the subsystem i

s 'MISC' else it will be Null.
 Select equivalent: ORDER_DETAIL.RECURRING_CODE
 Where equivalent: ORDER_DETAIL.SUBSYSTEM = 'INV'
 Qualification: dimension
 List of values: 07t, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Subscriptions
Description:	

Object: Subscription Initial Begin Date
 Type: Date
 Description: This is the initial begin date of the subscription.
 Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'SUB' THEN ORDER_DETAIL.INITIAL_BEGIN_DATE ELSE NULL END
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Subscription Cycle Begin Date
 Type: Date
 Description: This is the subscription cycle begin date.
 Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'SUB' THEN ORDER_DETAIL.CYCLE_BEGIN_DATE ELSE NULL END
 Where equivalent:
 Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Subscription Cycle End Date
 Type: Date
 Description: This is the subscription cycle end date.
 Select equivalent: CASE WHEN ORDER_DETAIL.S
 UBSYSTEM = 'SUB' THEN OR
 DER_DETAIL.CYCLE_BEGIN_D
 ATE ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Subscription Grace Date
 Type: Date
 Description: This is the grace date of the subscription line item.
 Select equivalent: CASE WHEN ORDER_DETAIL.S
 UBSYSTEM = 'SUB' THEN OR
 DER_DETAIL.GRACE_DATE EL
 SE NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Subscription Renewal Created?
 Type: Character
 Description: This indicates if the rene
 wal has been created for s
 ubscription order line ite
 m.
 Select equivalent: CASE WHEN ORDER_DETAIL.S
 UBSYSTEM = 'SUB' THEN OR
 DER_DETAIL.RENEWAL_CREAT
 ED_FLAG ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: no

Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Subscription Renewal Notice Count**
 Type: Number

Description: This is the number of times the renewal notice has been sent for a subscription line item.

Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'SUB' THEN ORDER_DETAIL.RENEWAL_NOTICE_COUNT ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: 080, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Start Issue**
 Type: Number

Description: This is the start issue of the subscription line item.

Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'SUB' THEN ORDER_DETAIL.START_ISSUE ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **End Issue**
 Type: Number

Description: This is the end issue of the subscription line item.

Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'SUB' THEN ORDER_DETAIL.END_ISSUE ELSE

E NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Start Supplement**
 Type: Number
 Description: This is the starting supplement number for a subscription line item.
 Select equivalent: CASE WHEN ORDER_DETAIL.S
 UBSYSTEM = 'SUB' THEN OR
 DER_DETAIL.START_SUPPLEM
 ENT ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **End Supplement**
 Type: Number
 Description: This is the ending supplement of the subscription line item.
 Select equivalent: CASE WHEN ORDER_DETAIL.S
 UBSYSTEM = 'SUB' THEN OR
 DER_DETAIL.END_SUPPLEMEN
 T ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Back Issues?**
 Type: Character
 Description: This indicates if back iss
 uesare to be sent for this

subscription line item.
 Select equivalent: CASE WHEN ORDER_DETAIL.S
 UBSYSTEM = 'SUB' THEN OR
 DER_DETAIL.BACK_ISSUES_F
 LAG ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Sub Original Order Number
 Type: Character
 Description: This is the original order number of the subscription line item.
 Select equivalent: CASE WHEN ORDER_DETAIL.S
 UBSYSTEM = 'SUB' THEN OR
 DER_DETAIL.ORIGINAL_ORDE
 R_NO ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Sub Original Order Line Number
 Type: Number
 Description: This is the original order line number of the subscription line item.
 Select equivalent: CASE WHEN ORDER_DETAIL.S
 UBSYSTEM = 'SUB' THEN OR
 DER_DETAIL.ORIGINAL_ORDE
 R_LINE_NO ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Renewal Date This Sub Order
 Type: Date
 Description: This is the renewal date of the subscription order line item.
 Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'SUB' THEN ORDER_DETAIL.RENEWAL_DATE_THIS_ORDER ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Renewal Date Next Sub Order
 Type: Date
 Description: This is the next renewal date for the subscription order line item.
 Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'SUB' THEN ORDER_DETAIL.RENEWAL_DATE_NEXT_ORDER ELSE NULL END

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Sub Renew to Credit Card?
 Type: Character
 Description: This indicates that the subscription order line can be renewed using a credit card number with the association.
 Select equivalent: CASE WHEN ORDER_DETAIL.SUBSYSTEM = 'SUB' THEN ORDER_DETAIL.RENEW_TO_CC_FLAG ELSE NULL END

Where equivalent:

Qualification: dimension

List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Sub Always Renew?
 Type: Character
 Description: This indicates if the subscription line item will always renew.
 Select equivalent: CASE WHEN ORDER_DETAIL.S
 UBSYSTEM = 'SUB' THEN OR
 DER_DETAIL.ALWAYS_RENEW
 _FLAG ELSE NULL END
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Order-Related Education Activity
Description:	

Object: Transcript Program ID
 Type: Character
 Description: This is the Transcript program id.
 Select equivalent: PRODUCT_EDUCATION.PROGRAM_ID
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Transcript Program Title
 Type: Character
 Description: This is the Transcript program title.
 Select equivalent: TRN_PROGRAM.PROGRAM_TITLE
 Where equivalent:

Qualification: dimension
 List of values: no

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grade Code**
Type: Character
Description: This is the grade code for the order line item.
Select equivalent: ORDER_DETAIL.GRADE_CODE
Where equivalent:

Qualification: dimension
List of values: 08e, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Passing Grade Code**
Type: Character
Description: This is the passing grade defined at the program level.
Select equivalent: PRODUCT_EDUCATION.PASSING_GRADE_CODE
Where equivalent:

Qualification: dimension
List of values: 08f, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Course Code**
Type: Character
Description: This is the course code related to the order line item.
Select equivalent: ORDER_DETAIL.COURSE_CODE
Where equivalent:

Qualification: dimension
List of values: 08g, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Course Type Code**
Type: Character

Description: This is the course type code related to the course.
 Select equivalent: TRN_COURSE.COURSE_TYPE_CODE
 Where equivalent:

Qualification: dimension
 List of values: 08h, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Course Description**
 Type: Character
 Description: This is the course description.
 Select equivalent: TRN_COURSE.DESCRPTION
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Exam Code**
 Type: Character
 Description: This is the exam code on the order line item.
 Select equivalent: ORDER_DETAIL.EXAM_CODE
 Where equivalent:

Qualification: dimension
 List of values: 08j, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Exam Type Code**
 Type: Character
 Description: This is the exam type code on the order line item.
 Select equivalent: TRN_EXAM.EXAM_TYPE_CODE
 Where equivalent:

Qualification: dimension
 List of values: 08k, editable, automatic refresh, exportable
 Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Object: Exam Description
Type: Character
Description: This is the exam description.
Select equivalent: TRN_EXAM.DESCRPTION
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Exam ID
Type: Number
Description: This is the exam id on the order line item.
Select equivalent: ORDER_DETAIL.EXAM_ID
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Ship-To Customer Exam Password
Type: Character
Description: This is the exam password.
Select equivalent: ORDER_DETAIL.PASSWORD
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class:	Marketing Info
Description:	

Object: **Market Code**
Type: Character
Description: This is the market code on the order line item.
Select equivalent: ORDER_DETAIL.MARKET_CODE
Where equivalent:

Qualification: dimension
List of values: 08o, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **List Code**
Type: Character
Description: This is the list code on the order line item.
Select equivalent: ORDER_DETAIL.LIST_CODE
Where equivalent:

Qualification: dimension
List of values: 08p, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Key Code**
Type: Character
Description: This is the key code on the order line item.
Select equivalent: ORDER_DETAIL.KEY_CODE
Where equivalent:

Qualification: dimension
List of values: 08q, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Order Method Code**
Type: Character
Description: This is the order method code on the order line item.
Select equivalent: ORDER_MASTER.ORDER_METHOD_CODE
Where equivalent:

Qualification: dimension

List of values: 08r, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Shipping Info
Description:	

Object: Ship-Via Code
 Type: Character
 Description: This is the ship via code for the order line item.
 Select equivalent: ORDER_DETAIL.SHIP_VIA_CODE
 Where equivalent:

Qualification: dimension
 List of values: 08s, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Ship Date
 Type: Date
 Description: This is the ship date for the order line item.
 Select equivalent: ORDER_DETAIL.SHIP_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Base Currency Ship Amount
 Type: Number
 Description: This is the base currency shipping amount.
 Select equivalent: ORDER_DETAIL.BASE_SHIP_AMOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort

Object status: show
 Format Number
 Category = Currency
 \$#,##0;\$-#,##0[Red]

Object: Actual Currency Ship Amount
 Type: Number
 Description: This is the actual currency shipping amount.
 Select equivalent: ORDER_DETAIL.ACTUAL_SHIP_AMOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Tracking Number
 Type: Character
 Description: This is the tracking number of the order line item.
 Select equivalent: ORDER_DETAIL.TRACKING_NO
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Shipping Process ID
 Type: Number
 Description: This is the shipping process id for the order line item.
 Select equivalent: ORDER_DETAIL.SHIPPING_PROCESS_ID
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Product Info
--------	--------------

Description:

Object: Product ID
Type: Number
Description:

Select equivalent: PRODUCT.PRODUCT_ID
Where equivalent:

Qualification: dimension
List of values: 0vb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Subsystem
Type: Character
Description: This is the subsystem of the product on the order line item.
Select equivalent: PRODUCT.SUBSYSTEM
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Parent Product
Type: Character
Description: This is the parent product of the order line item.
Select equivalent: PRODUCT.PARENT_PRODUCT
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Product Code
Type: Character
Description: This is the product code of the order line item.

Select equivalent: PRODUCT.PRODUCT_CODE
Where equivalent:

Qualification: dimension
List of values: 091, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Product Short Name**
Type: Character
Description: This is the product short name of the order line item.
Select equivalent: PRODUCT.SHORT_NAME
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Product Long Name**
Type: Character
Description: This is the product long name of the order line item.
Select equivalent: PRODUCT.LONG_NAME
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Master Product?**
Type: Character
Description: This indicates if the product is a master product.
Select equivalent: PRODUCT.MASTER_PRODUCT_FLAG
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Product Type Code**
Type: Character
Description: This is the type of product on the order line item.
Select equivalent: PRODUCT.PRODUCT_TYPE_CODE
Where equivalent:

Qualification: dimension
List of values: 095, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Product Type Description**
Type: Character
Description: This is the description of the product type.
Select equivalent: PRODUCT_TYPE_APP_CODE.DESCR
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Product Type Sort Order**
Type: Number
Description: This is the product type sort order.
Select equivalent: PRODUCT_TYPE_APP_CODE.DISPLAY_ORDER
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Product Class**
Type: Character
Description: This is the product class of the product.
Select equivalent: PRODUCT.PRODUCT_CLASS_CODE

Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Product Class Description**
 Type: Character
 Description: This is the description of the product class.
 Select equivalent: PRODUCT_CLASS_APP_CODE.DESCR
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Product Status Code**
 Type: Character
 Description: This is the status of the product.
 Select equivalent: PRODUCT.PRODUCT_STATUS_CODE
 Where equivalent:

Qualification: dimension
 List of values: 09a, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Product Status Date**
 Type: Date
 Description: This is the date the status of the product last changed.
 Select equivalent: PRODUCT.PRODUCT_STATUS_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Product Available Date**
 Type: Date
 Description: This is the date when the product is available to be sold.
 Select equivalent: PRODUCT.AVAILABLE_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Product Expiration Date**
 Type: Date
 Description: This is the expiration date of the product.
 Select equivalent: PRODUCT.EXPIRATION_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Categories and Keywords
Description:	

Object: **Category**
 Type: Character
 Description: This is the product category.
 Select equivalent: PRODUCT_CATEGORY_SUBCATEGORY_VW.CATEGORY
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Category Description**
 Type: Character

Description: This is the description of the product category.
 Select equivalent: PRODUCT_CATEGORY_SUBCATEGORY_VW.CATEGORY_DESCR
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Subcategory**
 Type: Character
 Description: This is the subcategory of the product.
 Select equivalent: PRODUCT_CATEGORY_SUBCATEGORY_VW.SUB_CATEGORY
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Subcategory Description**
 Type: Character
 Description: This is the description of the product subcategory.
 Select equivalent: PRODUCT_CATEGORY_SUBCATEGORY_VW.SUB_CATEGORY_DESCR
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Keyword**
 Type: Character
 Description: This is the keyword for the product.
 Select equivalent: PRODUCT_KEYWORD.KEYWORD
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0

Can be used: in result, in condition, in sort
 Object status: show

Object: Discount Category
 Type: Character
 Description: This is the discount category of the product.
 Select equivalent: PRODUCT_DISCOUNT_CATEGORY.DISCOUNT_CATEGORY_CODE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Product Creation & Modification Info
Description:	

Object: Product Creation Date
 Type: Date
 Description:

Select equivalent: PRODUCT.ADDDATE
 Where equivalent:

Qualification: dimension
 List of values: Owe, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Product Creation User
 Type: Character
 Description:

Select equivalent: PRODUCT.ADDOPER
 Where equivalent:

Qualification: dimension
 List of values: Owf, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Product Modification Date
Type: Date
Description:

Select equivalent: PRODUCT.MODDATE
Where equivalent:

Qualification: dimension
List of values: 0wd, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Product Modification User
Type: Character
Description:

Select equivalent: PRODUCT.MODOPER
Where equivalent:

Qualification: dimension
List of values: 0wg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: Order Commissions Description:
--

Object: Commission Order Number
Type: Character
Description: The order number of the order which is allocated a commission
Select equivalent: ORDER_DETAIL_COMMISSION.ORDER_NO
Where equivalent:

Qualification: dimension
List of values: 2e5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Commission Order Line Number
 Type: Number
 Description: The order line number of the order which is allocated a commission
 Select equivalent: ORDER_DETAIL_COMMISSION.ORDER_LINE_NO
 Where equivalent:

Qualification: dimension
 List of values: 2e6, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Commission Order No Line No
 Type: Character
 Description: The commission order number and line number in the format commission order number + '-' + order line number i.e. 100002345-1
 Select equivalent: rtrim(Convert(char,ORDER_DETAIL_COMMISSION.ORDER_NO)) + '-' + rtrim(Convert(char,ORDER_DETAIL_COMMISSION.ORDER_LINE_NO))
 Where equivalent:

Qualification: dimension
 List of values: 2er, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Commission Type Code
 Type: Character
 Description:
 Select equivalent: ORDER_DETAIL_COMMISSION.COMMISSION_TYPE_CODE
 Where equivalent:

Qualification: dimension
 List of values: 2e8, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Assigned To Ship Customer Flag
Type: Character
Description:

Select equivalent: ORDER_DETAIL_COMMISSION
.ASSIGNED_TO_SHIP_CUSTOM
ER_FLAG

Where equivalent:

Qualification: dimension
List of values: 2eg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Assigned To Bill Customer Flag
Type: Character
Description:

Select equivalent: ORDER_DETAIL_COMMISSION
.ASSIGNED_TO_BILL_CUSTOM
ER_FLAG

Where equivalent:

Qualification: dimension
List of values: 2eh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Assigned To Product Flag
Type: Character
Description:

Select equivalent: ORDER_DETAIL_COMMISSION.ASSIGNED_TO_PRODUCT_FLAG
Where equivalent:

Qualification: dimension
List of values: 2ei, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Commission Split Pct
Type: Number
Description:

Select equivalent: ORDER_DETAIL_COMMISSION.COMMISSION_SPLIT_PCT
Where equivalent:

Qualification: dimension
List of values: 2ej, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Commission Split Calc Code
Type: Character
Description:

Select equivalent: ORDER_DETAIL_COMMISSION.COMMISSION_SPLIT_CALC_CODE
Where equivalent:

Qualification: dimension
List of values: 2ek, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: Order Commission Detail Description:
--

Object: Commission Activity Code
Type: Character
Description:

Select equivalent: ORDER_DETAIL_COMMISSION
 _DETAIL.COMMISSION_ACTIV
 ITY_CODE
Where equivalent:

Qualification: dimension
List of values: 2eu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: Commission Activity Date
Type: Date

Description:

Select equivalent: ORDER_DETAIL_COMMISSION
_DETAIL.COMMISSION_ACTIV
ITY_DATE

Where equivalent:

Qualification: dimension

List of values: 2ev, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Adjustment Reason Code
Type: Character

Description:

Select equivalent: ORDER_DETAIL_COMMISSION
_DETAIL.ADJUSTMENT_REASO
N_CODE

Where equivalent:

Qualification: dimension

List of values: 2ew, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Commission Act Status Code
Type: Character

Description:

Select equivalent: ORDER_DETAIL_COMMISSION
_DETAIL.COMMISSION_ACT_S
TATUS_CODE

Where equivalent:

Qualification: dimension

List of values: 2ex, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Commission Activity Status Date
Type: Date
Description:

Select equivalent: ORDER_DETAIL_COMMISSION
_DETAIL.COMMISSION_ACTIV
ITY_STATUS_DATE

Where equivalent:

Qualification: dimension
List of values: 2ey, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Commission Pct
Type: Number
Description:

Select equivalent: ORDER_DETAIL_COMMISSION_DETAIL.COMMISSION_PCT
Where equivalent:

Qualification: dimension
List of values: 2f0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Base Commissionable Amount
Type: Number
Description:

Select equivalent: ORDER_DETAIL_COMMISSION
_DETAIL.BASE_COMMISSIONA
BLE_AMOUNT

Where equivalent:

Qualification: dimension
List of values: 2f1, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Commission Price Source Code
Type: Character
Description:

Select equivalent: ORDER_DETAIL_COMMISSION
_DETAIL.COMMISSION_PRICE
_SOURCE_CODE

Where equivalent:

Qualification: dimension
List of values: 2f2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Base Commission Amount
Type: Number
Description:

Select equivalent: ORDER_DETAIL_COMMISSION
_DETAIL.BASE_COMMISSION_
AMOUNT

Where equivalent:

Qualification: dimension
List of values: 2f3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Manual Update Flag
Type: Character
Description:

Select equivalent: ORDER_DETAIL_COMMISSION_DETAIL.MANUAL_UPDATE_FLAG

Where equivalent:

Qualification: dimension
List of values: 2f4, editable, manual refresh, not exportable

Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Commission Payment Id
 Type: Number
 Description:

Select equivalent: ORDER_DETAIL_COMMISSION_DETAIL.COMMISSION_PAYMENT_ID
 Where equivalent:

Qualification: dimension
 List of values: 2f5, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Commission Pymt Status Code
 Type: Character
 Description:

Select equivalent: ORDER_DETAIL_COMMISSION
 _DETAIL.COMMISSION_PYMT_
 STATUS_CODE

Where equivalent:

Qualification: dimension
 List of values: 2f6, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Override Flag
 Type: Character
 Description:

Select equivalent: ORDER_DETAIL_COMMISSION_DETAIL.OVERRIDE_FLAG
 Where equivalent:

Qualification: dimension
 List of values: 2f7, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort

Object status: show

Object: **Comments**

Type: Character

Description:

Select equivalent: ORDER_DETAIL_COMMISSION_DETAIL.COMMENTS

Where equivalent:

Qualification: dimension

List of values: 2f8, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class:	Order Commission Payment
--------	---------------------------------

Description:	
--------------	--

Object: **Commission Customer Mast Cust Id**

Type: Character

Description:

Select equivalent: ORDER_DETAIL_COMMISSION
_PAYMENT.COMMISSION_CUS
TOMER_MAST_CUST_ID

Where equivalent:

Qualification: dimension

List of values: 2h6, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Commission Customer Sub Cust Id**

Type: Number

Description:

Select equivalent: ORDER_DETAIL_COMMISSION
_PAYMENT.COMMISSION_CUS
TOMER_SUB_CUST_ID

Where equivalent:

Qualification: dimension

List of values: 2h7, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Commission Pymt Status Code
 Type: Character
 Description:

Select equivalent: ORDER_DETAIL_COMMISSION
 _PAYMENT.COMMISSION_PYM
 T_STATUS_CODE

Where equivalent:

Qualification: dimension
 List of values: 2h8, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Commission Pymt Status Date
 Type: Date
 Description:

Select equivalent: ORDER_DETAIL_COMMISSION
 _PAYMENT.COMMISSION_PYM
 T_STATUS_DATE

Where equivalent:

Qualification: dimension
 List of values: 2h9, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Pymt Status Reason Code
 Type: Character
 Description:

Select equivalent: ORDER_DETAIL_COMMISSION
 _PAYMENT.PYMT_STATUS_RE
 ASON_CODE

Where equivalent:

Qualification: dimension
List of values: 2ha, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Commission Pymt Date
Type: Date
Description:

Select equivalent: ORDER_DETAIL_COMMISSION
_PAYMENT.COMMISSION_PYM
T_DATE

Where equivalent:

Qualification: dimension
List of values: 2hb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Base Commission Pymt Amount
Type: Number
Description:

Select equivalent: ORDER_DETAIL_COMMISSION
_PAYMENT.BASE_COMMISSIO
N_PYMT_AMOUNT

Where equivalent:

Qualification: dimension
List of values: 2hc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Commission Pymt Check No
Type: Character
Description:

Select equivalent: ORDER_DETAIL_COMMISSION
_PAYMENT.COMMISSION_PYM

T_CHECK_NO

Where equivalent:

Qualification: dimension
 List of values: 2hd, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Commission Pymt Method Code
 Type: Character
 Description:

Select equivalent: ORDER_DETAIL_COMMISSION
 _PAYMENT.COMMISSION_PYM
 T_METHOD_CODE

Where equivalent:

Qualification: dimension
 List of values: 2he, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Sales Rep
Description:	

Object: Sales Rep Customer ID
 Type: Character
 Description:

Select equivalent: CASE WHEN ORDER_DETAIL_
 COMMISSION.COMMISSION_C
 USTOMER_SUB_CUST_ID = 0
 THEN ORDER_DETAIL_COMMI
 SSION.COMMISSION_CUSTOM
 ER_MAST_CUST_ID ELSE OR
 DER_DETAIL_COMMISSION.CO
 MMISSION_CUSTOMER_MAST_
 CUST_ID + '-' + Convert(
 char, ORDER_DETAIL_COMMI
 SSION.COMMISSION_CUSTOM
 ER_SUB_CUST_ID) END

Where equivalent:

Qualification: dimension
 List of values: 2fe, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Sales Rep Mast Cust Id
 Type: Character
 Description:

Select equivalent: ORDER_DETAIL_COMMISSION
 .COMMISSION_CUSTOMER_MA
 ST_CUST_ID

Where equivalent:

Qualification: dimension
 List of values: 2ec, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Sales Rep Sub Cust Id
 Type: Number
 Description:

Select equivalent: ORDER_DETAIL_COMMISSION
 .COMMISSION_CUSTOMER_SU
 B_CUST_ID

Where equivalent:

Qualification: dimension
 List of values: 2ed, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Sales Rep Label Name
 Type: Character
 Description: This is the label name of the ship customer on the order line.
 Select equivalent: CUSTOMER_COMMISSION.LABEL_NAME
 Where equivalent:

Qualification: dimension
 List of values: 2ff, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Sales Rep Last First Name
Type: Character
Description: This is the last name concatenated with first name in case of an individual ship customer. For a company ship customer this is the company name.
Select equivalent: CUSTOMER_COMISSION.LAST_FIRST_NAME
Where equivalent:

Qualification: dimension
 List of values: 2fg, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Sales Rep Last Name
Type: Character
Description: This is the last name in case of an individual ship to customer.
Select equivalent: CUSTOMER_COMISSION.LAST_NAME
Where equivalent:

Qualification: dimension
 List of values: 2fh, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Sales Rep First Name
Type: Character
Description: This is the first name in case of an individual ship to customer.
Select equivalent: CUSTOMER_COMISSION.FIRST_NAME
Where equivalent:

Qualification: dimension
 List of values: 2fi, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Sales Rep Name Prefix
Type: Character
Description: This is the name prefix in case of an individual ship to customer.
Select equivalent: CUSTOMER_COMISSION.NAME_PREFIX
Where equivalent:

Qualification: dimension
List of values: 2fj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Sales Rep Suffix
Type: Character
Description: This is the name suffix in case of an individual ship to customer.
Select equivalent: CUSTOMER_COMISSION.NAME_SUFFIX
Where equivalent:

Qualification: dimension
List of values: 2fk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Sales Rep Professional Credentials
Type: Character
Description: These are the credentials in case of an individual ship to customer.
Select equivalent: CUSTOMER_COMISSION.NAME_CREDENTIALS
Where equivalent:

Qualification: dimension
List of values: 2fl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Sales Rep Manager
Type: Character

Description: Name of the Personify user that manages each sales rep assigned to orders.

Select equivalent: PSM_USER_MANAGER.USER_NAME

Where equivalent:

Qualification: dimension

List of values: 2j5, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class:	Sales Territory
Description:	

Object: Sales Rep Sales Territory

Type: Character

Description:

Select equivalent: ORDER_DETAIL_COMMISSION.SALES_REP_SALES_TERRITORY

Where equivalent:

Qualification: dimension

List of values: 2ee, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Sales Territory Category Code

Type: Character

Description:

Select equivalent: SFA_SALES_TERRITORY.SALES_TERRITORY_CATEGORY_CODE

Where equivalent:

Qualification: dimension

List of values: 2fp, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Sales Territory Descr

Type: Character

Description:

Select equivalent: SFA_SALES_TERRITORY.SALES_TERRITORY_DESCR
Where equivalent:

Qualification: dimension
List of values: 2fq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Sales Territory Type Code
Type: Character
Description:

Select equivalent: SFA_SALES_TERRITORY.SALES_TERRITORY_TYPE_CODE
Where equivalent:

Qualification: dimension
List of values: 2fr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Subsystem
Type: Character
Description:

Select equivalent: SFA_SALES_TERRITORY.SUBSYSTEM
Where equivalent:

Qualification: dimension
List of values: 2fs, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Product Sales Type Code
Type: Character
Description:

Select equivalent: SFA_SALES_TERRITORY.PRODUCT_SALES_TYPE_CODE
Where equivalent:

Qualification: dimension
List of values: 2ft, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Sales Rep Source Code
Type: Character
Description:

Select equivalent: SFA_SALES_TERRITORY.SALES_REP_SOURCE_CODE
Where equivalent:

Qualification: dimension
List of values: 2fu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Sales Territory Group Code
Type: Character
Description:

Select equivalent: SFA_SALES_TERRITORY.SALES_TERRITORY_GROUP_CODE
Where equivalent:

Qualification: dimension
List of values: 2fv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Sales Territory Group Level No
Type: Number
Description:

Select equivalent: SFA_SALES_TERRITORY.SALES_TERRITORY_GROUP_LEVEL_NO
Where equivalent:

Qualification: dimension
List of values: 2fw, editable, manual refresh, not exportable
Security access level: 0

Can be used: in result, in condition, in sort
 Object status: show

Object: **Current Parent Sales Territory**
 Type: Character
 Description:

Select equivalent: SFA_SALES_TERRITORY.CURRENT_PARENT_SALES_TERRITORY
 Where equivalent:

Qualification: dimension
 List of values: 2fx, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Sales Territory Status Code**
 Type: Character
 Description:

Select equivalent: SFA_SALES_TERRITORY.SALES_TERRITORY_STATUS_CODE
 Where equivalent:

Qualification: dimension
 List of values: 2fy, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Sales Territory Status Date**
 Type: Date
 Description:

Select equivalent: SFA_SALES_TERRITORY.SALES_TERRITORY_STATUS_DATE
 Where equivalent:

Qualification: dimension
 List of values: 2g0, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Commission Pct Rule Code
 Type: Character
 Description:

Select equivalent: SFA_SALES_TERRITORY.COMMISSION_PCT_RULE_CODE
 Where equivalent:

Qualification: dimension
 List of values: 2g1, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Comments
 Type: Character
 Description:

Select equivalent: SFA_SALES_TERRITORY.COMMENTS
 Where equivalent:

Qualification: dimension
 List of values: 2h4, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Sales Territory Sales Rep
Description:	

Object: Sales Rep Role Code
 Type: Character
 Description:

Select equivalent: SFA_SALES_TERRITORY_SALES_REP.SALES_REP_ROLE_CODE
 Where equivalent:

Qualification: dimension
 List of values: 2hv, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Active Flag

Type: Character
 Description:

Select equivalent: SFA_SALES_TERRITORY_SALES_REP.ACTIVE_FLAG
 Where equivalent:

Qualification: dimension
 List of values: 2hw, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Begin Date**
 Type: Date
 Description:

Select equivalent: SFA_SALES_TERRITORY_SALES_REP.BEGIN_DATE
 Where equivalent:

Qualification: dimension
 List of values: 2hx, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **End Date**
 Type: Date
 Description:

Select equivalent: SFA_SALES_TERRITORY_SALES_REP.END_DATE
 Where equivalent:

Qualification: dimension
 List of values: 2hy, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Earns Commission Flag**
 Type: Character
 Description:

Select equivalent: SFA_SALES_TERRITORY_SALES_REP.EARNS_COMMISSION_FLAG

Where equivalent:

Qualification: dimension
List of values: 2i0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Commission Pct
Type: Number
Description:

Select equivalent: SFA_SALES_TERRITORY_SALES_REP.COMMISSION_PCT
Where equivalent:

Qualification: dimension
List of values: 2i1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Commission Split Pct
Type: Number
Description:

Select equivalent: SFA_SALES_TERRITORY_SALES_REP.COMMISSION_SPLIT_PCT
Where equivalent:

Qualification: dimension
List of values: 2i2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Commission Split Calc Code
Type: Character
Description:

Select equivalent: SFA_SALES_TERRITORY_SALE
S_REP.COMMISSION_SPLIT_C
ALC_CODE

Where equivalent:

Qualification: dimension
 List of values: 2i3, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Comments
 Type: Character
 Description:

Select equivalent: SFA_SALES_TERRITORY_SALES_REP.COMMENTS
 Where equivalent:

Qualification: dimension
 List of values: 2i4, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Order Commission Creation & Modification Info
Description:	

Object: Order Commission Creation User
 Type: Character
 Description:

Select equivalent: ORDER_DETAIL_COMMISSION.ADDOPER
 Where equivalent:

Qualification: dimension
 List of values: 2em, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Commission Creation Date
 Type: Date
 Description:

Select equivalent: ORDER_DETAIL_COMMISSION.ADDDATE
 Where equivalent:

Qualification: dimension

List of values: 2en, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Commission Modification User
 Type: Character
 Description:

Select equivalent: ORDER_DETAIL_COMMISSION.MODOPER
 Where equivalent:

Qualification: dimension
 List of values: 2eo, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Commission Modification Date
 Type: Date
 Description:

Select equivalent: ORDER_DETAIL_COMMISSION.MODDATE
 Where equivalent:

Qualification: dimension
 List of values: 2ep, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Order Rates & Currency Info
Description:	

Object: Rate Structure
 Type: Character
 Description: This is the rate structure of the order line item.
 Select equivalent: PRODUCT_RATE_CODE.RATE_STRUCTURE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0

Can be used: in result, in condition, in sort
 Object status: show

Object: **Rate Code**
 Type: Character
 Description: This is the rate code of the order line item.
 Select equivalent: PRODUCT_RATE_CODE.RATE_CODE
 Where equivalent:

Qualification: dimension
 List of values: 09l, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Pay Priority**
 Type: Number
 Description: This is the pay priority of the order line item.
 Select equivalent: ORDER_DETAIL.PAY_PRIORITY
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Currency Exchange Rate**
 Type: Number
 Description: This is the currency exchange rate for the order line item.
 Select equivalent: ORDER_DETAIL.XRATE
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: 09o, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Currency Code**
 Type: Character

Description: This is the currency code on the order line item.
 Select equivalent: ORDER_DETAIL.CURRENCY_CODE
 Where equivalent:

Qualification: dimension
 List of values: 09n, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Currency Exchange Rate Date
 Type: Date
 Description: This is the currency exchange rate date for the order line item.
 Select equivalent: ORDER_DETAIL.XRATE_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Order Sales Amounts & Quantities
Description:	

Object: Base Net Billed Amount
 Type: Number
 Description: Net Billed Amount, Includes Financial Adjustments done on the Order
 Select equivalent: FAR_TXN_POSTED_SUMMARY_VW.BASE_NET_BILLED_AMOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: 0rp, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Base Unit Price
 Type: Number
 Description: This is the base unit price for the order line item.
 Select equivalent: ORDER_DETAIL.BASE_UNIT_PRICE
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show
 Format: Number
 Category = Currency
 \$#,##0;\$-#,##0[Red]

Object: **Base Net Paid Amount**
 Type: Number
 Description: Total Paid Amount Includes (Paid Amount and Refund Amount)
 Select equivalent: FAR_TXN_POSTED_SUMMARY_VW.BASE_NET_PAID_AMOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: 0rr, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Base Balance Amount**
 Type: Number
 Description: Order Line Balance , includes all adjustments
 Select equivalent: FAR_TXN_POSTED_SUMMARY_VW.BASE_BALANCE_AMOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: 0rs, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Base Writeoff Amount**
 Type: Number
 Description: Total Writeoff Amount
 Select equivalent: FAR_TXN_POSTED_SUMMARY_VW.BASE_WRITEOFF_AMOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: Oru, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Base Paid Amount**
 Type: Number
 Description: Net Payments , does not include refunds (only posted transactions)
 Select equivalent: FAR_TXN_POSTED_SUMMARY_VW.BASE_PAID_AMOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: Orq, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Base Refund Amount**
 Type: Number
 Description: Total Refunds, does not include payments (only posted transactions)
 Select equivalent: FAR_TXN_POSTED_SUMMARY_VW.BASE_REFUND_AMOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: Ort, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Base Unit Taxable Amount**
 Type: Number
 Description: This is the base unit taxable amount for the order line item.
 Select equivalent: ORDER_DETAIL.BASE_UNIT_PRICE_TAXABLE
 Where equivalent:

Qualification: measure
 Aggregate function: Sum

List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show
 Format Number
 Category = Currency
 \$#,##0;\$-#,##0[Red]

Object: Base Unit Discount Amount
 Type: Number
 Description: This is the base unit discount amount for the order line item.
 Select equivalent: ORDER_DETAIL.BASE_UNIT_DISCOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show
 Format Number
 Category = Currency
 \$#,##0;\$-#,##0[Red]

Object: Base Agency Unit Discount Amount
 Type: Number
 Description: This is the base unit agency discount amount for the order line item.
 Select equivalent: ORDER_DETAIL.AGENCY_UNIT_DISCOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show
 Format Number
 Category = Currency
 \$#,##0;\$-#,##0[Red]

Object: Base Extended Amount
 Type: Number
 Description: This is the base unit extended amount for the order line item.

Select equivalent: ORDER_DETAIL.BASE_EXTENDED_AMOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show
 Format
 Number
 Category = Currency
 \$#,##0;\$-#,##0[Red]

Object: Base Adjustment Amount
 Type: Number
 Description: This is the base adjustment amount for the order line item.
 Select equivalent: ORDER_DETAIL.BASE_ADJUSTMENT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show
 Format
 Number
 Category = Currency
 \$#,##0;\$-#,##0[Red]

Object: Base Coupon Amount
 Type: Number
 Description: This is the base unit coupon amount for the order line item.
 Select equivalent: ORDER_DETAIL.BASE_COUPON_AMOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show
 Format
 Number
 Category = Currency
 \$#,##0;\$-#,##0[Red]

Object: Base Ship Amount
Type: Number
Description: This is the base unit ship amount for the order line item.
Select equivalent: ORDER_DETAIL.BASE_SHIP_AMOUNT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
 Category = Currency
 \$#,##0;\$-#,##0[Red]

Object: Base Cancellation Amount
Type: Number
Description: This is the base unit cancellation amount for the order line item.
Select equivalent: ORDER_DETAIL.BASE_CANCELLATION_AMOUNT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
 Category = Currency
 \$#,##0;\$-#,##0[Red]

Object: Base Ship Tax Amount
Type: Number
Description: This is the base unit tax amount for the order line item.
Select equivalent: ORDER_DETAIL.BASE_SHIP_TAX_AMOUNT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort
 Object status: show
 Format Number
 Category = Currency
 \$#,##0;\$-#,##0[Red]

Object: **Base Total Amount**
 Type: Number
 Description: This is the base unit total amount for the order line item.
 Select equivalent: SUM(ORDER_DETAIL.BASE_TOTAL_AMOUNT)
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show
 Format Number
 Category = Currency
 \$#,##0;\$-#,##0[Red]

Object: **Order Quantity**
 Type: Number
 Description: This is the order quantity for the order line item.
 Select equivalent: SUM(ORDER_DETAIL.ORDER_QTY)
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Requested Quantity**
 Type: Number
 Description: This the requested quantity for the order line item.
 Select equivalent: SUM(ORDER_DETAIL.REQUESTED_QTY)
 Where equivalent:

Qualification: measure
 Aggregate function: Sum

List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Returned Quantity**
 Type: Number
 Description: This is the returned quantity on the order line item.
 Select equivalent: SUM(ORDER_DETAIL.RETURNED_QTY)
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Discount & Coupon Info
Description:	

Object: **Discount ID**
 Type: Character
 Description: This is the discount id on the order line item.
 Select equivalent: ORDER_DETAIL.PRODUCT_DISCOUNT_ID
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Manual Discount?**
 Type: Character
 Description: This indicates if there is a manual discount on the order line item.
 Select equivalent: ORDER_DETAIL.MANUAL_DISCOUNT_FLAG
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort

Object status: show

Object: **Coupon Code**
 Type: Character
 Description: This is the coupon code on the order line item.
 Select equivalent: ORDER_DETAIL.COUPON_CODE
 Where equivalent:

Qualification: dimension
 List of values: 0a7, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Invoice & Financial Info
Description:	

Object: **Order Batch**
 Type: Character
 Description: This is the batch on the order line item.
 Select equivalent: ORDER_DETAIL.BATCH
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Due Date**
 Type: Date
 Description: This is the due date for the order line item.
 Select equivalent: ORDER_DETAIL.DUE_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Invoice Number**

Type: Character
Description: This is the invoice number for the order line item.
Select equivalent: ORDER_DETAIL.INVOICE_NO
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Invoice Date
Type: Date
Description: This is the invoice date for the order line item.
Select equivalent: ORDER_DETAIL.INVOICE_DATE
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Invoice Print Date
Type: Date
Description: This is the invoice print date.
Select equivalent: ORDER_DETAIL.INVOICE_PRINT_DATE
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Invoiced Posted?
Type: Character
Description: This indicates if the invoice has been posted.
Select equivalent: ORDER_DETAIL.INVOICE_POSTED_FLAG
Where equivalent:

Qualification: dimension
List of values: no

Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Invoice Method Code
 Type: Character
 Description: This the invoice method code on the order line item.
 Select equivalent: ORDER_DETAIL.INVOICE_METHOD_CODE
 Where equivalent:

Qualification: dimension
 List of values: 0ae, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Purchase Order Number on Order
 Type: Character
 Description: This is the purchase order number for the order.
 Select equivalent: ORDER_MASTER.PO_NUMBER
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Actual (Non-Base-Currency) Sales Amounts
Description:	

Object: Actual Unit Price
 Type: Number
 Description: This is the actual unit price on the order line number.
 Select equivalent: ORDER_DETAIL.ACTUAL_UNIT_PRICE
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Actual Unit Price Taxable
Type: Number
Description: This is the actual taxable unit price on the order line number.
Select equivalent: ORDER_DETAIL.ACTUAL_UNIT_PRICE_TAXABLE
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Actual Unit Discount
Type: Number
Description: This is the actual unit discount on the order line number.
Select equivalent: ORDER_DETAIL.ACTUAL_UNIT_DISCOUNT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Actual Agency Unit Discount
Type: Number
Description: This is the actual unit agency discount on the order line number.
Select equivalent: ORDER_DETAIL.ACTUAL_AGENCY_UNIT_DISCOUNT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Actual Extended Amount
Type: Number

Description: This is the actual extended amount on the order line number.
Select equivalent: ORDER_DETAIL.ACTUAL_EXTENDED_AMOUNT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Actual Adjustment**
Type: Number
Description: This is the actual adjustment on the order line number.
Select equivalent: ORDER_DETAIL.ACTUAL_ADJUSTMENT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Actual Coupon Amount**
Type: Number
Description: This is the actual coupon amount on the order line number.
Select equivalent: ORDER_DETAIL.ACTUAL_COUPON_AMOUNT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Actual Ship Amount**
Type: Number
Description: This is the actual ship amount on the order line number.
Select equivalent: ORDER_DETAIL.ACTUAL_SHIP_AMOUNT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Actual Cancellation Amount**
Type: Number
Description: This is the actual cancellation amount on the order line number.
Select equivalent: ORDER_DETAIL.ACTUAL_CANCELLATION_AMOUNT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Actual Ship Tax Amount**
Type: Number
Description: This is the actual ship tax amount on the order line number.
Select equivalent: ORDER_DETAIL.ACTUAL_SHIP_TAX_AMOUNT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Actual Sales Tax Amount**
Type: Number
Description: This is the actual sales tax amount on the order line number.
Select equivalent: ORDER_DETAIL.ACTUAL_SALES_TAX_AMOUNT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Object: **Actual Tax Amount**
Type: Number
Description: This is the actual tax amount on the order line number.
Select equivalent: ORDER_DETAIL.ACTUAL_TAX_AMOUNT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Actual Vat Tax Amount**
Type: Number
Description: This is the actual vat tax amount on the order line number.
Select equivalent: ORDER_DETAIL.ACTUAL_VAT_TAX_AMOUNT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Actual Space Credit Amount**
Type: Number
Description: This is the actual space credit amount on the order line number.
Select equivalent: ORDER_DETAIL.ACTUAL_SPACE_CREDIT_AMOUNT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Actual Trade For Service Amount
 Type: Number
 Description: This is the actual trade for service amount on the order line number.
 Select equivalent: ORDER_DETAIL.ACTUAL_TRADE_FOR_SERVICE_AMOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Actual Total Amount
 Type: Number
 Description: This is the actual total amount on the order line number.
 Select equivalent: ORDER_DETAIL.ACTUAL_TOTAL_AMOUNT
 Where equivalent:

Qualification: measure
 Aggregate function: Sum
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Order Payment Method Info
Description:	

Object: Deferred Receipt Number
 Type: Number
 Description: This is the deferred receipt number on the order line number.
 Select equivalent: ORDER_DETAIL.DEFERRED_RECEIPT_NO
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Deferred Credit Card Authorization
 Type: Character

Description: This is the deferred credit card authorization number on the order line number
.

Select equivalent: ORDER_DETAIL.DEFERRED_CC_AUTHORIZATION
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Deferred Credit Card Auth Expiration Date
Type: Date
Description: This is the deferred credit card auth expiration date on the order line number
.

Select equivalent: ORDER_DETAIL.DEFERRED_CC_AUTH_EXP_DATE
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Auto Pay Method Code
Type: Character
Description: This is the auto pay method on the order line number.
Select equivalent: ORDER_DETAIL.AUTO_PAY_METHOD_CODE
Where equivalent:

Qualification: dimension
List of values: 0b0, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Pay Frequency Code
Type: Character
Description: This is the payment frequency on the order line number.

Select equivalent: ORDER_DETAIL.PAY_FREQUENCY_CODE
 Where equivalent:

Qualification: dimension
 List of values: 0b1, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Order Creation & Modification Info
Description:	

Object: Order Creation Date
 Type: Date
 Description: The date when the order record was created.
 Select equivalent: ORDER_DETAIL.ADDDATE
 Where equivalent:

Qualification: dimension
 List of values: 0we, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Creation User
 Type: Character
 Description: The username of the user who created the order record.
 Select equivalent: ORDER_DETAIL.ADDOPER
 Where equivalent:

Qualification: dimension
 List of values: 0wf, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Modification Date
 Type: Date
 Description: The date when the order record was last modified.
 Select equivalent: ORDER_DETAIL.MODDATE
 Where equivalent:

Qualification: dimension

List of values: Owd, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Order Modification User
 Type: Character
 Description: The username of the user who last modified the order record.
 Select equivalent: ORDER_DETAIL.MODOPER
 Where equivalent:

Qualification: dimension
 List of values: 0wg, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Financial Transaction Info
Description:	This class contains information for each financial transaction associated with an order i.e. 'Sale', 'Receipt', 'Refund' etc. To correctly report on financial transactions/batch user needs to select amount fields from this class itself. The information from this class cannot be used with amounts from the 'Order Sales Amounts and Quantities' and 'Frequently Used' classes.

Object: Transaction Date
 Type: Date
 Description: This is the transaction date of the transaction.
 Select equivalent: FAR_TXN.TXN_DATE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Transaction Type
Type: Character
Description: This is the type of the transaction. There are 10 different types of transactions in Personify. They are

- 1 - Receipt
- 2 - Voucher
- 3 - Transfer
- 4 - Sales
- 5 - Write-off
- 6 - Debit/Credit Memo
- 7 - Revenue Recognition
- 8 - Memo
- 9 - Deferred Payment
- J - Journal Entry

Select equivalent: APP_CODE_TXN_TYPE.DESCR
Where equivalent:

Qualification: dimension
List of values: 0b3, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Transaction Number
Type: Number
Description: This is the transaction number.
Select equivalent: FAR_TXN.FAR_TXN_NO
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Base Amount
Type: Number
Description: This is the base amount.
Select equivalent: SUM(FAR_TXN.BASE_AMOUNT)
Where equivalent:

Qualification: measure
 Aggregate function: None
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show
 Format: Number
 Category = Currency
 \$#,##0;\$-#,##0[Red]

Object: Actual Currency Code
 Type: Character
 Description: This is the actual currency code.
 Select equivalent: FAR_TXN.ACTUAL_CURRENCY_CODE
 Where equivalent:

Qualification: dimension
 List of values: 0b6, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Actual Amount
 Type: Number
 Description: This is the actual amount.
 Select equivalent: SUM(FAR_TXN.ACTUAL_AMOUNT)
 Where equivalent:

Qualification: measure
 Aggregate function: None
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Receipt Number
 Type: Number
 Description: This is the receipt number.
 Select equivalent: FAR_TXN.RECEIPT_NO
 Where equivalent:

Qualification: dimension

List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Purchase Order Number on Receipt
 Type: Character
 Description: This is the purchase order number for the order.
 Select equivalent: FAR_RECEIPT.PO_REFERENCE
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Voucher Number
 Type: Number
 Description: This is the voucher number.
 Select equivalent: FAR_TXN.VOUCHER_NO
 Where equivalent:

Qualification: dimension
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Payment Currency Code
 Type: Character
 Description: This is the payment currency code.
 Select equivalent: FAR_TXN.PAYMENT_CURRENCY_CODE
 Where equivalent:

Qualification: dimension
 List of values: 0ba, editable, automatic refresh, exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Payment Amount

Type: Number
 Description: This is the payment amount.
 Select equivalent: SUM(FAR_TXN.PAYMENT_AMOUNT)
 Where equivalent:

Qualification: measure
 Aggregate function: None
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show
 Format: Number
 Category = Currency
 \$#,##0;\$-#,##0[Red]

Object: Payment Exchange Rate
 Type: Number
 Description: This is the payment exchange rate.
 Select equivalent: FAR_TXN.PAYMENT_XRATE
 Where equivalent:

Qualification: measure
 Aggregate function: None
 List of values: no
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Posted?
 Type: Character
 Description:
 Select equivalent: FAR_TXN.POSTED_FLAG
 Where equivalent:

Qualification: dimension
 List of values: 0vd, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: GL Transaction No.

Type: Number
 Description:
 Select equivalent: FAR_TXN.GL_TXN_NO
 Where equivalent:
 Qualification: dimension
 List of values: 0ve, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Transaction Comments
 Type: Character
 Description:
 Select equivalent: FAR_TXN.COMMENTS
 Where equivalent:
 Qualification: dimension
 List of values: 0vf, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Batch Information
Description:	This Class holds all the batch information.

Object: Batch
 Type: Character
 Description:
 Select equivalent: FAR_BATCH.BATCH
 Where equivalent:
 Qualification: dimension
 List of values: 0vg, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: **Batch Type Code**
Type: Character
Description:

Select equivalent: FAR_BATCH.BATCH_TYPE_CODE
Where equivalent:

Qualification: dimension
List of values: 0vh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Batch Type Description**
Type: Character
Description:

Select equivalent: APP_CODE_BATCH_TYPE.DESCR
Where equivalent:

Qualification: dimension
List of values: 0vi, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Batch User Group**
Type: Character
Description:

Select equivalent: FAR_BATCH.EDITING_USER_GROUP
Where equivalent:

Qualification: dimension
List of values: 0vj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Batch Operator**
Type: Character
Description:

Select equivalent: FAR_BATCH.EDITING_OPERATOR

Where equivalent:

Qualification: dimension
List of values: 0vk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Batch Status Code**

Type: Character

Description:

Select equivalent: FAR_BATCH.BATCH_STATUS_CODE

Where equivalent:

Qualification: dimension
List of values: 0vl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Batch Status Description**

Type: Character

Description:

Select equivalent: APP_CODE_BATCH_STATUS.DESCR

Where equivalent:

Qualification: dimension
List of values: 0vm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Batch Date**

Type: Date

Description:

Select equivalent: FAR_BATCH.BATCH_DATE

Where equivalent:

Qualification: dimension
List of values: 0vn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Batch Posting Date**
Type: Date
Description:

Select equivalent: FAR_BATCH.POST_DATE

Where equivalent:

Qualification: dimension
List of values: 0vo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **CC Settled?**
Type: Character
Description:

Select equivalent: FAR_BATCH.CC_SETTLED_FLAG

Where equivalent:

Qualification: dimension
List of values: 0vp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Batch Comments**
Type: Character
Description:

Select equivalent: FAR_BATCH.COMMENTS

Where equivalent:

Qualification: dimension
 List of values: 0vq, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Point-Of-Sale Batch Information
Description:	

Object: Point-Of-Sale Batch?
 Type: Character
 Description:

Select equivalent: FAR_BATCH.POS_FLAG

Where equivalent:

Qualification: dimension
 List of values: 0vr, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Point-Of-Sale Batch Country Code
 Type: Character
 Description:

Select equivalent: FAR_BATCH.POS_COUNTRY_CODE

Where equivalent:

Qualification: dimension
 List of values: 0vs, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Point-Of-Sale Batch State
 Type: Character
 Description:

Select equivalent: FAR_BATCH.POS_STATE

Where equivalent:

Qualification: dimension
 List of values: 0vt, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Point-Of-Sale Batch Postal Code
 Type: Character
 Description:

Select equivalent: FAR_BATCH.POS_POSTAL_CODE

Where equivalent:

Qualification: dimension
 List of values: 0vu, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Object: Point-Of-Sale Batch Warehouse ID
 Type: Character
 Description:

Select equivalent: FAR_BATCH.POS_WAREHOUSE_ID

Where equivalent:

Qualification: dimension
 List of values: 0vv, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Batch Detail
Description:	

Object: Receipt Type Code
 Type: Character

Description:

Select equivalent: FAR_BATCH_DETAIL.RECEIPT_TYPE_CODE

Where equivalent:

Qualification: dimension

List of values: 0vw, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Receipt Type Description

Type: Character

Description:

Select equivalent: APP_CODE_RECEIPT_TYPE.DESCR

Where equivalent:

Qualification: dimension

List of values: 0vx, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Currency Code

Type: Character

Description:

Select equivalent: FAR_BATCH_DETAIL.CURRENCY_CODE

Where equivalent:

Qualification: dimension

List of values: 0vy, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Currency Description

Type: Character

Description:

Select equivalent: APP_CURRENCY.DESCR

Where equivalent:

Qualification: dimension
List of values: 0w0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Debit Account

Type: Character

Description:

Select equivalent: FAR_BATCH_DETAIL.DEBIT_ACCOUNT

Where equivalent:

Qualification: dimension
List of values: 0w1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Control Count

Type: Number

Description:

Select equivalent: FAR_BATCH_DETAIL.CONTROL_COUNT

Where equivalent:

Qualification: dimension
List of values: 0w2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Base Control Amount

Type: Number

Description:

Select equivalent: FAR_BATCH_DETAIL.BASE_CONTROL_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: 0w3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Actual Control Amount
Type: Number
Description:

Select equivalent: FAR_BATCH_DETAIL.ACTUAL_CONTROL_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: 0w4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Calculated Count
Type: Number
Description:

Select equivalent: FAR_BATCH_DETAIL.CALCULATED_COUNT

Where equivalent:

Qualification: dimension
List of values: 0w5, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Base Calculated Amount
Type: Number
Description:

Select equivalent: FAR_BATCH_DETAIL.BASE_CALCULATED_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: 0w6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Actual Calculated Amount

Type: Number

Description:

Select equivalent: FAR_BATCH_DETAIL.ACTUAL_CALCULATED_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: 0w7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Base Deferred Amount

Type: Number

Description:

Select equivalent: FAR_BATCH_DETAIL.BASE_DEFERRED_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: 0w8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Actual Deferred Amount

Type: Number
Description:

Select equivalent: FAR_BATCH_DETAIL.ACTUAL_DEFERRED_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: 0w9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Base Currency Adjustment Amount
Type: Number
Description:

Select equivalent: FAR_BATCH_DETAIL.BASE_CURRENCY_ADJUSTMENT_AMOUNT

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: 0wa, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Exchange Rate
Type: Number
Description:

Select equivalent: FAR_BATCH_DETAIL.XRATE

Where equivalent:

Qualification: dimension
List of values: 0wb, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: Exchange Rate Date
 Type: Date
 Description:

Select equivalent: FAR_BATCH_DETAIL.XRATE_DATE

Where equivalent:

Qualification: dimension
 List of values: 0wc, editable, manual refresh, not exportable
 Security access level: 0
 Can be used: in result, in condition, in sort
 Object status: show

Class:	Conditions
Description:	

No objects

Class:	Subsystem Filters
Description:	

No objects

Class:	Order Filters
Description:	

No objects

Class:	All Orders
Description:	

No objects

Class:	Order Date
Description:	

Object: Today
 Type: Date
 Description: The object is reference fo
 r current date that can be

used in reporting for tod
ay's filter
Select equivalent: CASE WHEN 1=1 THEN getda
te() ELSE ORDER_DETAIL.O
RDER_DATE END

Where equivalent:

Qualification: dimension
List of values: 2ij, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: Advertising
Description:

No objects

Class: Inventoried Products
Description:

No objects

Class: Meeting
Description:

No objects

Class: Memberships
Description:

No objects

Class: Membership Type
Description:

No objects

Class: Subscription
Description:

No objects

Class:	Financial Filters
Description:	

No objects

Condition List

Frequently Used

General Order Info

Organization Info

Order Line Status Info

Misc Order Line Info

GL Account Info

Customer Info

Ship-To Customer Info

Ship-To Customer Name Components

Ship-To Customer Membership Info

Ship-To Customer Primary Employer

Ship-To Customer All Relationships

Ship-To Customer Demographics

Ship-To Customer List Demographics

Ship-To Customer Specialty

Shipping Address

Ship-To Customer Communication Info

Ship-To Customer Communication Rules

Ship-To Customer Creation & Modification Info

Bill Customer Info

Bill-Customer Name Components

Bill Customer Membership Info

Bill-Customer Corporate Relationships

Bill-Customer All Relationships

Bill-Customer Demographics

Billing Address

Bill-Customer Communication Info

Bill-To Customer Creation & Modification Info

Solicitor Info

Agency Info

Subsystem-Specific Order Info

- Advertising

 - Web Ad Info

 - Contract Info

 - Advertisement Info

 - Ad Material Dates

- Exhibition

- Fund Raising

- Inventory Products

- Meetings

- Membership

- Miscellaneous Invoice Items

- Subscriptions

Order-Related Education Activity

- Marketing Info

- Shipping Info

- Product Info

 - Categories and Keywords

 - Product Creation & Modification Info

Order Commissions

- Order Commission Detail

- Order Commission Payment

- Sales Rep

- Sales Territory

- Sales Territory Sales Rep

- Order Commission Creation & Modification Info

Order Rates & Currency Info

Order Sales Amounts & Quantities

- Discount & Coupon Info

- Invoice & Financial Info

- Actual (Non-Base-Currency) Sales Amounts

Order Payment Method Info

Order Creation & Modification Info

Financial Transaction Info

- Batch Information

 - Point-Of-Sale Batch Information

 - Batch Detail

Conditions

- Subsystem Filters

 - Advertising Orders Only

 - Fund Raising Orders Only

- Facility Orders Only
- Exhibition Orders Only
- Meeting Registrations Only
- Subscription Orders Only
- Inventoried Product Orders Only
- Membership Orders Only
- Certification Product Orders Only
- Miscellaneous Invoice Orders Only
- Transcript Product Orders Only
- ECD Product Orders Only

Order Filters

All Orders

- Active Orders
- Proforma Orders
- Canceled Orders

Order Date

- Current Year Orders
- Today's Orders
- This Month's Orders

Advertising

- Active Invoiced Orders
- Active Uninvoiced Orders

Inventoried Products

- Preshipped
- Returned
- Shipped
- Packing Slip, Not Shipped
- Backordered
- Not Fulfilled
- Transferred Registrations
- Active and Waitlisted Orders
- Waitlisted Orders
- Held Orders

Meeting

- Active and Waitlisted Registrations
- Waitlisted Registrations
- Transferred Registrations
- Registrations for Cancelled Meetings
- Shipped

Memberships

- Current Active Memberships (includes Grace)
- Memberships Currently In Grace
- Current Active Memberships, No Grace
- Active Memberships (use with date range)
- Active Future Memberships

Renewed Memberships
Expired Memberships
Current Memberships Terminating at End
Transferred Memberships
Current Suspended Memberships
Expelled Memberships

Membership Type

Primary Membership Only
Chapter Membership Only
Special Interest Group / Section Membership Only
Membership Donations Only

Subscription

Current Active Subscriptions (includes Grace)
Subscriptions Currently in Grace
Active Future Subscriptions
Renewed Subscriptions
Expired Subscriptions
Current Subscriptions Terminating At End
Current Subscriptions on Hold

Financial Filters

Open Orders
Overdue Orders

Conditions

Class:	Subsystem Filters
Description:	

Advertising Orders Only

Description:
Where Equivalent:ORDER_DETAIL.SUBSYSTEM='ADV'

Fund Raising Orders Only

Description:
Where Equivalent:ORDER_DETAIL.SUBSYSTEM = 'FND'

Facility Orders Only

Description:
Where Equivalent:ORDER_DETAIL.SUBSYSTEM= 'FAC'

Exhibition Orders Only

Description:
Where Equivalent:ORDER_DETAIL.SUBSYSTEM= 'XBT'

Meeting Registrations Only

Description:

Where Equivalent:ORDER_DETAIL.SUBSYSTEM= 'MTG'

Subscription Orders Only

Description:

Where Equivalent:ORDER_DETAIL.SUBSYSTEM= 'SUB'

Inventoried Product Orders Only

Description:

Where Equivalent:ORDER_DETAIL.SUBSYSTEM= 'INV'

Membership Orders Only

Description:

Where Equivalent:ORDER_DETAIL.SUBSYSTEM= 'MBR'

Certification Product Orders Only

Description:

Where Equivalent:ORDER_DETAIL.SUBSYSTEM= 'CRT'

Miscellaneous Invoice Orders Only

Description:

Where Equivalent:ORDER_DETAIL.SUBSYSTEM= 'MISC'

Transcript Product Orders Only

Description:

Where Equivalent:ORDER_DETAIL.SUBSYSTEM= 'TRN'

ECD Product Orders Only

Description:

Where Equivalent:ORDER_DETAIL.SUBSYSTEM= 'ECD'

Class:	All Orders
--------	------------

Description:

Active Orders

Description:

Where Equivalent:ORDER_DETAIL.LINE_STATUS_CODE = 'A' AND ORDER_DETAIL.FULFILL_STATUS_CODE =

Proforma Orders

Description:

Where Equivalent:ORDER_DETAIL.LINE_STATUS_CODE='P'

Canceled Orders

Description:

Where Equivalent:ORDER_DETAIL.LINE_STATUS_CODE = 'C'

Class: **Order Date**

Description:

Current Year Orders

Description:

Where Equivalent:Year(ORDER_DETAIL.ORDER_DATE)=Year(getdate())

Today's Orders

Description:

Where Equivalent:ORDER_DETAIL.ORDER_DATE = convert (SMALLDATETIME, {fn CURDATE()})

This Month's Orders

Description:

Where Equivalent:Month(ORDER_DETAIL.O
RDER_DATE) = Month(getdate()) AND Year
(ORDER_DETAIL.ORDER_DATE) = Year(getd
ate())

Class: **Advertising**

Description:

Active Invoiced Orders

Description:

Where Equivalent:ORDER_DETAIL.SUBSYST
EM = 'ADV' and ORDER_DETAIL.LINE_STAT
US_CODE='A' and ORDER_DETAIL.INVOICE_
NO is not null

Active Uninvoiced Orders

Description:

Where Equivalent:ORDER_DETAIL.SUBSYST
EM = 'ADV' and ORDER_DETAIL.LINE_STAT
US_CODE='A' and ORDER_DETAIL.INVOICE_
NO is null

Class: **Inventoried Products**

Description:

Preshipped

Description:

Where Equivalent:ORDER_DETAIL.LINE_ST
ATUS_CODE = 'A' AND ORDER_DETAIL.FULF
ILL_STATUS_CODE = 'P' AND ORDER_DETAI
L.SUBSYSTEM = 'INV'

Returned

Description:

Where Equivalent:ORDER_DETAIL.LINE_ST
ATUS_CODE IN ('C', 'R') AND ORDER_DETA
IL.FULFILL_STATUS_CODE = 'R' AND ORDE
R_DETAIL.SUBSYSTEM = 'INV'

Shipped

Description:

Where Equivalent:ORDER_DETAIL.LINE_ST
ATUS_CODE = 'A' AND ORDER_DETAIL.FULF
ILL_STATUS_CODE = 'S' AND ORDER_DETAI
L.SUBSYSTEM = 'INV'

Packing Slip, Not Shipped

Description:

Where Equivalent:ORDER_DETAIL.LINE_ST
ATUS_CODE = 'A' AND ORDER_DETAIL.FULF
ILL_STATUS_CODE = 'L' AND ORDER_DETAI
L.SUBSYSTEM = 'INV'

Backordered

Description:

Where Equivalent:ORDER_DETAIL.LINE_STATUS_CODE = 'B' AND ORDER_DETAIL.SUBSYSTEM = 'INV'

Not Fulfilled

Description:

Where Equivalent:ORDER_DETAIL.LINE_ST
ATUS_CODE = 'A' AND ORDER_DETAIL.FULF
ILL_STATUS_CODE = 'N' AND ORDER_DETAI
L.SUBSYSTEM = 'INV'

Transferred Registrations

Description:

Where Equivalent:ORDER_DETAIL.LINE_ST
ATUS_CODE='A' AND ORDER_DETAIL.FULFIL
L_STATUS_CODE = 'X' AND ORDER_DETAIL.
SUBSYSTEM = 'INV'

Active and Waitlisted Orders

Description:

Where Equivalent:ORDER_DETAIL.LINE_STATUS_CODE IN ('A','P') AND ORDER_DETAIL.SUBSYSTEM = 'INV'

Waitlisted Orders

Description:

Where Equivalent:ORDER_DETAIL.LINE_STATUS_CODE = 'W' AND ORDER_DETAIL.SUBSYSTEM = 'INV'

Held Orders

Description:

Where Equivalent:ORDER_DETAIL.LINE_STATUS_CODE = 'H' AND ORDER_DETAIL.SUBSYSTEM = 'INV'

Class:	Meeting
Description:	

Active and Waitlisted Registrations

Description:

Where Equivalent:ORDER_DETAIL.LINE_STATUS_CODE IN ('A','P') AND ORDER_DETAIL.SUBSYSTEM='MTG'

Waitlisted Registrations

Description:

Where Equivalent:ORDER_DETAIL.LINE_STATUS_CODE = 'W' AND ORDER_DETAIL.SUBSYSTEM='MTG'

Transferred Registrations

Description:

Where Equivalent:ORDER_DETAIL.LINE_ST
ATUS_CODE='A' AND ORDER_DETAIL.FULFIL
L_STATUS_CODE = 'X' AND ORDER_DETAIL.
SUBSYSTEM='MTG'**Registrations for Cancelled Meetings**

Description:

Where Equivalent:PRODUCT.PRODUCT_STATUS_CODE = 'C' AND ORDER_DETAIL.SUBSYSTEM='MTG'

Shipped

Description:

Where Equivalent:ORDER_DETAIL.LINE_ST
ATUS_CODE = 'A' AND ORDER_DETAIL.FULF
ILL_STATUS_CODE = 'S' AND ORDER_DETAI
L.SUBSYSTEM='MTG'

Class:	Memberships
Description:	

Current Active Memberships (includes Grace)

Description:Includes all active, current members, including members who are in grace.

Where Equivalent:ORDER_DETAIL.LINE_ST
ATUS_CODE='A' and ORDER_DETAIL.FULFIL
L_STATUS_CODE in ('A','G','X','T') and
ORDER_DETAIL.CYCLE_BEGIN_DATE <= getd
ate() and ORDER_DETAIL.GRACE_DATE >=
getdate() and ORDER_DETAIL.SUBSYSTEM=
'MBR'

Memberships Currently In Grace

Description:Only includes current, active members who are in grace.

Where Equivalent:ORDER_DETAIL.SUBSYST
EM = 'MBR' AND ORDER_DETAIL.CYCLE_END
_DATE < getdate() and ORDER_DETAIL.GRA
CE_DATE >= getdate() and ORDER_DETAIL.
LINE_STATUS_CODE = 'A' and ORDER_DETAI
L.FULFILL_STATUS_CODE = 'G'

Current Active Memberships, No Grace

Description:Only includes current, active members who are not in grace.

Where Equivalent:ORDER_DETAIL.SUBSYST
EM = 'MBR' AND ORDER_DETAIL.CYCLE_BEG
IN_DATE <= getdate() and ORDER_DETAIL.
CYCLE_END_DATE >= getdate() and ORDER_
DETAIL.LINE_STATUS_CODE = 'A' and ORDE
R_DETAIL.FULFILL_STATUS_CODE in ('A','
X','T')

Active Memberships (use with date range)

Description:Does not include Order_Deta
il.FULFILL_STATUS criterion, so can be
used to select memberships that were ac
tive in the past. User should include f
ilter for Membership Begin Date and/or
Membership End Date.

Where Equivalent:ORDER_DETAIL.LINE_STATUS_CODE = 'A' and ORDER_DETAIL.SUBSYSTEM='MBR'

Active Future Memberships

Description:Includes active memberships that have a begin date in the future (i.e., greater than today).

Where Equivalent:ORDER_DETAIL.SUBSYST

```
EM = 'MBR' AND ORDER_DETAIL.CYCLE_BEG
IN_DATE > GETDATE() AND ORDER_DETAIL.
LINE_STATUS_CODE = 'A' AND ORDER_DETA
IL.FULFILL_STATUS_CODE IN ('A','X','T')
```

Renewed Memberships

Description:Selects all membership orde
rs that have been renewed. User should
include filter for either Renewal Date
Next Order date or for Membership Begin
Date and/or Membership End Date.

Where Equivalent:ORDER_DETAIL.SUBSYST
EM = 'MBR' AND ORDER_DETAIL.LINE_STAT
US_CODE = 'A' AND ORDER_DETAIL.RENEWA
L_DATE_NEXT_ORDER IS NOT NULL

Expired Memberships

Description:Selects all membership orde
rs that have expired. User should inclu
de filter for Membership Begin Date and
/or Membership End Date.

Where Equivalent:ORDER_DETAIL.SUBSYST
EM = 'MBR' AND ORDER_DETAIL.GRACE_DAT
E > GETDATE() AND ORDER_DETAIL.LINE_S
TATUS_CODE = 'A' AND ORDER_DETAIL.FUL
FILL_STATUS_CODE = 'E'

Current Memberships Terminating at End

Description:Selects all current, active
membership orders that will terminate a
t the end of the membership term (i.e.,
they will not be renewed).

Where Equivalent:ORDER_DETAIL.SUBSYST
EM = 'MBR' AND ORDER_DETAIL.CYCLE_BEG
IN_DATE <= GETDATE() AND ORDER_DETAIL
.CYCLE_END_DATE >= GETDATE() AND ORD
ER_DETAIL.LINE_STATUS_CODE = 'A' AND
ORDER_DETAIL.FULFILL_STATUS_CODE = 'T
,

Transferred Memberships

Description:Selects all membership orders that have been transferred. User should include filter for Membership Begin Date and/or Membership End Date.

Where Equivalent:ORDER_DETAIL.SUBSYSTEM = 'MBR' AND ORDER_DETAIL.LINE_STATUS_CODE = 'A' AND ORDER_DETAIL.FULFILL_STATUS_CODE = 'X'

Current Suspended Memberships

Description:Selects all current memberships that have a status of suspended.

Where Equivalent:ORDER_DETAIL.SUBSYSTEM = 'MBR' AND ORDER_DETAIL.CYCLE_BEGIN_DATE <= GETDATE() AND ORDER_DETAIL.GRACE_DATE >= GETDATE() AND ORDER_DETAIL.LINE_STATUS_CODE = 'A' AND ORDER_DETAIL.FULFILL_STATUS_CODE = 'S'

Expelled Memberships

Description:

Where Equivalent:ORDER_DETAIL.SUBSYSTEM = 'MBR' AND ORDER_DETAIL.LINE_STATUS_CODE = 'A' AND ORDER_DETAIL.FULFILL_STATUS_CODE = 'D'

Class:	Membership Type
Description:	

Primary Membership Only

Description:

Where Equivalent:ORDER_DETAIL.SUBSYSTEM='MBR' AND MBR_GROUP.PRIMARY_FLAG='Y' AND MBR_GROUP_DETAIL.PRIMARY_FLAG='Y'

Chapter Membership Only

Description:

Where Equivalent:ORDER_DETAIL.SUBSYSTEM

EM = 'MBR' AND MBR_GROUP_DETAIL.RECO
RD_TYPE_CODE = 'CHAPTER'

Special Interest Group / Section Membership Only

Description:

Where Equivalent:ORDER_DETAIL.SUBSYSTEM = 'MBR' AND MBR_GROUP_DETAIL.RECORD_TYPE_CODE =

Membership Donations Only

Description:

Where Equivalent:ORDER_DETAIL.SUBSYST
EM = 'MBR' AND MBR_GROUP_DETAIL.RECO
RD_TYPE_CODE = 'DONATION'

Class:	Subscription
Description:	

Current Active Subscriptions (includes Grace)

Description:Selects all active, current subscribers, including subscribers whose subscription term has ended but who are still in their grace period.

Where Equivalent:

ORDER_DETAIL.SUBSYSTEM = 'SUB' AND ORDER_DETAIL.CYCLE_BEGIN_DATE <= GETDATE() AND ORDER_DETAIL.CYCLE_END_DATE >= GETDATE() AND ORDER_DETAIL.LINE_STATUS_CODE = 'A' AND ORDER_DETAIL.FULLFILL_STATUS_CODE IN ('A','G','X','T')

Subscriptions Currently in Grace

Description:Only selects current, active subscribers whose subscription term has ended but who are still in their grace period.

Where Equivalent:ORDER_DETAIL.SUBSYSTEM = 'SUB' AND ORDER_DETAIL.CYCLE_END_DATE < GETDATE() AND ORDER_DETAIL.GRACE_DATE >= GETDATE() AND ORDER_DETAIL.LINE_STATUS_CODE = 'A' AND ORDER_DETAIL.FULLFILL_STATUS_CODE = 'G'

Active Future Subscriptions

Description:Selects active subscriptions that have a begin date in the future (i.e., greater than today).

Where Equivalent:ORDER_DETAIL.SUBSYST
EM = 'SUB' AND ORDER_DETAIL.CYCLE_BEG
IN_DATE > GETDATE() AND ORDER_DETAIL.
LINE_STATUS_CODE = 'A' AND ORDER_DETA
IL.FULFILL_STATUS_CODE IN ('A','X','T')

Renewed Subscriptions

Description:Selects all subscription ord
ers that have been renewed. User shoul
d include filter for either Renewal Date
Next Order date or for Subscription Be
gin Date and/or Subscription End Date.

Where Equivalent:ORDER_DETAIL.SUBSYST
EM = 'SUB' AND ORDER_DETAIL.LINE_STAT
US_CODE = 'A' AND ORDER_DETAIL.RENEWA
L_DATE_NEXT_ORDER IS NOT NULL

Expired Subscriptions

Description:Selects all subscription ord
ers that have expired. User should incl
ude filter for Subscription Begin Date a
nd/or Subscription End Date.

Where Equivalent:ORDER_DETAIL.SUBSYST
EM = 'SUB' AND ORDER_DETAIL.GRACE_DAT
E > GETDATE() AND ORDER_DETAIL.LINE_S
TATUS_CODE = 'A' AND ORDER_DETAIL.FUL
FILL_STATUS_CODE = 'E'

Current Subscriptions Terminating At End

Description:Selects all current, active
subscription orders that will terminate
at the end of the subscription term (i.e
, they will not be renewed).

Where Equivalent:ORDER_DETAIL.SUBSYST
EM = 'SUB' AND ORDER_DETAIL.CYCLE_BEG
IN_DATE <= GETDATE() AND ORDER_DETAIL

```
.CYCLE_END_DATE >= GETDATE() AND ORD
ER_DETAIL.LINE_STATUS_CODE = 'A' AND
ORDER_DETAIL.FULFILL_STATUS_CODE = 'T
'
```

Current Subscriptions on Hold

Description:Selects all current subscrip
tions that are on hold (i.e., the line st
atus of the subscription order is set to
"H").

Where Equivalent:ORDER_DETAIL.SUBSYST
EM = 'SUB' and ORDER_DETAIL.CYCLE_BEG
IN_DATE <= getdate() and ORDER_DETAIL
.CYCLE_END_DATE >= getdate() and ORDE
R_DETAIL.LINE_STATUS_CODE = 'H'

Class:	Financial Filters
Description:	

Open Orders

Description:
Where Equivalent:FAR_TXN.BASE_AMOUNT
> 0 and ORDER_DETAIL.ORDER_NO = FAR_
TXN.ORDER_NO and ORDER_DETAIL.ORDER_
LINE_NO = FAR_TXN.ORDER_LINE_NO

Overdue Orders

Description:
Where Equivalent:FAR_TXN.BASE_AMOUNT
> 0 and ORDER_DETAIL.ORDER_NO = FAR_
TXN.ORDER_NO and ORDER_DETAIL.ORDER_
LINE_NO = FAR_TXN.ORDER_LINE_NO and O
RDER_DETAIL.DUE_DATE < (getdate() - 30
)

Hierarchies List

- Ship Address
- Bill Address
- Orders Rate Structure
- Product

Hierarchies

Ship Address

- Shipping Address/Ship-To Country Code

- Shipping Address/Ship-To State

- Shipping Address/Ship-To City

- Shipping Address/Ship-To Zip

Bill Address

- Billing Address/Bill-To Country Code

- Billing Address/Bill-To State

- Billing Address/Bill-To City

- Billing Address/Bill-To Zip

Orders Rate Structure

- Order Rates & Currency Info/Rate Structure

- Order Rates & Currency Info/Rate Code

Product

- Product Info/Subsystem

- Product Info/Product Type Code

- Product Info/Product Class

Cus_Relationship_Subsiadiary_Info_VW
(Cus_Relationship_Related_Cus_Info_VW)


BILL_CUS_CORPORATE_RELATIONSHIP
(Cus_Relationship_Related_Cus_Info_VW)

33/2


BILL_CUSTOMER

ADV_CONTRACT

ADV_AGENCY_CUS_PRIMARY_INFO
(CUS_PRIMARY_INFO_VW)



MBR_GROUP_DETAIL



Do not remove the tables shown below, as they are used in Aliased tables:

- CUS_ADDRESS_DETAIL
- CUSTOMER
- APP_CODE
- CUS_DEMOGRAPHIC_CODE_DESCR_VW

ADV_AGENCY_CUS_PRIMARY_INFO
(CUS_PRIMARY_INFO_VW)

BILL_CUSTOMER
(CUSTOMER)

PRODU

LL_CUS_CURRENT_MEMBERSHIP_INFO
(CUS_CURRENT_MEMBERSHIP_INFO)

ORDER_MASTER

ORDER_DETAIL

SHIP_CUSTOMER
(CUSTOMER)

SHIP_CUS_ADDRESS_DETAIL
(CUS_ADDRESS_DETAIL)

SHIP_CUS_SPECIALTY
(CUS_SPECIALTY)

_ALL_RELATIONSHIPS
hip_Related_Cus_Info_VW)

PRIMARY_EMPLOYMENT
hip_Related_Cus_Info_VW)

SHIP_CUS_DEMOGRAPHIC
EMOGRAPHIC_CODE_DESCR_VW)

SHIP_CUS_CURRENT_MEMBERSHIP_INFO
(CUS_CURRENT_MEMBERSHIP_INFO)

SOLICITOR_CUSTOMER
(CUSTOMER)

ORDER_ADV_DE

TRN_COURSE

TRN_EXAM

PRODUCT_EDUCAT


ORDER_MBR_ASSOCI

ORDER_DETAIL_

PRODUCT_DISCOUN

PRODUCT_RATE

APP



AYMENT

RECEIPT_TYPE
(CODE)

CY

CUSTOMER

APP_CODE

CUS_DEMOGRAPHIC_CODE_DESCR_VW

Cus_Relationship_Related_Cus_Info_VW

CUS_CURRENT_MEMBERSHIP_INFO

CUS_PRIMARY_INFO_VW

CUS_ADDRESS

CUS_SPECIALTY

