

---

## Universe Parameters

### Definition

Name: Security Setup

Description:

Connection: PersonifyQA

### General information

Created: 3/4/2009 by Administrator

Modified: 3/4/2009 by Administrator

Comments: Personify Security Setup Universe

Statistics:  
17 Classes  
68 Objects  
17 Tables  
3 Aliases  
42 Joins  
0 Contexts  
0 Hierarchies  
11 Conditions

### Strategies

Join strategy: Edit Manually (none)

Table strategy: (Built-in) Standard

Object strategy: (Built-in) Standard Renaming

### Controls

Limit size of result set to: unchecked

Limit size of long text objects to: unchecked

Limit execution time to: 10 minutes

Warn if cost estimate exceeds: unchecked

## SQL parameters

### Query

Allow use of subqueries:	yes
Allow use of union, intersect and minus operators:	yes
Allow complex conditions in Query Panel:	yes
Cartesian products:	prevent

### Multiple paths

Generate several SQL statements for each context:	yes
Generate several SQL statements for each measure:	yes
Allow selection of multiple contexts:	no

## Links

No links for this universe

## Object List

No classes

## Condition List

No Conditions

## Hierarchies List

No Hierarchies

## Tables List

APP\_ORGANIZATION  
APP\_ORG\_UNIT  
PSM\_ACCESSPOINT  
PSM\_ACCESSPOINT\_GROUP  
PSM\_ACCESSPOINT\_PERMISSION  
PSM\_APPLICATION

---

PSM\_APPLICATION\_PERMISSION  
PSM\_APPLICATION\_TYPE  
PSM\_GROUP  
PSM\_GROUP\_APPLICATION  
PSM\_GROUP\_MEMBER  
PSM\_ORGUNIT\_MEMBER  
PSM\_PERMISSION  
PSM\_PERSONA  
PSM\_PERSONA\_MEMBER  
PSM\_PERSONA\_MENU  
PSM\_PERSONA\_USER  
PSM\_USER  
PSM\_USER\_LOGGED\_IN\_MAX\_ID  
PSM\_USER\_LOGIN\_HISTORY

## Join List

Join0: APP\_ORGANIZATION.ORG\_ID=APP\_ORG\_UNIT.ORG\_ID

Join1: APP\_ORG\_UNIT.ORG\_ID=PSM\_ORGUNIT\_MEMBER.ORG\_ID

Join2: APP\_ORG\_UNIT.ORG\_UNIT\_ID=PSM\_ORGUNIT\_MEMBER.ORG\_UNIT\_ID

Join3: PSM\_ORGUNIT\_MEMBER.ORG\_ID=PSM\_GROUP\_MEMBER.ORG\_ID

Join4: PSM\_ORGUNIT\_MEMBER.ORG\_UNIT\_ID=PSM\_GROUP\_MEMBER.ORG\_UNIT\_ID

Join5: PSM\_ORGUNIT\_MEMBER.USER\_ID=PSM\_GROUP\_MEMBER.USER\_ID

Join6: PSM\_GROUP\_MEMBER.USER\_ID=PSM\_USER.USER\_ID

Join7: PSM\_GROUP\_MEMBER.GROUP\_ID=PSM\_GROUP.GROUP\_ID

Join8: PSM\_GROUP\_MEMBER.ORG\_ID=PSM\_GROUP.ORG\_ID

---

Join9: PSM\_GROUP\_MEMBER.ORG\_UNIT\_ID=PSM\_GROUP.ORG\_UNIT\_ID

Join10: PSM\_APPLICATION\_PERMISSION.ORG\_ID=PSM\_GROUP\_APPLICATION.ORG\_ID

Join11: PSM\_APPLICATION\_PERMISSION.ORG\_UNIT\_ID=PSM\_GROUP\_APPLICATION.ORG\_UNIT\_ID

Join12: PSM\_APPLICATION\_PERMISSION.GROUP\_ID=PSM\_GROUP\_APPLICATION.GROUP\_ID

Join13: PSM\_PERMISSION.APPLICATION\_TYPE\_CODE=PSM\_APPLICATION\_TYPE.APPLICATION\_TYPE\_CODE

Join14: PSM\_PERSONA.PERSONA\_CODE=PSM\_PERSONA\_MEMBER.PERSONA\_CODE

Join15: PSM\_PERSONA.ORG\_ID=PSM\_PERSONA\_MEMBER.ORG\_ID

Join16: PSM\_PERSONA.ORG\_UNIT\_ID=PSM\_PERSONA\_MEMBER.ORG\_UNIT\_ID

Join17: PSM\_PERSONA\_USER.USER\_ID=PSM\_PERSONA\_MEMBER.USER\_ID

Join18: PSM\_PERSONA\_MENU.PERSONA\_CODE=PSM\_PERSONA.PERSONA\_CODE

Join19: PSM\_PERSONA\_MENU.ORG\_ID=PSM\_PERSONA.ORG\_ID

Join20: PSM\_PERSONA\_MENU.ORG\_UNIT\_ID=PSM\_PERSONA.ORG\_UNIT\_ID

Join21: PSM\_ACCESSPOINT\_GROUP.ORG\_ID=PSM\_ACCESSPOINT\_PERMISSION.ORG\_ID

Join22: PSM\_ACCESSPOINT\_GROUP.ORG\_UNIT\_ID=PSM\_ACCESSPOINT\_PERMISSION.ORG\_UNIT\_ID

Join23: PSM\_ACCESSPOINT\_GROUP.GROUP\_ID=PSM\_ACCESSPOINT\_PERMISSION.GROUP\_ID

Join24: PSM\_ACCESSPOINT\_PERMISSION.ACCESSPOINT\_CODE=PSM\_ACCESSPOINT.ACCESSPOINT\_CODE

Join25: PSM\_APPLICATION\_PERMISSION.APPLICATION=PSM\_APPLICATION.APPLICATION

---

---

Join26: PSM\_APPLICATION.APPLICATION\_TYPE\_CODE=PSM\_PERMISSION.APPLICATION\_TYPE\_CODE

Join27: APP\_ORG\_UNIT.ORG\_ID=PSM\_GROUP\_APPLICATION.ORG\_ID and APP\_ORG\_UNIT.ORG\_UNIT\_ID=PSM\_GROUP\_APPLICATION.ORG\_UNIT\_ID

Join28: APP\_ORG\_UNIT.ORG\_ID=PSM\_PERSONA.ORG\_ID

Join29: APP\_ORG\_UNIT.ORG\_ID=PSM\_ACCESSPOINT\_GROUP.ORG\_ID and APP\_ORG\_UNIT.ORG\_UNIT\_ID=PSM\_ACCESSPOINT\_GROUP.ORG\_UNIT\_ID

Join30: APP\_ORG\_UNIT.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER'))  
AND APP\_ORG\_UNIT.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Join31: PSM\_ORGUNIT\_MEMBER.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER'))  
AND PSM\_ORGUNIT\_MEMBER.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Join32: PSM\_GROUP\_MEMBER.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER'))  
AND PSM\_GROUP\_MEMBER.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Join33: PSM\_GROUP.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER'))  
AND PSM\_GROUP.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Join34: PSM\_APPLICATION\_PERMISSION.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER'))  
AND PSM\_APPLICATION\_PERMISSION.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Join35: PSM\_GROUP\_APPLICATION.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER'))  
AND PSM\_GROUP\_APPLICATION.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Join36: PSM\_PERSONA\_MEMBER.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER'))  
AND PSM\_PERSONA\_MEMBER.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Join37: PSM\_PERSONA.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER'))  
AND PSM\_PERSONA.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

---

---

Join38: PSM\_ACCESSPOINT\_GROUP.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER'))  
AND PSM\_ACCESSPOINT\_GROUP.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Join39: PSM\_ACCESSPOINT\_PERMISSION.ORG\_ID = dbo.usrBOOrg(@Variable('BOUSER'))  
AND PSM\_ACCESSPOINT\_PERMISSION.ORG\_UNIT\_ID = dbo.usrBOOrgUnit(@Variable('BOUSER'))

Join40: PSM\_USER.USER\_ID=PSM\_USER\_LOGGED\_IN\_MAX\_ID.User\_ID

Join41: PSM\_USER\_LOGGED\_IN\_MAX\_ID.User\_ID=PSM\_USER\_LOG  
IN\_HISTORY.USER\_ID and PSM\_USER\_LOGGED\_IN\_MAX\_I  
D.Max\_ID=PSM\_USER\_LOGIN\_HISTORY.PSM\_USER\_LOGIN  
\_HISTORY\_ID

## Context List

No context



