### Universe Parameters

Definition

Definition	
Name:	Subscriptions
Description:	
Connection:	Personify707
General information	
Created:	10/26/2007 by Administrator
Modified:	1/27/2008 by Administrator
Comments:	, ,,
Statistics:	51 Classes
	433 Objects
	21 Tables
	17 Aliases
	34 Joins
	0 Contexts
	4 Hierarchies
	13 Conditions
	13 Conditions
<i></i>	
Strategies	
Join strategy:	Edit Manually (none)
Table strategy:	(Built-in) Standard
Object strategy:	(Built-in) Standard Renaming
Controls	
Limit size of result set to:	
Limit size of long text objects t	0:
Limit execution time to:	
Warn if cost estimate exceeds:	
SQL parameters	
Query	
Allow use of subqueries:	
Allow use of union, intersect	-
Allow complex conditions in (	Query Panel:
Cartesian products:	
Multiple paths	
Generate several SQL statem	ents for each context:
Generate several SQL statem	ents for each measure:
Allow selection of multiple co	ontexts:

Links

5000 rows 1000 characters 10 minutes unchecked

yes yes yes warn

yes yes no No links for this universe

Object List No classes

# **Object Properties**

Class: Description:

#### **Organization Info**

This class contains the organization information.

Object: Type: Description: Select equivalent: Where equivalent:

**Organization ID** Character This is the organization id. PRODUCT.ORG\_ID

Qualification: List of values: Security access level: Can be used: Object status:

dimension no 0 in result, in condition, in sort show

#### Object: Type: Description: Select equivalent: Where equivalent:

### **Organization Unit ID**

Character This is the organization unit id. PRODUCT.ORG\_UNIT\_ID

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Type: Description: Select equivalent: Where equivalent:

### **Organization Unit Name**

Character This is the organization unit name id. APP\_ORG\_UNIT.ORG\_UNIT\_NAME

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show
ass: escription:	<b>Order Line Status Info</b> This class contains information about the order line status.
Objects	
Object:	Order Line Status Code Character
Type:	This is the order line status code of the order line item.
Description: Select equivalent:	ORDER_DETAIL.LINE_STATUS_CODE
Where equivalent:	OKDER_DETAIL.LINE_STATUS_CODE
Qualification	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Order Line Status Date
Туре:	Date
Description:	This is the date when the order line status was last changed.
Select equivalent:	ORDER_DETAIL.LINE_STATUS_DATE
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
, Can be used:	in result, in condition, in sort
Object status:	show
Object:	Order Line Status Reason Code
Туре:	Character
Description:	This is the reason why the order status was changed.
Select equivalent:	ORDER_DETAIL.LINE_STATUS_REASON_CODE
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Order Line Fulfill Status Code
Туре:	Character
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

Description: Select equivalent: Where equivalent:	This is the fulfill status code of the order line item. ORDER_DETAIL.FULFILL_STATUS_CODE
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Order Line Fulfill Status Date</b> Date This is the date when the order line fulfill status was last changed. ORDER_DETAIL.FULFILL_DATE
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
_	
Class: Description:	Misc Order Line Info This class contains miscellaneous information about the order line.
Description: Object: Type: Description: Select equivalent:	This class contains miscellaneous information about the order line. Order Line Description Character This is the order line description.
Description: Object: Type: Description: Select equivalent: Where equivalent: Where equivalent: Ust of values: Security access level: Can be used:	This class contains miscellaneous information about the order line. Order Line Description Character This is the order line description. ORDER_DETAIL.DESCRIPTION dimension no 0 in result, in condition, in sort

List of values: Security access level:	no O		
Can be used: Object status:	in result, in condition, in sort show		
Object:	Original Order Number		
Type:	Character This is the original order number of the order line item.		
Description: Select equivalent: Where equivalent:	ORDER_DETAIL.ORIGINAL_ORDER_NO		
where equivalent.			
Qualification:	dimension		
List of values:	no		
Security access level:	0		
Can be used:	in result, in condition, in sort		
Object status:	show		
Object:	Original Order Line Number Number		
Type: Description:	This is the original order line number of the order line item.		
Select equivalent:	ORDER_DETAIL.ORIGINAL_ORDER_LINE_NO		
Where equivalent:			
Qualification:	dimension		
List of values:	no		
Security access level:	0		
Can be used:	in result, in condition, in sort		
Object status:	show		
Object:	Transfer From Order Number		
Туре:	Character		
Description:	This is the order number of the order from which the order line was transferred		
Select equivalent:	ORDER_DETAIL.TRANSFER_FROM_ORDER_NO		
Where equivalent:			
Qualification:	dimension		
List of values:	no		
Security access level:	0		
Can be used:	in result, in condition, in sort		
Object status:	show		

Object:

## **Transfer From Order Line Number**

Туре:	Number
Description:	This is the order line number of the order from which the order line was transferred.
Select equivalent:	ORDER_DETAIL.TRANSFER_FROM_ORDER_LINE_NO
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Transfer To Order Number
Туре:	Character
Description:	This is the order number of the order to which the order line was transferred.
Select equivalent:	ORDER_DETAIL.TRANSFER_TO_ORDER_NO
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Transfer To Order Line Number
Туре:	Number
Description:	This is the order line number of the order to which the order line was transferred.
Select equivalent:	ORDER_DETAIL.TRANSFER_TO_ORDER_LINE_NO
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Order Line Type Code
Туре:	Character
Description:	This is the order line type code.
Select equivalent:	ORDER_DETAIL.LINE_TYPE_CODE
Where equivalent:	
Qualification:	dimension
List of values:	no

Security access level: Can be used: Object status:	0 in result, in condition, in sort show
Object:	Order Line Level
Туре:	Number
Description:	This is the line level of the order line item.
Select equivalent:	ORDER_DETAIL.LINE_LEVEL
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Related Order Line Number
Type:	Number
Description:	This is the related order line number.
Select equivalent:	ORDER_DETAIL.RELATED_LINE_NO
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Line Complete?
Туре:	Character
Description:	This indicates if the order line is complete.
Select equivalent:	ORDER_DETAIL.LINE_COMPLETE_FLAG
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
ss:	GL Account Info
scription:	This class contains information about the GL Accounts.

Object: Type: Description: Select equivalent: Where equivalent:	AR GL Account Number Character This is the AR GL account number. ORDER_DETAIL.AR_ACCOUNT
Qualification: List of values: Security access level: Can be used:	dimension no 0 in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>PPL GL Account Number</b> Character This is the PPL GL account number. ORDER_DETAIL.PPL_ACCOUNT
Qualification: List of values:	dimension
List of values: Security access level:	no O
Can be used: Object status:	in result, in condition, in sort show
Object: Type:	Revenue Distribution Begin Date
Description: Select equivalent: Where equivalent:	This is the revenue distribution begin date. ORDER_DETAIL.REVENUE_DIST_BEGIN_DATE
Qualification:	dimension
List of values:	no
Security access level:	0 in recult in condition in sort
Can be used: Object status:	in result, in condition, in sort show
lass: Description:	Subscription Order Creation & Modification Info This class contains information about the creation/modification of the subscription order.
Object: Type: Description:	<b>Subscription Order Creation Date</b> Date This is the date when the subscription order record was created.
Select equivalent: Where equivalent:	ORDER_DETAIL.ADDDATE

Qualification:	dimension
List of values:	17m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscription Order Creation User</b> Character This is the user who created the subscription order record. ORDER_DETAIL.ADDOPER
Qualification:	dimension
List of values:	17n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscription Order Modification Date</b> Date This is the date when the subscription order record was last modified. ORDER_DETAIL.MODDATE
Qualification:	dimension
List of values:	17o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscription Order Modification User</b> Character This is the user who last modified the subscription order record. ORDER_DETAIL.MODOPER
Qualification:	dimension
List of values:	17p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

ss: scription:	<b>Subscriber Customer Info</b> This class contains information about the subscriber.
Object:	Subscriber Customer ID
Туре:	Character
Description:	This is the concatenation
	of the master customer id
	and the sub customer id of
	the subscriber if the sub
	customer id is not 0, els
	e it is the master custome
	r id.
Select equivalent:	CASE WHEN SHIP_CUSTOMER.
	$SUB_CUSTOMER_ID = 0$ THEN
	SHIP_CUSTOMER.MASTER_CU
	STOMER_ID ELSE SHIP_CUS
	TOMER.MASTER_CUSTOMER_I
	D + '- ' + Convert(char, S
	HIP_CUSTOMER.SUB_CUSTOM
	ER_ID) END
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Subscriber Master Customer ID
Туре:	Character
Description:	This is the master customer id of the subscriber.
Select equivalent:	SHIP CUSTOMER.MASTER CUSTOMER ID
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Subscriber Sub Customer ID
Туре:	Number
Description:	This is the sub customer id of the subscriber.

Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class:	<b>Subscriber Membership Info</b>
Description:	This class contains information related to subscriber's membership.
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Member Type</b> Character This is the type of membership of the subscriber. SHIP_CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_LEVEL2
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Subscriber Membership Begin Date Date This is the begin date of the subscriber. SHIP_CUS_CURRENT_MEMBERSHIP_INFO.CYCLE_BEGIN_DATE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Membership End Date</b> Date This is the end date of the membership of the subscriber. SHIP_CUS_CURRENT_MEMBERSHIP_INFO.CYCLE_END_DATE
Qualification:	dimension
List of values:	no
Security access level:	0

Can be used: Object status:	in result, in condition, in sort show
Object:	Subscriber Membership Description
Type: Description:	Character This is the description of the type of membership of the subscriber.
Select equivalent:	SHIP_CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_DESCR
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	
Can be used: Object status:	in result, in condition, in sort show
Object:	Subscriber Member Since Date
Туре:	Date
Description:	This is the member since date of the subscriber.
Select equivalent:	SHIP_CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_SINCE_DATE
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used: Object status:	in result, in condition, in sort show
Object:	Subscriber Chapter 1
Туре:	Character
Description: Select equivalent:	This is the first chapter that the subscriber is a member of. SHIP_CUS_CURRENT_MEMBERSHIP_INFO.CHAPTER_DESCR
Where equivalent:	SHIP_COS_CORRENT_MEMBERSHIP_INFO.CHAPTER_DESCR
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type:	Subscriber Chapter 2 Character
Description:	This is the second chapter that the subscriber is a member of.

Select equivalent: Where equivalent:	SHIP_CUS_CURRENT_MEMBERSHIP_INFO.CHAPTER2_DESCR
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Section 1</b> Character This is the first section that the subscriber is a member of. SHIP_CUS_CURRENT_MEMBERSHIP_INFO.SECTION_DESCR
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Section 2</b> Character This is the second chapter that the subscriber is a member of. SHIP_CUS_CURRENT_MEMBERSHIP_INFO.SECTION2_DESCR
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Class: Description:	<b>Subscriber Name Components</b> This class contains information about the subscriber's name components.
Object: Type: Description: Select equivalent: Where equivalent: Qualification:	Subscriber Label Name Character This is the label name of the subscriber. SHIP_CUSTOMER.LABEL_NAME dimension
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Last First Name</b> Character This is the concatenation of the last name and first name of the subscriber. SHIP_CUSTOMER.LAST_FIRST_NAME
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Last Name</b> Character This is the last name of the subscriber. SHIP_CUSTOMER.LAST_NAME
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber First Name</b> Character This is the first name of the subscriber. SHIP_CUSTOMER.FIRST_NAME
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Subscriber Name Prefix
Type:	Character

Description: Select equivalent: Where equivalent:	This is the name prefix of the subscriber. SHIP_CUSTOMER.NAME_PREFIX
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Suffix</b> Character This is the name suffix of the subscriber. SHIP_CUSTOMER.NAME_SUFFIX
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Professional Credentials</b> Character These are the professional credentials of the subscriber. SHIP_CUSTOMER.NAME_CREDENTIALS
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class:	<b>Subscriber Primary Employer</b>
Description:	This class contains information about subscriber's primary employment.
Object: Type: Description: Select equivalent: Where equivalent: Qualification:	Subscriber Employee Relationship Code Character This is the subscriber employee relationship code. SHIP_CUS_PRIMARY_EMPLOYMENT.RELATIONSHIP_CODE dimension

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Employer Reciprocal Code</b> Character This is the subscriber's employer's relationship reciprocal code. SHIP_CUS_PRIMARY_EMPLOYMENT.RECIPROCAL_CODE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Employer Master Customer ID</b> Character This is the master customer id of the subscriber's employer. SHIP_CUS_PRIMARY_EMPLOYMENT.RELATED_MASTER_CUSTOMER_ID
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Employer Sub Customer ID</b> Number This is the sub customer id of the subscriber's employer. SHIP_CUS_PRIMARY_EMPLOYMENT.RELATED_SUB_CUSTOMER_ID
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:

# **Employer Customer ID**

Туре:	Character
Description:	This is the concatenation
Description.	
	of the master customer id
	and the sub customer id of
	the subscriber's employer
Select equivalent:	SHIP_CUS_PRIMARY_EMPLOYMENT.RELATED_CUS_CusMastSubID
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	-
	in result, in condition, in sort
Object status:	show
Objecti	Freedow to bot News
Object:	Employer Label Name
Туре:	Character
Description:	This is the label name of the subscriber's employer.
Select equivalent:	SHIP_CUS_PRIMARY_EMPLOYMENT.RELATED_CUS_LABEL_NAME
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	
	in result, in condition, in sort
Object status:	show
Object:	Employer Customer Class Code
Туре:	Character
Description:	This is the customer class code of the subscriber's employer.
•	
Select equivalent:	SHIP_CUS_PRIMARY_EMPLOYMENT.RELATED_CUS_CUSTOMER_CLASS_CODE
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Employer Customer Status Code
Туре:	Character
Description:	This is the customer status code of the subscriber's employer.
Select equivalent:	SHIP_CUS_PRIMARY_EMPLOYMENT.RELATED_CUS_CUSTOMER_STATUS_CODE
	SHIF_COS_FRIMART_LIMFLOTMILINT.RLLATED_COS_COSTOMER_STATOS_CODE

Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Employer Primary Phone
Туре:	Character
Description:	This is the primary phone of the subscriber's employer.
Select equivalent:	SHIP_CUS_PRIMARY_EMPLOYMENT.RELATED_CUS_PRIMARY_PHONE
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Employer Primary Fax
Туре:	Character
Description:	This is the primary fax of the subscriber's employer.
Select equivalent:	SHIP_CUS_PRIMARY_EMPLOYMENT.RELATED_CUS_PRIMARY_FAX
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Employer Primary Email
Туре:	Character
Description:	This is the primary email of the subscriber's employer.
Select equivalent:	SHIP_CUS_PRIMARY_EMPLOYMENT.RELATED_CUS_PRIMARY_EMAIL_ADDRESS
Where equivalent:	
Qualification:	dimension
•	no
List of values:	
-	0
List of values:	

Object: Type:	Employer Primary Address Character
Description:	This is the primary address of the subscriber's employer.
Select equivalent:	SHIP_CUS_PRIMARY_EMPLOYMENT.RELATED_CUS_ADDRESS_LABEL
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
ss: scription:	<b>Primary Employer Membership Info</b> This class contains information about subscriber's employer's membership.
Object:	Primary Employer Member Type
Туре:	Character
Description:	This is the type of member's primary employer's membership.
Select equivalent:	PRIMARY_EMPLOYER_CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_LEVEL
Where equivalent:	
Qualification:	dimension
List of values:	16d, editable, automatic refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type:	Primary Employer's Membership Begin Date Date
Description:	This is the begin date of the member's primary employer's membership.
Select equivalent:	PRIMARY_EMPLOYER_CUS_CURRENT_MEMBERSHIP_INFO.CYCLE_BEGIN_DA
Where equivalent:	
Qualification:	dimension
List of values:	16e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Primary Employer's Membership End Date
Туре:	

PRIMARY_EMPLOYER_CUS_CURRENT_MEMBERSHIP_INFO.CYCLE_END_DATE
dimension 16f, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Primary Employer's Membership Grace Date
Date This is the grace date of member's primary employer's membership. PRIMARY_EMPLOYER_CUS_CURRENT_MEMBERSHIP_INFO.GRACE_DATE
dimension 16g, editable, manual refresh, not exportable 0
in result, in condition, in sort show
Primary Employer's Membership Description
This is the description of the member's primary employer's membership. PRIMARY_EMPLOYER_CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_DESCR
dimension 16h, editable, manual refresh, not exportable 0
in result, in condition, in sort show
Primary Employer's Member Since Date
Date This is the members since date of the member's primary employer's membership. PRIMARY_EMPLOYER_CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_SINCE_DATE
dimension 16i, editable, manual refresh, not exportable 0
-

Object status:	show
Object:	Primary Employer's Chapter 1
Type: Description:	Character This is the description of the member's primary employer's membership 1st chapter.
Select equivalent:	PRIMARY_EMPLOYER_CUS_CURRENT_MEMBERSHIP_INFO.CHAPTER_DESCR
Where equivalent:	
Qualification:	dimension
List of values:	16j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Primary Employer's Chapter 2
Type:	Character
Description:	This is the description of the member's primary employer's membership 2nd chapter.
Select equivalent:	PRIMARY_EMPLOYER_CUS_CURRENT_MEMBERSHIP_INFO.CHAPTER2_DESCR
Where equivalent:	
Qualification:	dimension
List of values:	16k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type:	Primary Employer's Section 1 Character
Description:	This is the description of the member's primary employer's membership 1st section.
Select equivalent:	PRIMARY_EMPLOYER_CUS_CURRENT_MEMBERSHIP_INFO.SECTION_DESCR
Where equivalent:	
Qualification:	dimension
List of values:	16l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Primary Employer's Section 2
Туре:	Character
Description:	This is the description of the member's primary employer's membership 2nd chapter.

Where equivalent:	
Qualification:	dimension
List of values:	16m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class:	All Subscriber Relationships
Description:	This class contains information about all the relationships of the subscriber.
Object:	Related Customer Full Name
Туре:	Character
Description:	This is the full name of the related customer.
Select equivalent:	Cus_Relationship_Ship_Related_Cus_Info_VW.RELATED_CUS_LABEL_NAME
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Related Customer Last First Name</b> Character This is the concatenation of the last name and first name of the related customer. Cus_Relationship_Ship_Related_Cus_Info_VW.RELATED_CUS_LAST_FIRST_NAME
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Related Customer Home Phone
Type:	Character
Description:	This is the home phone number of the related customer.
Select equivalent: Where equivalent:	Cus_Relationship_Ship_Related_Cus_Info_VW.RELATED_CUS_HOME_PHONE
Qualification:	dimension
List of values:	14c, editable, manual refresh, not exportable
Security access level:	0
·	

Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Related Customer Work Phone Character This is the work phone number of the related customer. Cus_Relationship_Ship_Related_Cus_Info_VW.RELATED_CUS_WORK_PHONE
Qualification:	dimension
List of values:	14d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Related Customer Primary Phone</b> Character This is the primary phone number of the related customer. Cus_Relationship_Ship_Related_Cus_Info_VW.RELATED_CUS_PRIMARY_PHONE
Qualification:	dimension
List of values:	14e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used:	Related Customer Primary Fax Character This is the primary fax phone number of the related customer. Cus_Relationship_Ship_Related_Cus_Info_VW.RELATED_CUS_PRIMARY_FAX dimension 14f, editable, manual refresh, not exportable 0 in result, in condition, in sort
Object status:	show
Object:	<b>Related Customer Primary Email Address</b>
Type:	Character
Description:	This is the primary email address of the related customer.

Select equivalent:	Cus_Relationship_Ship_Rel ated_Cus_Info_VW.RELATED _CUS_PRIMARY_EMAIL_ADDR ESS
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 14g, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object:	Related Customer Class Code
Туре:	Character
Description:	This is the customer class code of the related customer.
Select equivalent:	Cus_Relationship_Ship_Rel ated_Cus_Info_VW.RELATED
	_CUS_CUSTOMER_CLASS_COD
	E
Where equivalent:	
Qualification:	dimension
List of values:	0ym, editable, automatic refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type:	Related Customer Record Type Character
Description:	This is the record type of the related customer.
Select equivalent:	Cus_Relationship_Ship_Related_Cus_Info_VW.RELATED_CUS_RECORD_TYPE
Where equivalent:	
Qualification:	dimension
List of values:	0yn, editable, automatic refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Relationship Code
Туре:	Character
Description:	This is the relationship code of the parent company.
Select equivalent:	Cus_Relationship_Ship_Related_Cus_Info_VW.RELATIONSHIP_CODE

Where equivalent:	
Qualification:	dimension
List of values:	0yo, editable, automatic refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Related Customer Customer ID
Туре:	Character
Description:	This is the concatenation
	of the master customer id
	and sub customer id of the
	parent company.
Select equivalent:	Cus_Relationship_Ship_Related_Cus_Info_VW.RELATED_CUS_CusMastSubID
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Related Customer Master Customer ID
Туре:	Character
Description:	This is the master customer id of the parent company.
Select equivalent:	Cus_Relationship_Ship_Related_Cus_Info_VW.RELATED_MASTER_CUSTOMER_ID
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Related Customer Sub Customer ID
Type:	Number
Description:	This is the sub customer id of the parent company.
Select equivalent:	Cus_Relationship_Ship_Related_Cus_Info_VW.RELATED_SUB_CUSTOMER_ID
Where equivalent:	
Qualification:	dimension
List of values:	no
-	

Object: Type:	Relationship Type Code Character
Can be used: Object status:	in result, in condition, in sort show
Security access level:	0
List of values:	no
Qualification:	dimension
Where equivalent:	
Select equivalent:	Cus_Relationship_Ship_Related_Cus_Info_VW.END_DATE
Description:	This is the end date of the parent/subsidiary relationship.
Object: Type:	Related Customer End Date
Object status:	show
Can be used:	in result, in condition, in sort
Security access level:	0
List of values:	no
Qualification:	dimension
Where equivalent:	
Select equivalent:	Cus_Relationship_Ship_Related_Cus_Info_VW.BEGIN_DATE
Description:	This is the begin date of the parent/subsidiary relationship.
Туре:	Date
Object:	Related Customer Begin Date
Object status:	show
Can be used:	in result, in condition, in sort
Security access level:	0
List of values:	0ys, editable, automatic refresh, not exportable
Qualification:	dimension
Where equivalent:	
Select equivalent:	Cus_Relationship_Ship_Related_Cus_Info_VW.RECIPROCAL_CODE
Description:	This is the reciprocal relationship code for the parent company.
Object: Type:	Related Customer Reciprocal Code Character
Objecti	
Object status:	show
Can be used:	in result, in condition, in sort
Security access level:	0

Description: Select equivalent: Where equivalent:	This is the record type of the related customer. Cus_Relationship_Ship_Related_Cus_Info_VW.RELATIONSHIP_TYPE
Qualification:	dimension
List of values:	Oyv, editable, automatic refresh, not exportable
Security access level:	O
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Relationship Type Description</b> Character This is the description of the relationship type code for the related customer. Cus_Relationship_Ship_Related_Cus_Info_VW.RELATIONSHIP_TYPE_DESCR
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Relationship Type Sort Order</b> Number This is the sort order of the relationship type for the related customer. Cus_Relationship_Ship_Related_Cus_Info_VW.RELATIONSHIP_TYPE_DISPLAY_ORDE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Hierarchical Relationship Flag Character This indicates if the relationship is hierarchical. Cus_Relationship_Ship_Related_Cus_Info_VW.HIERARCHICAL_FLAG
Qualification:	dimension
List of values:	no
Security access level:	0

Can be used: Object status:	in result, in condition, in sort show
Object: Type:	Employment Relationship Flag
Description:	This indicates if the relationship is an employment relationship.
Select equivalent: Where equivalent:	Cus_Relationship_Ship_Related_Cus_Info_VW.EMPLOYMENT_FLAG
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used: Object status:	in result, in condition, in sort show
Object:	Primary Employer Relationship Flag
Туре:	Character
Description:	This indicates if the employer is a primary employer.
Select equivalent:	Cus_Relationship_Ship_Related_Cus_Info_VW.PRIMARY_EMPLOYER_FLA
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used: Object status:	in result, in condition, in sort show
Object:	Full-Time Employment Flag
Type: Description:	This indicates if the employment is full time.
Select equivalent:	Cus_Relationship_Ship_Related_Cus_Info_VW.FULL_TIME_FLAG
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Employment Job Function Code
Туре:	Character
Description:	This is the job function code of the related customer.

Select equivalent: Where equivalent:	Cus_Relationship_Ship_Related_Cus_Info_VW.RELATIONSHIP_JOB_FUNCTION_C
Qualification:	dimension
List of values:	103, editable, automatic refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Employment Supervisor Name
Туре:	Character
Description:	This is the employment supervisor's name.
Select equivalent: Where equivalent:	Cus_Relationship_Ship_Related_Cus_Info_VW.SUPERVISOR_NAME
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Ohiasti	
Object:	Primary Contact Relationship Flag
Type:	Character
Description:	This indicates if the contact is a primary contact. Cus_Relationship_Ship_Related_Cus_Info_VW.PRIMARY_CONTACT_FLAG
	UUS REIATIONSNID SNID REIATED UUS INTO VW.PRIMARY UUNIAUI FLAG
Select equivalent: Where equivalent:	
Where equivalent:	
Where equivalent: Qualification:	dimension
Where equivalent: Qualification: List of values:	dimension no
Where equivalent: Qualification: List of values: Security access level:	dimension no 0
Where equivalent: Qualification: List of values:	dimension no
Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Where equivalent: Qualification: List of values: Security access level: Can be used:	dimension no 0 in result, in condition, in sort
Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show <b>Subscriber Demographics</b>
Where equivalent: Qualification: List of values: Security access level: Can be used: Object status: ass: scription:	dimension no 0 in result, in condition, in sort show <b>Subscriber Demographics</b> This class contains information about subscriber's demographics.
Where equivalent: Qualification: List of values: Security access level: Can be used: Object status: ass: scription: Object:	dimension no 0 in result, in condition, in sort show Subscriber Demographics This class contains information about subscriber's demographics. Subscriber Customer Class Code
Where equivalent: Qualification: List of values: Security access level: Can be used: Object status: ass: scription: Object: Type:	dimension no 0 in result, in condition, in sort show Subscriber Demographics This class contains information about subscriber's demographics.
Where equivalent: Qualification: List of values: Security access level: Can be used: Object status: ass: scription: Object: Type: Description: Select equivalent:	dimension no 0 in result, in condition, in sort show Subscriber Demographics This class contains information about subscriber's demographics. Subscriber Customer Class Code Character This is the customer class code of the subscriber.

Security access level: Can be used: Object status:	0 in result, in condition, in sort show
Object: Type:	Subscriber Customer Status Code Character
Description: Select equivalent: Where equivalent:	This is the customer status code of the subscriber. SHIP_CUSTOMER.CUSTOMER_STATUS_CODE
Qualification: List of values:	dimension no
Security access level: Can be used: Object status:	0 in result, in condition, in sort show
Object:	Subscriber Customer Status Date
Type: Description: Select equivalent: Where equivalent:	Date This is the date when the customer status of the subscriber last changed. SHIP_CUSTOMER.CUSTOMER_STATUS_DATE
Qualification:	dimension
List of values: Security access level:	no O
Can be used: Object status:	in result, in condition, in sort show
Object: Type:	Subscriber Primary Job Title
Description: Select equivalent: Where equivalent:	This is the primary job title of the subscriber. SHIP_CUSTOMER.PRIMARY_JOB_TITLE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used: Object status:	in result, in condition, in sort show
Object: Type:	Subscriber Job Function Code Character

Description: Select equivalent: Where equivalent:	This is the primary job function of the subscriber. SHIP_CUSTOMER.JOB_FUNCTION_CODE
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Gender Code</b> Character This is the gender code of the subscriber. SHIP_CUSTOMER.GENDER_CODE
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used:	Subscriber Ethnicity Code Character This is the ethnicity code of the subscriber. SHIP_CUSTOMER.ETHNICITY_CODE dimension no 0 in result, in condition, in sort
Object:	show Subscriber Birthdate
Object status:	show

Can be used: Object status:	in result, in condition, in sort show
Object:	Subscriber Age
Туре:	Number
Description:	This is the age of the subscriber.
Select equivalent:	CASE WHEN cast(datepart(m
·	,getdate()) as int) > cast
	(datepart(m,SHIP_CUSTOME
	R.BIRTH_DATE) as int)
	THEN cast(datediff(yyyy,SHIP_CUSTOMER.BIRTH_DATE,getdate()) as in
	WHEN cast(datepart(m,getd
	ate()) as int) = cast(date
	part(m,SHIP_CUSTOMER.BIR
	TH_DATE) as int)
	AND datepart(d,getdate()) >= datepart(d,SHIP_CUSTOMER.BIRTH_DA
	THEN cast(datediff(yyyy,SHIP_CUSTOMER.BIRTH_DATE,getdate()) as i
	ELSE cast(datediff(yyyy,SHIP_CUSTOMER.BIRTH_DATE,getdate()) as ir
	END
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
SS:	Subscriber List Demographics
scription:	This class contains information about subscriber's list demographics.
Object:	Subscriber List Demographic Code
Туре:	Character
Description:	This is the list demographic code of the subscriber.
Select equivalent:	SHIP_CUS_DEMOGRAPHIC_CODE_DESCR_VW.DEMOGRAPHIC_CODE
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:

# Subscriber List Demographic Code Description

Type: Description: Select equivalent: Where equivalent:	Character This is the description of the list demographic code of the subscriber. SHIP_CUS_DEMOGRAPHIC_CODE_DESCR_VW.DEMOGRAPHIC_CODE_DESCR
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Subscriber List Demographic Subcode Character This is the subcode of the list demographic subcode of the subscriber. SHIP_CUS_DEMOGRAPHIC_CODE_DESCR_VW.DEMOGRAPHIC_SUBCODE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber List Demographic Subcode Description</b> Character This is the description of the list demographic subcode of the subscriber. SHIP_CUS_DEMOGRAPHIC_CODE_DESCR_VW.DEMOGRAPHIC_SUBCODE_DESCR
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Subscriber List Demographic Begin Date Date This is the begin date of the list demographics of the subscriber. SHIP_CUS_DEMOGRAPHIC_CODE_DESCR_VW.USER_D1
Qualification:	dimension
List of values:	no

Security access level: Can be used: Object status:	0 in result, in condition, in sort show
Object: Type:	Subscriber List Demographic End Date
Description: Select equivalent: Where equivalent:	This is the end date of the list demographics of the subscriber. SHIP_CUS_DEMOGRAPHIC_CODE_DESCR_VW.USER_D2
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class:	Subscriber Specialty
Description:	This class contains information about subscriber's specialty.
2 000.19 000.1	
Object:	Subscriber Specialty Description
Туре:	Character
Description:	This is the description of the specialty of the subscriber.
Select equivalent:	SHIP_CUS_SPECIALTY.COMMENTS
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Obiosti	
Object:	Subscriber Specialty Level Code Character
Type: Description:	Character This is the specialty level code of the subscriber.
Select equivalent:	SHIP_CUS_SPECIALTY.SPECIALTY_STATUS_CODE
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
-	in result, in condition, in sort
Can be used:	

Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Specialty Level Description</b> Character This is the description of the specialty level code of the subscriber. SHIP_CUS_SPECIALTY.COMMENTS
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class:	Subscription Mailing Address
Description:	This class contains information about subscriber's mailing address.
Object: Type: Description: Select equivalent: Where equivalent:	Subscriber Address ID Number This is the subscriber's mailing address id. SHIP_CUS_ADDRESS_DETAIL.CUS_ADDRESS_ID
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level:	Subscriber Address Type Code Character This is the address type of the subscriber's mailing address. SHIP_CUS_ADDRESS_DETAIL.ADDRESS_TYPE_CODE dimension no 0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	<b>Subscriber Address Line 1</b>
Type:	Character
Description:	This is the address line 1 of the subscriber's mailing address.
Select equivalent: Where equivalent:	SHIP_CUS_ADDRESS.ADDRESS_1

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Address Line 2</b> Character This is the address line 2 of the subscriber's mailing address. SHIP_CUS_ADDRESS.ADDRESS_2
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Address Line 3</b> Character This is the address line 3 of the subscriber's mailing address. SHIP_CUS_ADDRESS.ADDRESS_3
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Address Line 4</b> Character This is the address line 4 of the subscriber's mailing address. SHIP_CUS_ADDRESS.ADDRESS_4
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Type:	Subscriber City Character
Description:	This is the city of the subscriber's mailing address.
Select equivalent:	SHIP_CUS_ADDRESS.CITY
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Subscriber State
Туре:	Character
Description:	This is the state of the subscriber's mailing address.
Select equivalent:	SHIP_CUS_ADDRESS.STATE
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Subscriber Zip
Туре:	Character
Description:	This is the zip of the subscriber's mailing address.
Select equivalent:	SHIP_CUS_ADDRESS.POSTAL_CODE
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
, Can be used:	in result, in condition, in sort
Object status:	show
Object:	Subscriber Country Code
Туре:	Character
Description:	This is the country code of the subscriber's mailing address.
Select equivalent:	SHIP_CUS_ADDRESS.COUNTRY_CODE
Where equivalent:	

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Subscriber Country Description Character This is the description of the subscriber's mailing address. SHIP_CUS_ADDRESS.COUNTRY_DESCR
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent:	Subscriber Full Address Character This is the subscriber's mailing address. SHIP_CUS_ADDRESS_DETAIL. FORMATTED_DETAIL + SHIP_ CUS_ADDRESS.FORMATTED_A DDRESS
Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Class:	Subscriber Communication Info
Description:	This class contains information about subscriber's communication info i.e. prone fax. etc.
Object: Type: Description: Select equivalent: Where equivalent:	Subscriber Primary Fax Character This is the primary fax of the member. SHIP_CUSTOMER.PRIMARY_FAX
Qualification:	dimension
List of values:	no

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Primary Phone</b> Character This is the primary phone of the member. SHIP_CUSTOMER.PRIMARY_PHONE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Primary Email Address</b> Character This is the primary email address of the member. SHIP_CUSTOMER.PRIMARY_EMAIL_ADDRESS
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class:	<b>Subscriber Communication Rules</b>
Description:	This class contains information about subscriber's communication rules.
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Allow Phone?</b> Character This indicates if the subscriber allows any phone solicitation. SHIP_CUSTOMER.ALLOW_PHONE_FLAG
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Allow Fax?</b> Character This indicates if the subscriber allows any fax solicitation. SHIP_CUSTOMER.ALLOW_EMAIL_FLAG
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Allow Label Sales?</b> Character This indicates if the subscriber allows the organization to sell their name. SHIP_CUSTOMER.ALLOW_FAX_FLAG
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Allow Solicitation?</b> Character This indicates if the subscriber allows any type of solicitation. SHIP_CUSTOMER.ALLOW_LABEL_SALES_FLAG
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Allow Internal Mail?</b> Character This indicates if the subscriber allows any internal mail. SHIP_CUSTOMER.ALLOW_SOLICITATION_FLAG
Qualification:	dimension

List of values: Security access level: Can be used: Object status:	no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent:	<b>Subscriber Publish Primary Phone?</b> Character This indicates if the subscriber allows publishing of their primary phone number. SHIP_CUSTOMER.ALLOW_INTERNAL_MAIL_FLAG
Where equivalent: Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type:	Subscriber Publish Primary Email?
Description:	This indicates if the subscriber allows publishing of their primary email address.
Select equivalent: Where equivalent:	SHIP_CUSTOMER.PUBLISH_PRIMARY_PHONE_FLAG
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Subscriber Publish Primary Fax?
Type: Description:	This indicates if the subscriber allows publishing of their primary fax number.
Select equivalent:	SHIP_CUSTOMER.PUBLISH_PRIMARY_FAX_FLAG
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

## **Subscriber Publish Home Phone?**

Type:	Character
Description:	This indicates if the subscriber allows publishing of their primary home phone nur
Select equivalent: Where equivalent:	SHIP_CUSTOMER.PUBLISH_HOME_PHONE_FLAG
where equivalent.	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Subscriber Publish Work Phone
Туре:	Character
Description:	This indicates if the subscriber allows publishing of their work phone number.
Select equivalent:	SHIP_CUSTOMER.PUBLISH_WORK_PHONE_FLAG
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object status: Class: Description:	show Subscriber Creation & Modification Info This class includes informa
Class:	Subscriber Creation & Modification Info
Class:	Subscriber Creation & Modification Info This class includes informa
Class:	Subscriber Creation & Modification Info This class includes informa tion about subscriber recor
Class:	Subscriber Creation & Modification Info This class includes informa tion about subscriber recor d creation (date/user) and
Class: Description:	Subscriber Creation & Modification Info This class includes informa tion about subscriber recor d creation (date/user) and modification (date/user).
Class: Description: Object:	Subscriber Creation & Modification Info This class includes informa tion about subscriber recor d creation (date/user) and modification (date/user). Subscriber Creation Date
Class: Description: Object: Type:	Subscriber Creation & Modification Info This class includes informa tion about subscriber recor d creation (date/user) and modification (date/user). Subscriber Creation Date Date
Class: Description: Object: Type: Description:	Subscriber Creation & Modification Info This class includes informa tion about subscriber recor d creation (date/user) and modification (date/user). Subscriber Creation Date Date This is the date when the subscriber record was created.
Class: Description: Object: Type: Description: Select equivalent:	Subscriber Creation & Modification Info This class includes informa tion about subscriber recor d creation (date/user) and modification (date/user). Subscriber Creation Date Date This is the date when the subscriber record was created.
Class: Description: Object: Type: Description: Select equivalent: Where equivalent:	Subscriber Creation & Modification Info This class includes informa tion about subscriber recor d creation (date/user) and modification (date/user). Subscriber Creation Date Date This is the date when the subscriber record was created. SHIP_CUSTOMER.ADDDATE
Class: Description: Object: Type: Description: Select equivalent: Where equivalent: Qualification:	Subscriber Creation & Modification Info This class includes informa tion about subscriber recor d creation (date/user) and modification (date/user). Subscriber Creation Date Date This is the date when the subscriber record was created. SHIP_CUSTOMER.ADDDATE dimension
Class: Description: Object: Type: Description: Select equivalent: Where equivalent: Qualification: List of values:	Subscriber Creation & Modification Info This class includes informa tion about subscriber recor d creation (date/user) and modification (date/user). Subscriber Creation Date Date This is the date when the subscriber record was created. SHIP_CUSTOMER.ADDDATE dimension 17e, editable, manual refresh, not exportable
Class: Description: Object: Type: Description: Select equivalent: Where equivalent: Where equivalent: Qualification: List of values: Security access level:	Subscriber Creation & Modification Info         This class includes informa         tion about subscriber recor         d creation (date/user) and         modification (date/user).         Subscriber Creation Date         Date         This is the date when the subscriber record was created.         SHIP_CUSTOMER.ADDDATE         dimension         17e, editable, manual refresh, not exportable         0
Class: Description: Object: Type: Description: Select equivalent: Where equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	Subscriber Creation & Modification Info         This class includes informa         tion about subscriber recor         d creation (date/user) and         modification (date/user).         Subscriber Creation Date         Date         This is the date when the subscriber record was created.         SHIP_CUSTOMER.ADDDATE         dimension         17e, editable, manual refresh, not exportable         0         in result, in condition, in sort         show
Class: Description: Object: Type: Description: Select equivalent: Where equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	Subscriber Creation & Modification Info         This class includes informa         tion about subscriber recor         d creation (date/user) and         modification (date/user).         Subscriber Creation Date         Date         This is the date when the subscriber record was created.         SHIP_CUSTOMER.ADDDATE         dimension         17e, editable, manual refresh, not exportable         0         in result, in condition, in sort         show
Class: Description: Object: Type: Description: Select equivalent: Where equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	Subscriber Creation & Modification Info         This class includes informa         tion about subscriber recor         d creation (date/user) and         modification (date/user).         Subscriber Creation Date         Date         This is the date when the subscriber record was created.         SHIP_CUSTOMER.ADDDATE         dimension         17e, editable, manual refresh, not exportable         0         in result, in condition, in sort         show

Select equivalent: Where equivalent:	SHIP_CUSTOMER.ADDOPER
Qualification:	dimension
List of values:	17f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Modification Date</b> Date This is the date when the subscriber record was last modified. SHIP_CUSTOMER.MODDATE
Qualification:	dimension
List of values:	17g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscriber Modification User</b> Character This is the user who last modified the subscriber record. SHIP_CUSTOMER.MODOPER
Qualification:	dimension
List of values:	17h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class:	<b>Bill Customer Info</b>
Description:	This class contains information about subscriber's bill to customer.
Object: Type: Description:	<b>Bill-Customer Customer ID</b> Character This is the concatenation of the bill master custome r id and bill sub customer id if the sub customer id is not 0, else it is the m aster customer id.

iss: scription:	Bill Customer Membership Info This class contains information about subscriber's bill-to customer's membership in
Object status:	show
Can be used:	in result, in condition, in sort
Security access level:	0
List of values:	no
Qualification:	dimension
Where equivalent:	
Select equivalent:	BILL_CUSTOMER.SUB_CUSTOMER_ID
Description:	This is the sub customer id of the bill customer.
Object: Type:	Bill-Customer Sub Customer ID Number
Object status:	show
Can be used:	in result, in condition, in sort
Security access level:	0
Qualification: List of values:	dimension no
Where equivalent:	
Select equivalent:	BILL_CUSTOMER.MASTER_CUSTOMER_ID
Description:	This is the master customer id of the bill customer.
Object: Type:	Bill-Customer Master Customer ID Character
Object status:	show
Security access level: Can be used:	u in result, in condition, in sort
List of values:	no O
Qualification:	dimension
Where equivalent:	D + '- ' + Convert(char, B ILL_CUSTOMER.SUB_CUSTOM ER_ID) END
Select equivalent:	CASE WHEN BILL_CUSTOMER. SUB_CUSTOMER_ID = 0 THEN BILL_CUSTOMER.MASTER_CU STOMER_ID ELSE BILL_CUS TOMER.MASTER CUSTOMER I

# **Bill Customer Member Type**

Type: Description: Select equivalent: Where equivalent:	Character This is the member type of the bill customer. BILL_CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_LEVEL2
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Bill Customer Membership Begin Date</b> Date This is the begin date of the membership of the bill customer. BILL_CUS_CURRENT_MEMBERSHIP_INFO.CYCLE_BEGIN_DATE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Bill Customer Membership End Date</b> Date This is the end date of the membership of the bill customer. BILL_CUS_CURRENT_MEMBERSHIP_INFO.CYCLE_END_DATE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Security access level: Can be used: Object status:	0 in result, in condition, in sort show
Object: Type:	<b>Bill Customer Member Since Date</b> Date
Description: Select equivalent: Where equivalent:	This is the member since date of the membership of the bill customer. BILL_CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_SINCE_DATE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort show
Object status:	Show
Object:	Bill Customer Chapter 1
Туре:	Character
Description:	This is the first chapter that the bill customer is a member of.
Select equivalent: Where equivalent:	BILL_CUS_CURRENT_MEMBERSHIP_INFO.CHAPTER_DESCR
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type:	Bill Customer Chapter 2 Character
Description:	This is the second chapter that the bill customer is a member of.
Select equivalent:	BILL_CUS_CURRENT_MEMBERSHIP_INFO.CHAPTER2_DESCR
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level: Can be used:	0 in result in condition in cort
Object status:	in result, in condition, in sort show
Object:	Bill Customer Section 1
Туре:	Character

Description: Select equivalent: Where equivalent:	This is the first section that the bill customer is a member of. BILL_CUS_CURRENT_MEMBERSHIP_INFO.SECTION_DESCR
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Bill Customer Section 2</b> Character This is the second section that the bill customer is a member of. BILL_CUS_CURRENT_MEMBERSHIP_INFO.SECTION2_DESCR
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Class: Description:	<b>Bill-Customer Name Components</b> This class contains information about bill customer's name components.
Description: Object: Type: Description: Select equivalent:	This class contains information about bill customer's name components. Bill-Customer Label Name Character This is the label name of the bill customer.
Description: Object: Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used:	This class contains information about bill customer's name components.  Bill-Customer Label Name Character This is the label name of the bill customer. BILL_CUSTOMER.LABEL_NAME  dimension no 0 in result, in condition, in sort

-Customer Last Name racter s is the last name of the bill customerCUSTOMER.LAST_NAME ension sult, in condition, in sort v -Customer First Name racter
_CUSTOMER.LAST_NAME ension sult, in condition, in sort
sult, in condition, in sort v -Customer First Name
-Customer First Name
-Customer First Name
-Customer First Name
acter
is the first name of the bill customer.
_CUSTOMER.FIRST_NAME
ension
sult, in condition, in sort
V
-Customer Name Prefix
acter
is the name prefix of the bill customer. CUSTOMER.NAME PREFIX
ension
sult in condition in cost
sult, in condition, in sort v

### **Bill-Customer Suffix**

Type: Description: Select equivalent: Where equivalent:	Character This is the name suffix of the bill customer. BILL_CUSTOMER.NAME_SUFFIX
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Bill-Customer Professional Credentials</b> Character These are the professional credentials of the bill customer. BILL_CUSTOMER.NAME_CREDENTIALS
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Class: Description:	<b>Bill-Customer Demographics</b> This class contains information about bill to customer's demographics.

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Bill-Customer Status Date</b> Date This is the date when the bill customer status last changed. BILL_CUSTOMER.CUSTOMER_STATUS_DATE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class:	<b>Billing Address</b>
Description:	This class contains information about bill to customer's address.
Object: Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	<b>Bill-To Address ID</b> Number This is the address id of the bill address. BILL_CUS_ADDRESS_DETAIL.CUS_ADDRESS_ID  dimension no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Bill-To Address Type Code</b> Character This is the address type code of the bill address. BILL_CUS_ADDRESS_DETAIL.ADDRESS_TYPE_CODE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:       Bill-To Address Line 1         Type:       Character         Description:       This is the address line 1 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS_ADDRESS_1         Where equivalent:       o         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 2         Type:       Character         Description:       This is the address line 2 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS_ADDRESS_2         Where equivalent:       BILL_CUS_ADDRESS_ADDRESS_2         Where equivalent:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 3         Type:       Character         Object:       Bill_CUS_ADDRESS_ADDRESS_3         Where equivalent:       BLL_CUS_ADDRESS_ADDRESS_3         Object:       This is the address line 3 of the bill address.         Select equivalent:       BIL_CUS_ADDRESS_ADDRESS_3         Qualif		
Description:       This is the address line 1 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS_ADDRESS_1         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 2         Type:       Character         Description:       This is the address line 2 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS_ADDRESS_2         Where equivalent:       BILL_CUS_ADDRESS_ADDRESS_2         Where equivalent:       BILL_CUS_ADDRESS_ADDRESS_2         Where equivalent:       0         Can be used:       in result, in condition, in sort         Object:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Character         Description:       This is the address line 3 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS_ADDRESS_3         Where equivalent:       0         Can be used:       in result, in condition, in sort         Object:       Dill_TO Address Line 4         Type:       no	Object:	Bill-To Address Line 1
Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_1         Where equivalent:       o         Qualification:       in mension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 2         Type:       Character         Description:       This is the address line 2 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_2         Where equivalent:       BILL_CUS_ADDRESS.ADDRESS_2         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 3         Type:       Character         Description:       This is the address line 3 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS_ADDRESS_3         Where equivalent:       0         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       no	Туре:	Character
Where equivalent:         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object status:       show         Object: <b>Bill-To Address Line 2</b> Type:       Character         Description:       This is the address line 2 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS_ADDRESS_2         Where equivalent:       O         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object: <b>Bill-To Address Line 3</b> Type:       Character         Description:       This is the address line 3 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS_ADDRESS_3         Where equivalent:       DU         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Security access level:       0         Can be used:       in result, in co	Description:	This is the address line 1 of the bill address.
Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object status:       show         Object: <b>Bill-To Address Line 2</b> Type:       Character         Description:       This is the address line 2 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS_ADDRESS_2         Where equivalent:       O         Qualification:       dimension         List of values:       no         Security access level:       O         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 3         Type:       Character         Description:       This is the address line 3 of the bill address.         Select equivalent:       BIL_CUS_ADDRESS_ADDRESS_3         Where equivalent:       O         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       dimension         List of values:       no         Security access level:       0	Select equivalent:	BILL_CUS_ADDRESS.ADDRESS_1
List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 2         Type:       Character         Description:       This is the address line 2 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS_ADDRESS_2         Where equivalent:       Immession         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 3         Type:       Character         Description:       This is the address line 3 of the bill address.         Select equivalent:       BIL_CUS_ADDRESS.ADDRESS_3         Where equivalent:       BIL_CUS_ADDRESS.ADDRESS_3         Where equivalent:       Object:         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       dimension         List of values:       no         Security access level:       0         Can	Where equivalent:	
List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 2         Type:       Character         Description:       This is the address line 2 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS_ADDRESS_2         Where equivalent:       Image: Comparison of the select equivalent:         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 3         Type:       Character         Description:       This is the address line 3 of the bill address.         Select equivalent:       BIL_CUS_ADDRESS_ADDRESS_3         Where equivalent:       BIL_CUS_ADDRESS.ADDRESS_3         Where equivalent:       O         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       dimension         List of values:       no         Security access level:       0		
Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 2         Type:       Character         Description:       This is the address line 2 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_2         Where equivalent:       U         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 3         Type:       Character         Description:       This is the address line 3 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_3         Where equivalent:       BILL_CUS_ADDRESS.ADDRESS_3         Where equivalent:       BILL_CUS_ADDRESS.ADDRESS_3         Where equivalent:       O         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 4         Type:       Character         Object:       Bill-To Address Line 4	Qualification:	dimension
Can be used:       in result, in condition, in sort         Object:       Show         Object:       Bill-To Address Line 2         Type:       Character         Description:       This is the address line 2 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_2         Where equivalent:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 3         Type:       Character         Dobject:       Bill-To Address Line 3         Type:       Character         Description:       This is the address line 3 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS_ADDRESS_3         Where equivalent:       Upalification:         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         O	List of values:	no
Object:       Bill-To Address Line 2         Type:       Character         Description:       This is the address line 2 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_2         Where equivalent:       BILL_CUS_ADDRESS.ADDRESS_2         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 3         Type:       Character         Description:       This is the address line 3 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_3         Where equivalent:       BILL_CUS_ADDRESS.ADDRESS_3         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object status:       show         Object:       Bill-To Address Line 4         Type:       Character         Description:       show <th>Security access level:</th> <th>0</th>	Security access level:	0
Object:     Bill-To Address Line 2       Type:     Character       Description:     This is the address line 2 of the bill address.       Select equivalent:     BILL_CUS_ADDRESS.ADDRESS_2       Where equivalent:     dimension       List of values:     no       Security access level:     0       Can be used:     in result, in condition, in sort       Object:     Bill-To Address Line 3       Type:     Character       Description:     This is the address line 3 of the bill address.       Select equivalent:     BILL_CUS_ADDRESS_ADDRESS_3       Where equivalent:     BILL_CUS_ADDRESS_Line 3       Qualification:     Character       Description:     This is the address line 3 of the bill address.       Select equivalent:     BILL_CUS_ADDRESS_ADDRESS_3       Where equivalent:     DilL_CUS_ADDRESS_ADDRESS_3       Qualification:     dimension       List of values:     no       Security access level:     0       Can be used:     in result, in condition, in sort       Object:     Bill-To Address Line 4       Type:     Character       Description:     show	Can be used:	in result, in condition, in sort
Type:CharacterDescription:This is the address line 2 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_2Where equivalent:dimensionList of values:noSecurity access level:0Can be used:in result, in condition, in sortObject: <b>Bill-To Address Line 3</b> Type:CharacterDescription:This is the address line 3 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_3Where equivalent:Marce address line 3 of the bill address.Select equivalent:dimensionList of values:noSecurity access level:0Can be used:in result, in condition, in sortObject:Bill-To Address Line 4Type:CharacterDescription:showSecurity access level:0Can be used:in result, in condition, in sortObject status:showObject:Bill-To Address Line 4Type:CharacterDescription:showObject:Bill-To Address Line 4Type:CharacterDescription:This is the address line 4 of the bill address.Select equivalent:BILL_CUS_ADDRESS_ADDRESS_4	Object status:	show
Type:CharacterDescription:This is the address line 2 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_2Where equivalent:dimensionList of values:noSecurity access level:0Can be used:in result, in condition, in sortObject: <b>Bill-To Address Line 3</b> Type:CharacterDescription:This is the address line 3 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_3Where equivalent:Marce address line 3 of the bill address.Select equivalent:dimensionList of values:noSecurity access level:0Can be used:in result, in condition, in sortObject:Bill-To Address Line 3Type:CharacterDescription:mosionList of values:noSecurity access level:0Can be used:in result, in condition, in sortObject status:showObject:Bill-To Address Line 4Type:CharacterDescription:showObject:Bill-To Address Line 4Type:CharacterDescription:This is the address line 4 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_4		
Description:       This is the address line 2 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_2         Where equivalent:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 3         Type:       Character         Description:       This is the address line 3 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_3         Where equivalent:       dimension         List of values:       no         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_3         Where equivalent:       BILL_CUS_ADDRESS.ADDRESS_3         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used!       in result, in condition, in sort         Object:       no         Security access level:       0         Can be used!       in result, in condition, in sort         Object status:       show         Object:       Bill-To Address Line 4         Type:       Character         Description:       This is the address line 4 of	Object:	Bill-To Address Line 2
Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_2         Where equivalent:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object status:       show         Object:       Bill-To Address Line 3         Type:       Character         Description:       This is the address line 3 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_3         Where equivalent:       BILL_CUS_ADDRESS.ADDRESS_3         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object status:       show         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 4         Type:       Character         Description:       This is the address line 4 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS_ADDRESS_4	Туре:	Character
Where equivalent:         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object status:       show         Object:       Bill-To Address Line 3         Type:       Character         Description:       This is the address line 3 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_3         Where equivalent:       0         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object status:       show         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object:       Bill-To Address Line 4         Type:       Character         Description:       This is the address line 4 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_4	Description:	This is the address line 2 of the bill address.
Qualification:dimensionList of values:noSecurity access level:0Can be used:in result, in condition, in sortObject status:showObject: <b>Bill-To Address Line 3</b> Type:CharacterDescription:This is the address line 3 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_3Where equivalent:0Qualification:dimensionList of values:noSecurity access level:0Can be used:in result, in condition, in sortObject status:show	Select equivalent:	BILL_CUS_ADDRESS.ADDRESS_2
List of values: no Security access level: 0 Can be used: in result, in condition, in sort Object status: show Object: Bill-To Address Line 3 Type: Character Description: This is the address line 3 of the bill address. Select equivalent: BILL_CUS_ADDRESS.ADDRESS_3 Where equivalent: dimension List of values: no Security access level: 0 Can be used: in result, in condition, in sort Object status: show Object: Bill-To Address Line 4 Type: Character Description: This is the address line 4 of the bill address. Select equivalent: BILL_CUS_ADDRESS_ADDRESS_4	Where equivalent:	
List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object status:       show         Object:       Bill-To Address Line 3         Type:       Character         Description:       This is the address line 3 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_3         Where equivalent:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object status:       show         Object status:       Show	Qualification:	dimension
Can be used:       in result, in condition, in sort         Object status:       show         Object:       Bill-To Address Line 3         Type:       Character         Description:       This is the address line 3 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_3         Where equivalent:       Qualification:         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object status:       show         Object:       Bill-To Address Line 4         Type:       Character         Description:       This is the address line 4 of the bill address.         Select equivalent:       BIL_CUS_ADDRESS_ADDRESS_4	-	no
Can be used:in result, in condition, in sortObject status:showObject:Bill-To Address Line 3Type:CharacterDescription:This is the address line 3 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_3Where equivalent:dimensionList of values:noSecurity access level:0Can be used:in result, in condition, in sortObject:showObject:Bill-To Address Line 4Type:CharacterDescription:show	Security access level:	0
Object status:       show         Object:       Bill-To Address Line 3         Type:       Character         Description:       This is the address line 3 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_3         Where equivalent:       Imension         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object status:       show         Object:       Bill-To Address Line 4         Type:       Character         Description:       This is the address line 4 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_4	-	in result, in condition, in sort
Type:CharacterDescription:This is the address line 3 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_3Where equivalent:dimensionQualification:dimensionList of values:noSecurity access level:0Can be used:in result, in condition, in sortObject status:showObject:Type:CharacterDescription:This is the address line 4 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_4	Object status:	
Type:CharacterDescription:This is the address line 3 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_3Where equivalent:dimensionQualification:dimensionList of values:noSecurity access level:0Can be used:in result, in condition, in sortObject status:showObject:Type:CharacterDescription:This is the address line 4 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_4		
Type:CharacterDescription:This is the address line 3 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_3Where equivalent:dimensionQualification:dimensionList of values:noSecurity access level:0Can be used:in result, in condition, in sortObject status:showObject:Type:CharacterDescription:This is the address line 4 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_4	Object:	Bill-To Address Line 3
Select equivalent:BILL_CUS_ADDRESS.ADDRESS_3Where equivalent:dimensionQualification:dimensionList of values:noSecurity access level:0Can be used:in result, in condition, in sortObject status:showObject:Discription:Bill-To Address Line 4Type:CharacterDescription:This is the address line 4 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_4	•	
Where equivalent:         Qualification:       dimension         List of values:       no         Security access level:       0         Can be used:       in result, in condition, in sort         Object status:       show         Object:       Bill-To Address Line 4         Type:       Character         Description:       This is the address line 4 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_4	Description:	This is the address line 3 of the bill address.
Qualification:dimensionList of values:noSecurity access level:0Can be used:in result, in condition, in sortObject status:showObject:Bill-To Address Line 4Type:CharacterDescription:This is the address line 4 of the bill address.Select equivalent:BILL_CUS_ADDRESS_ADDRESS_4	Select equivalent:	BILL_CUS_ADDRESS.ADDRESS_3
List of values:noSecurity access level:0Can be used:in result, in condition, in sortObject status:showObject:Bill-To Address Line 4Type:CharacterDescription:This is the address line 4 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_4	Where equivalent:	
List of values:noSecurity access level:0Can be used:in result, in condition, in sortObject status:showObject:Bill-To Address Line 4Type:CharacterDescription:This is the address line 4 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_4	Qualification:	dimension
Security access level:       0         Can be used:       in result, in condition, in sort         Object status:       show         Object:       Bill-To Address Line 4         Type:       Character         Description:       This is the address line 4 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_4	-	
Can be used:       in result, in condition, in sort         Object status:       show         Object:       Bill-To Address Line 4         Type:       Character         Description:       This is the address line 4 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_4		
Object status:       show         Object:       Bill-To Address Line 4         Type:       Character         Description:       This is the address line 4 of the bill address.         Select equivalent:       BILL_CUS_ADDRESS.ADDRESS_4	•	-
Object:Bill-To Address Line 4Type:CharacterDescription:This is the address line 4 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_4		
Type:CharacterDescription:This is the address line 4 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_4		
Type:CharacterDescription:This is the address line 4 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_4	Object:	Bill-To Address Line 4
Description:This is the address line 4 of the bill address.Select equivalent:BILL_CUS_ADDRESS.ADDRESS_4	-	
Select equivalent: BILL_CUS_ADDRESS.ADDRESS_4		
	•	

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Bill-To City</b> Character This is the city of the bill address. BILL_CUS_ADDRESS.CITY
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Bill-To State</b> Character This is the state of the bill address. BILL_CUS_ADDRESS.STATE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Bill-To Zip</b> Character This is the zip of the bill address. BILL_CUS_ADDRESS.POSTAL_CODE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Bill-To Country Code
Туре:	Character
Description:	This is the country code of the bill address.
Select equivalent:	BILL_CUS_ADDRESS.COUNTRY_CODE
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Bill-To Country Description
Туре:	Character
Description:	This is the description of the country of the bill address.
Select equivalent:	BILL_CUS_ADDRESS.COUNTRY_DESCR
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Bill-To Full Address
Туре:	Character
Description:	This is the full address of the bill customer.
Select equivalent:	BILL_CUS_ADDRESS_DETAIL.
Select equivalenti	FORMATTED_DETAIL + BILL_
	CUS ADDRESS.FORMATTED A
	DDRESS
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	
	in result, in condition, in sort
Object status:	show
ISS:	Bill-Customer Communication Info
scription:	This class contains informa
	tion about bill to customer'
	s communication info i.e. p

hone, fax etc..

Object: Type: Description: Select equivalent: Where equivalent:	<b>Bill-To Primary Fax</b> Character This is the primary fax of the bill customer. BILL_CUSTOMER.PRIMARY_FAX
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Bill-To Primary Phone</b> Character This is the primary phone number of the bill customer. BILL_CUSTOMER.PRIMARY_PHONE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Bill-To Primary Email Address</b> Character This is the primary email address of the bill customer. BILL_CUSTOMER.PRIMARY_EMAIL_ADDRESS
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class:	<b>Bill-Customer All Relationships</b>
Description:	This class contains information about all the relationships of the bill-to customer.
Object:	<b>Related Customer Full Name</b>
Type:	Character
Description:	This is the full name of the related customer.

Select equivalent: Where equivalent:	Cus_Relationship_Bill_Related_Cus_Info_VW.RELATED_CUS_LABEL_NAME
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Related Customer Last First Name
Туре:	Character
Description:	This is the concatenation of the last name and first name of the related customer.
Select equivalent: Where equivalent:	Cus_Relationship_Bill_Related_Cus_Info_VW.RELATED_CUS_LAST_FIRST_NAME
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Related Customer Home Phone
Туре:	Character
Description:	This is the home phone number of the related customer.
Select equivalent:	Cus_Relationship_Bill_Related_Cus_Info_VW.RELATED_CUS_HOME_PHONE
Where equivalent:	
Qualification:	dimension
List of values:	14c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Related Customer Work Phone
Туре:	Character
Description:	This is the work phone number of the related customer.
Select equivalent:	Cus_Relationship_Bill_Related_Cus_Info_VW.RELATED_CUS_WORK_PHONE
Where equivalent:	
Qualification:	dimension
List of values:	14d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show
Object:	Related Customer Primary Phone
Type:	Character
Description:	This is the primary phone number of the related customer.
Select equivalent:	Cus_Relationship_Bill_Related_Cus_Info_VW.RELATED_CUS_PRIMARY_PHON
Where equivalent:	
Qualification:	dimension
List of values:	14e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Related Customer Primary Fax
Туре:	Character
Description:	This is the primary fax phone number of the related customer.
Select equivalent:	Cus_Relationship_Bill_Related_Cus_Info_VW.RELATED_CUS_PRIMARY_FAX
Where equivalent:	
Qualification:	dimension
List of values:	14f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Related Customer Primary Email Address
Туре:	Character
Description:	This is the primary email address of the related customer.
Select equivalent:	Cus_Relationship_Bill_Rela
	ted_Cus_Info_VW.RELATED_
	CUS_PRIMARY_EMAIL_ADDRE
Where equivalent:	SS
Qualification:	dimension
List of values:	14g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

### **Related Customer Class Code**

Type: Description: Select equivalent: Where equivalent:	Character This is the customer class code of the related customer. Cus_Relationship_Bill_Related_Cus_Info_VW.RELATED_CUS_CUSTOMER_CLASS_COI
Qualification: List of values: Security access level: Can be used:	dimension 0ym, editable, automatic refresh, not exportable 0 in result, in condition, in sort
Object status:	show
Object: Type: Description:	<b>Related Customer Record Type</b> Character This is the record type of the related customer.
Select equivalent: Where equivalent:	Cus_Relationship_Bill_Related_Cus_Info_VW.RELATED_CUS_RECORD_TYPE
Qualification:	dimension
List of values:	0yn, editable, automatic refresh, not exportable
Security access level:	
Can be used: Object status:	in result, in condition, in sort show
Object:	Relationship Code
Туре:	Character
Description:	This is the relationship code of the parent company.
Select equivalent: Where equivalent:	Cus_Relationship_Bill_Related_Cus_Info_VW.RELATIONSHIP_CODE
Qualification:	dimension
List of values:	0yo, editable, automatic refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Related Customer Customer ID
Туре:	Character
Description:	This is the concatenation
	of the master customer id
	and sub customer id of the
	parent company.
Select equivalent: Where equivalent:	parent company. Cus_Relationship_Bill_Related_Cus_Info_VW.RELATED_CUS_CusMastSubID

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Related Customer Master Customer ID</b> Character This is the master customer id of the parent company. Cus_Relationship_Bill_Related_Cus_Info_VW.RELATED_MASTER_CUSTOMER_ID
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Related Customer Sub Customer ID</b> Number This is the sub customer id of the parent company. Cus_Relationship_Bill_Related_Cus_Info_VW.RELATED_SUB_CUSTOMER_ID
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Related Customer Reciprocal Code</b> Character This is the reciprocal relationship code for the parent company. Cus_Relationship_Bill_Related_Cus_Info_VW.RECIPROCAL_CODE
Qualification:	dimension
List of values:	Oys, editable, automatic refresh, not exportable
Security access level:	O
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Related Customer Begin Date
Type:	Date
Description:	This is the begin date of the parent/subsidiary relationship.
Select equivalent:	Cus_Relationship_Bill_Related_Cus_Info_VW.BEGIN_DATE
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type:	Related Customer End Date
Description:	This is the end date of the parent/subsidiary relationship.
Select equivalent:	Cus_Relationship_Bill_Related_Cus_Info_VW.END_DATE
Where equivalent:	_ '
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Relationship Type Code
Туре:	Character
Description:	This is the record type of the related customer.
Select equivalent:	Cus_Relationship_Bill_Related_Cus_Info_VW.RELATIONSHIP_TYPE
Where equivalent:	
Qualification:	dimension
List of values:	0yv, editable, automatic refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Relationship Type Description
Туре:	Character
Description:	This is the description of the relationship type code for the related
Select equivalent:	Cus_Relationship_Bill_Related_Cus_Info_VW.RELATIONSHIP_TYPE
Where equivalent:	

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Relationship Type Sort Order
Туре:	Number
Description:	This is the sort order of the relationship type for the related customer.
Select equivalent:	Cus_Relationship_Bill_Related_Cus_Info_VW.RELATIONSHIP_TYPE_DISPLAY_ORDEF
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Hierarchical Relationship Flag
Туре:	Character
Description:	This indicates if the relationship is hierarchical.
Select equivalent:	Cus_Relationship_Bill_Related_Cus_Info_VW.HIERARCHICAL_FLAG
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Employment Relationship Flag
Туре:	Character
Description:	This indicates if the relationship is an employment relationship.
Select equivalent:	Cus_Relationship_Bill_Related_Cus_Info_VW.EMPLOYMENT_FLAG
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Type: Description: Select equivalent: Where equivalent:	<b>Primary Employer Relationship Flag</b> Character This indicates if the employer is a primary employer. Cus_Relationship_Bill_Related_Cus_Info_VW.PRIMARY_EMPLOYER_FLAG
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Full-Time Employment Flag</b> Character This indicates if the employment is full time. Cus_Relationship_Bill_Related_Cus_Info_VW.FULL_TIME_FLAG
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Employment Job Function Code</b> Character This is the job function code of the related customer. Cus_Relationship_Bill_Related_Cus_Info_VW.RELATIONSHIP_JOB_FUNCTION_CODE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 103, editable, automatic refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Employment Supervisor Name</b> Character This is the employment supervisor's name. Cus_Relationship_Bill_Related_Cus_Info_VW.SUPERVISOR_NAME
Qualification:	dimension

List of values: Security access level: Can be used: Object status:	no O in result, in condition, in sort show
Object:	Primary Contact Relationship Flag
Type: Description:	Character This indicates if the contact is a primary contact.
Select equivalent: Where equivalent:	Cus_Relationship_Bill_Related_Cus_Info_VW.PRIMARY_CONTACT_FLAG
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class: Description:	<b>Bill Customer Company Subsidiaries</b> This class contains information about subsidiaries of the bill-to customer.
Object:	Subsidiary Full Name
Type:	Character
Description:	This is the full name of the subsidiary.
Select equivalent:	Cus_Relationship_Bill_Subsidiary_Info_VW.RELATED_CUS_LABEL_NAME
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type:	Subsidiary Last First Name Character
Description:	This is the concatenation of the last name and first name of the subsidiary.
Select equivalent:	Cus_Relationship_Bill_Subsidiary_Info_VW.RELATED_CUS_LAST_FIRST_NAME
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object:	Subsidiary Home Phone Character
Type: Description:	This is the home phone of the subsidiary.
Select equivalent:	Cus_Relationship_Bill_Subsidiary_Info_VW.RELATED_CUS_HOME_PHONE
Where equivalent:	
Qualification:	dimension
List of values:	147, editable, manual refresh, not exportable
Security access level:	0
Can be used: Object status:	in result, in condition, in sort show
Object: Type:	Subsidiary Work Phone Character
Description:	This is the work phone of the subsidiary.
Select equivalent:	Cus_Relationship_Bill_Subsidiary_Info_VW.RELATED_CUS_WORK_PHONE
Where equivalent:	
Qualification:	dimension
List of values:	148, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Subsidiary Primary Phone
Type:	Character
Description:	This is the primary phone of the subsidiary.
Select equivalent: Where equivalent:	Cus_Relationship_Bill_Subsidiary_Info_VW.RELATED_CUS_PRIMARY_PHON
Qualification:	dimension
List of values:	149, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Subsidiary Primary Fax
Туре:	Character
Description:	This is the primary fax of the subsidiary.
Select equivalent:	Cus_Relationship_Bill_Subsidiary_Info_VW.RELATED_CUS_PRIMARY_FAX
Where equivalent:	

Qualification:	dimension
List of values:	14a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Subsidiary Primary Email Address
Туре:	Character
Description:	This is the primary email address of the subsidiary.
Select equivalent:	Cus_Relationship_Bill_Subsidiary_Info_VW.RELATED_CUS_PRIMARY_EMAIL_ADDRE
Where equivalent:	
Qualification:	dimension
List of values:	14b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Subsidiary Customer Class Code
Туре:	Character
Description:	This is the customer class of the subsidiary.
Select equivalent:	Cus_Relationship_Bill_Subsidiary_Info_VW.RELATED_CUS_CUSTOMER_CLASS_CODI
Where equivalent:	
Qualification:	dimension
List of values:	0yb, editable, automatic refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Subsidiary Customer Record Type
Type:	Character
Description:	This is the record type of the subsidiary.
Select equivalent:	Cus_Relationship_Bill_Subsidiary_Info_VW.RELATED_CUS_RECORD_TYPE
Where equivalent:	
Qualification:	dimension
List of values:	Oyc, editable, automatic refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Type: Description: Select equivalent: Where equivalent:	<b>Relationship Code</b> Character This is the relationship code of the subsidairy/parent relationship. Cus_Relationship_Bill_Subsidiary_Info_VW.RELATIONSHIP_CODE
Qualification:	dimension
List of values:	Oyd, editable, automatic refresh, not exportable
Security access level:	O
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description:	Subsidiary Customer ID Character This is the concatenation of the master customer id and sub customer id of the subsidiary company.
Select equivalent: Where equivalent:	Cus_Relationship_Bill_Subsidiary_Info_VW.RELATED_CUS_CusMastSubID
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subsidiary Master Customer ID</b> Character This is the master customer id of the subsidiary company. Cus_Relationship_Bill_Subsidiary_Info_VW.RELATED_MASTER_CUSTOMER_ID
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	<b>Subsidiary Sub Customer ID</b>
Type:	Number
Description:	This is the sub customer id of the subsidiary company.
Select equivalent:	Cus_Relationship_Bill_Subsidiary_Info_VW.RELATED_SUB_CUSTOMER_ID

Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subsidiary Reciprocal Code</b> Character This is the reciprocal relationship code for the subsidiary company. Cus_Relationship_Bill_Subsidiary_Info_VW.RECIPROCAL_CODE
Qualification:	dimension
List of values:	0yh, editable, automatic refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subsidiary Begin Date</b> Date This is the begin date of the parent/subsidiary relationship. Cus_Relationship_Bill_Subsidiary_Info_VW.BEGIN_DATE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subsidiary End Date</b> Date This is the end date of the parent/subsidiary relationship. Cus_Relationship_Bill_Subsidiary_Info_VW.END_DATE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class: Description:	<b>Bill-Customer Creation &amp; Modification Info</b> This class includes informa tion about bill-to customer record creation (date/user ) and modification (date/us er).
Object: Type: Description: Select equivalent: Where equivalent:	<b>Bill-to Customer Creation Date</b> Date This is the date when the bill-to customer record was created. BILL_CUSTOMER.ADDDATE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 17e, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Bill-to Customer Creation User</b> Character This is the user who created the bill-to customer record. BILL_CUSTOMER.ADDOPER
Qualification: List of values: Security access level: Can be used: Object status:	dimension 17f, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Bill-to Customer Modification Date</b> Date This is the date when the bill-to customer record was last modified. BILL_CUSTOMER.MODDATE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 17g, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object: Type: Description: Select equivalent:	<b>Grade Code</b> Character This is the grade at the order line item. ORDER_DETAIL.GRADE_CODE	
Object status:	show	
Can be used:	in result, in condition, in sort	
Security access level:	0	
List of values:	no	
Qualification:	dimension	
Where equivalent:		
Select equivalent:	TRN_PROGRAM.PROGRAM_TITLE	
Description:	This is the transcript program title.	
Object: Type:	Transcript Program Title Character	
Object status:	SIUW	
Can be used:	in result, in condition, in sort show	
Security access level:	0	
List of values:	no	
Qualification:	dimension	
Where equivalent:		
Select equivalent:	PRODUCT_EDUCATION.PROGRAM_ID	
Description:	This is the transcript program id.	
Type:	Character This is the transcript program id	
Object:	Transcript Program ID	
ass: escription:	<b>Subscriber Education Activity</b> This class contains information related to subscriber's education activity.	
Object status:	show	
Can be used:	in result, in condition, in sort	
Security access level:	0	
List of values:	17h, editable, manual refresh, not exportable	
Qualification:	dimension	
Where equivalent:		
Select equivalent:	BILL_CUSTOMER.MODOPER	
Description:	This is the user who last modified the bill-to customer record.	
Туре:	Character	
Object:	Bill-to Customer Modification User	

Where equivalent:

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

#### Object:

#### Passing Grade Code Character

Type: Description: Select equivalent: Where equivalent:

This is the passing grade. PRODUCT\_EDUCATION.PASSING\_GRADE\_CODE

Qualification: List of values: Security access level: Can be used: Object status: dimension no 0 in result, in condition, in sort show

Object:	Course Code
Туре:	Character
Description:	This is the course code.
Select equivalent:	ORDER_DETAIL.COURSE_CODE
Where equivalent:	

Qualification:dimensionList of values:noSecurity access level:0Can be used:in result, in condition, in sortObject status:show

Object: Type: Description: Select equivalent: Where equivalent:

#### **Course Type Code**

Character This is the course type code. TRN\_COURSE.COURSE\_TYPE\_CODE

Qualification: List of values: Security access level: Can be used: Object status: dimension no 0 in result, in condition, in sort show

Object:	Course Description
Туре:	Character
Description:	This is the description of the course.
Select equivalent:	TRN_COURSE.DESCRIPTION
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Objecti	Fuerra Ca da
Object: Type:	Exam Code Character
	This is the exam code at the order line level.
Description:	ORDER_DETAIL.EXAM_CODE
Select equivalent:	ORDER_DETAIL.EXAM_CODE
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Exam Type Code
Туре:	Character
Description:	This is the exam type code of the exam.
Select equivalent:	TRN_EXAM.EXAM_TYPE_CODE
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Exam Description
Туре:	Character
Description:	This is the description of the exam.
Select equivalent:	TRN_EXAM.DESCRIPTION
Where equivalent:	

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type:	Subscriber Exam ID Number
Description:	This is the exam id at the order line level.
Select equivalent:	ORDER_DETAIL.EXAM_ID
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Subscriber Exam Password
Туре:	Character
Description:	This is the exam password of the subscriber.
Select equivalent:	ORDER_DETAIL.PASSWORD
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class: Description:	Subscription Product Creation & Modification Info This class contains information about the creation/modification of the subscription produc
Object:	Subscription Product Creation Date
Туре:	Date
Description:	This is the date when the subscription product record was created.
Select equivalent:	PRODUCT.ADDDATE
Where equivalent:	
Qualification:	dimension
List of values:	17m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscription Product Creation User</b> Character This is the user who created the subscription product record. PRODUCT.ADDOPER
Qualification:	dimension
List of values:	17n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscription Product Modification Date</b> Date This is the date when the subscription product record was last modified PRODUCT.MODDATE
Qualification:	dimension
List of values:	17o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Subscription Product Modification User</b> Character This is the user who last modified the subscription product record. PRODUCT.MODOPER
Qualification:	dimension
List of values:	17p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
ass:	<b>Fund Raising Info</b>
escription:	This class contains fundraising information at the subscriber's order level.
Object:	Recognition Status Code
Type:	Character

Description: Select equivalent: Where equivalent:	This is the recognition status code at the order line level. ORDER_DETAIL.RECOGNITION_STATUS_CODE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Campaign</b> Character This is the campaign at the order line level. ORDER_DETAIL.CAMPAIGN
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Fund</b> Character This is the fund at the order line level. ORDER_DETAIL.FUND
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Appeal</b> Character This is the appeal at the order line level. ORDER_DETAIL.APPEAL
Qualification:	dimension
List of values:	no
Security access level:	0

Can be used: Object status:	in result, in condition, in sort show
Object:	Appeal Activity Code
Туре:	Character
Description:	This is the appeal activity code at the order line level.
Select equivalent:	ORDER_DETAIL.APPEAL_ACTIVITY_CODE
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
ass:	Marketing Info
escription:	This class contains marketing information at the subscriber's order level.
Object:	Market Code
Туре:	Character
Description:	This is the market code at the order line level.
Select equivalent:	ORDER_DETAIL.MARKET_CODE
Where equivalent:	
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	List Code
Туре:	Character
Description:	This is the list code at the order line level.
Select equivalent:	ORDER_DETAIL.LIST_CODE
Where equivalent:	
Qualification:	dimension
List of values:	no
	0
Security access level:	
Security access level: Can be used:	in result, in condition, in sort

Object:

Type: Description: Select equivalent: Where equivalent:	Character This is the key code at the order line level. ORDER_DETAIL.KEY_CODE	
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show	
Object: Type: Description: Select equivalent: Where equivalent:	<b>Order Method Code</b> Character This is the order method code at the order line level. ORDER_MASTER.ORDER_METHOD_CODE	
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show	
Class: Description:	<b>Issue Info</b> This class contains information about the issue i.e. issues sequence, volume, fulfil	l date e
Object: Type: Description: Select equivalent: Where equivalent:	<b>Issue Description</b> Character This is the description of the subscription issue. SUB_ISSUE.DESCR	
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show	

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Issue Sequence</b> Number This is the issue sequence. SUB_ISSUE.ISSUE_SEQ
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Supplement Sequence Number This is the supplement sequence. SUB_ISSUE.SUPPLEMENT_SEQ
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Volume</b> Number This is the volume number of the subscription. SUB_ISSUE.VOLUME
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Type: Description: Select equivalent: Where equivalent:	<b>Issue Date</b> Date This is the issue date of the subscription. SUB_ISSUE.ISSUE_DATE
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Fulfill Date</b> Date This is the fulfill date of the subscription. SUB_ISSUE.FULFILL_DATE
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	Mail Date Date This is the mail date of the subscription. SUB_ISSUE.MAIL_DATE dimension no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Ordered Quantity</b> Number This is the quantity or copies ordered for a subscription issue. SUB_ISSUE.ORDERED_QTY
Qualification:	measure

Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Damagaged Quantity</b> Number This is the damaged quantity for a subscription issue. SUB_ISSUE.DAMAGED_QTY
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Fulfilled Quantity</b> Number This is the fulfilled quantity for a subscription issue. SUB_ISSUE.FULFILLED_QTY
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Back Issues Quantity</b> Number This is the back issue quantity for a subscription issue. SUB_ISSUE.BACK_ISSUES_QTY
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show
Object:	Single Copy Quantity
Туре:	Number
Description:	This is the single copy quantity for a subscription issue.
Select equivalent:	SUB_ISSUE.SINGLE_COPY_QTY
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Available Quantity
Туре:	Number
Description:	This is the available quantity of the subscription issue.
Select equivalent:	SUB_ISSUE.AVAILABLE_QTY
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Total Issue Pages
Туре:	Number
Description:	These are the total number of pages in an issue.
Select equivalent:	SUB_ISSUE.PAGES
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:

### Issue Start Page

Type: Description: Select equivalent: Where equivalent:	Number This is the issue start page. SUB_ISSUE.START_PAGE
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Number of Advertising Pages Number These are the number of advertising pages. SUB_ISSUE.ADV_PAGES
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class:	<b>Base Sales Amount</b>
Description:	This class contains information about sales amount in base currency.
Object: Type: Description: Select equivalent: Where equivalent:	<b>Base Unit Price</b> Number This is the base unit price on the order line item. ORDER_DETAIL.BASE_UNIT_PRICE
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description:	Base Unit Taxable Amount Number

Select equivalent: Where equivalent:	ORDER_DETAIL.BASE_UNIT_PRICE_TAXABLE
Qualification: Aggregate function: List of values: Security access level: Can be used: Object status:	measure Sum no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Base Unit Discount Amount</b> Number This is the base unit discount amount of the order line item. ORDER_DETAIL.BASE_UNIT_DISCOUNT
Qualification: Aggregate function: List of values: Security access level: Can be used: Object status:	measure Sum no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Base Agency Unit Discount Amount</b> Number This is the base agency unit discount amount of the order line item. ORDER_DETAIL.AGENCY_UNIT_DISCOUNT
Qualification: Aggregate function: List of values: Security access level: Can be used: Object status:	measure Sum no 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Base Extended Amount</b> Number This is the base extended amount of the order line item. ORDER_DETAIL.BASE_EXTENDED_AMOUNT
Qualification:	measure

Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Base Adjustment Amount</b> Number This is the base adjustment amount of the order line item. ORDER_DETAIL.BASE_ADJUSTMENT
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Base Coupon Amount</b> Number This is the base coupon amount of the order line item. ORDER_DETAIL.BASE_COUPON_AMOUNT
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Base Ship Amount</b> Number This is the base ship amount of the order line item. ORDER_DETAIL.BASE_SHIP_AMOUNT
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show
Object:	Base Cancellation Amount
Туре:	Number
Description:	This is the base cancellation amount of the order line item.
Select equivalent:	ORDER_DETAIL.BASE_CANCELLATION_AMOUNT
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Base Ship Tax Amount
Type:	Number
Description:	This is the base ship tax amount of the order line item.
Select equivalent:	ORDER_DETAIL.BASE_SHIP_TAX_AMOUNT
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Base Total Amount
Type:	Number
Description:	This is the base total amount of the order line item.
Select equivalent:	ORDER_DETAIL.BASE_TOTAL_AMOUNT
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
ss:	Order Quantity
	VINCE YMUILLY

Object: Type:	Order Quantity Number
Description:	This is the order quantity of the order line item.
Select equivalent:	ORDER_DETAIL.ORDER_QTY
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Requested Quantity
Туре:	Number
Description:	This is the requested quantity of the order line item.
Select equivalent:	ORDER_DETAIL.REQUESTED_QTY
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Returned Quantity
Type:	Number
Description: Select equivalent:	This is the returned quantity on the order line item. ORDER_DETAIL.RETURNED_QTY
Where equivalent:	ORDER_DETAIL.RETORNED_QTT
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
SS:	Discount & Coupon Info
scription:	This class contains information about discounts and coupons.

Object:

**Discount ID** 

Type: Description: Select equivalent: Where equivalent:	Character This is the discount id of the order line item. ORDER_DETAIL.PRODUCT_DISCOUNT_ID
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Manual Discount? Character This indicates if there is a manual discount. ORDER_DETAIL.MANUAL_DISCOUNT_FLAG
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Coupon Code</b> Character This is the coupon code of the order detail line item. ORDER_DETAIL.COUPON_CODE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class:	Invoice & Financial Info
Description:	This class contains financial information.
Object: Type: Description: Select equivalent: Where equivalent:	<b>Batch</b> Character This is the batch on the order line item. ORDER_DETAIL.BATCH

Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Due Date</b> Date This is the due date on the order line item. ORDER_DETAIL.DUE_DATE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Invoice Number</b> Character This is the invoice number of the order line item. ORDER_DETAIL.INVOICE_NO
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	<b>Invoice Date</b> Date This is the invoice date of the order line item. ORDER_DETAIL.INVOICE_DATE
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Type: Description: Select equivalent: Where equivalent:	<b>Invoice Print Date</b> Date This is the invoice print date of the order line item. ORDER_DETAIL.INVOICE_PRINT_DATE	
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show	
Object: Type: Description: Select equivalent: Where equivalent:	<b>Invoiced Posted?</b> Character This indicates if the invoice has been posted. ORDER_DETAIL.INVOICE_POSTED_FLAG	
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show	
Object: Type: Description: Select equivalent: Where equivalent:	<b>Invoice Method Code</b> Character This is the invoice method code. ORDER_DETAIL.INVOICE_METHOD_CODE	
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show	
Object: Type: Description: Select equivalent: Where equivalent:	<b>Purchase Order Number</b> Character This is the purchase order number. ORDER_MASTER.PO_NUMBER	
Qualification:	dimension	

List of values:	
Security access level:	no O
Can be used:	in result, in condition, in sort
Object status:	show
ass:	Actual (Non-Base-Currency) Sales Amount
escription:	This class contains information about sales amount in actual currency.
Object:	Actual Unit Price
Туре:	Number
Description:	This is the actual (non-base currency) unit price on the order line item.
Select equivalent:	ORDER_DETAIL.ACTUAL_UNIT_PRICE
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	-
	in result, in condition, in sort
Object status:	show
Object:	Actual Unit Price Taxable
Туре:	Number
Description:	This is the taxable actual (non-base currency) unit price on the order line i
Select equivalent:	ORDER_DETAIL.ACTUAL_UNIT_PRICE_TAXABLE
Where equivalent:	
where equivalent.	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	
Object:	Actual Unit Discount
Type:	Number
Description:	This is the actual (non-base currency) unit discount on the order line item.
Select equivalent:	ORDER_DETAIL.ACTUAL_UNIT_DISCOUNT
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
Aggregate function.	
List of values:	no

Can be used: Object status:	in result, in condition, in sort show
Object:	Actual Agency Unit Discount
Type: Description:	This is the actual (non-base currency) agency unit discount on the order line item.
Select equivalent:	ORDER_DETAIL.ACTUAL_AGENCY_UNIT_DISCOUNT
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Actual Extended Amount
Туре:	Number
Description:	This is the actual (non-base currency) extended amount on the order line item.
Select equivalent:	ORDER_DETAIL.ACTUAL_EXTENDED_AMOUNT
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Actual Adjustment
Туре:	Number
Description:	This is the actual (non-base currency) adjustment on the order line item.
Select equivalent:	ORDER_DETAIL.ACTUAL_ADJUSTMENT
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Actual Coupon Amount		
Туре:	Number		
Description:	This is the actual (non-base currency) coupon amount on the order line item		
Select equivalent:	ORDER_DETAIL.ACTUAL_COUPON_AMOUNT		
Where equivalent:			
Qualification:	measure		
Aggregate function:	Sum		
List of values:	no		
Security access level:	0		
Can be used:	in result, in condition, in sort		
Object status:	show		
Object:	Actual Ship Amount		
Туре:	Number		
Description:	This is the actual (non-base currency) ship amount on the order line item.		
Select equivalent:	ORDER_DETAIL.ACTUAL_SHIP_AMOUNT		
Where equivalent:			
Qualification:	measure		
Aggregate function:	Sum		
List of values:	no		
Security access level:	0		
Can be used:	in result, in condition, in sort		
Object status:	show		
Object:	Actual Cancellation Amount		
Туре:	Number		
Description:	This is the actual cancellation amount on the order line item.		
Select equivalent:	ORDER_DETAIL.ACTUAL_CANCELLATION_AMOUNT		
Where equivalent:			
Qualification:	measure		
Aggregate function:	Sum		
List of values:	no		
Security access level:	0		
Can be used:	in result, in condition, in sort		
Object status:	show		
Object:	Actual Ship Tax Amount		
Type:	Number		
Description:	This is the actual ship tax amount on the order line item.		
Select equivalent:	ORDER_DETAIL.ACTUAL_SHIP_TAX_AMOUNT		

Where equivalent:		
Qualification: Aggregate function: List of values: Security access level: Can be used: Object status:	measure Sum no 0 in result, in condition, in sort show	
Object:	Actual Sales Tax Amount	
Туре:	Number	
Description: Select equivalent: Where equivalent:	This is the actual sales tax amount on the order line item. ORDER_DETAIL.ACTUAL_SALES_TAX_AMOUNT	
Qualification:	measure	
Aggregate function:	Sum	
List of values:	no	
Security access level:	0	
Can be used:	in result, in condition, in sort	
Object status:	show	
Object:	Actual Tax Amount	
Туре:	Number	
Description:	This is the actual tax amount on the order line item.	
Select equivalent: Where equivalent:	ORDER_DETAIL.ACTUAL_TAX_AMOUNT	
Qualification:	measure	
Aggregate function:	incasare	
Aggregate function.	Sum	
List of values:		
	Sum	
List of values: Security access level: Can be used:	Sum no	
List of values: Security access level:	Sum no 0	
List of values: Security access level: Can be used: Object status:	Sum no 0 in result, in condition, in sort show	
List of values: Security access level: Can be used:	Sum no 0 in result, in condition, in sort	
List of values: Security access level: Can be used: Object status: Object:	Sum no 0 in result, in condition, in sort show Actual Vat Tax Amount	
List of values: Security access level: Can be used: Object status: Object: Type: Description: Select equivalent:	Sum no 0 in result, in condition, in sort show Actual Vat Tax Amount Number	
List of values: Security access level: Can be used: Object status: Object: Type: Description:	Sum no 0 in result, in condition, in sort show Actual Vat Tax Amount Number This is the actual vat tax amount on the order line item.	
List of values: Security access level: Can be used: Object status: Object: Type: Description: Select equivalent:	Sum no 0 in result, in condition, in sort show Actual Vat Tax Amount Number This is the actual vat tax amount on the order line item.	

List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Actual Space Credit Amount Number This is the actual space credit amount on the order line item. ORDER_DETAIL.ACTUAL_SPACE_CREDIT_AMOUNT
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Actual Trade For Service Amount Number This is the actual trade for service amount on the order line item. ORDER_DETAIL.ACTUAL_TRADE_FOR_SERVICE_AMOUNT
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Actual Total Amount Number This is the actual total amount. ORDER_DETAIL.ACTUAL_TOTAL_AMOUNT
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class: Description:	Subscription Status
No objects	
Class: Description:	Order Date
No objects	
Class: Description:	Financial Filters
No objects	

# **Condition List**

No Conditions

## Conditions

Class: Description:	Subscription Status	
Description:Selects a subscribers, including	ng subscribers whos has ended but who a	
Where Equivalent: ORDER_DETAIL.SUBSYSTEM = 'SUB' AND OR DER_DETAIL.CYCLE_BEGIN_DATE <= GETDA TE() AND ORDER_DETAIL.CYCLE_END_DATE >= GETDATE() AND ORDER_DETAIL.LINE_ST ATUS_CODE = 'A' AND ORDER_DETAIL.FULF ILL_STATUS_CODE IN ('A','G','X','T')		

Subscriptions Currently in Grace

Description:Only selects current, active subscribers whose subscription term has ended but who are still in their grace period

Where Equivalent:ORDER\_DETAIL.SUBSYST EM = 'SUB' AND ORDER\_DETAIL.CYCLE\_END \_DATE < GETDATE() AND ORDER\_DETAIL.GR ACE\_DATE >= GETDATE() AND ORDER\_DETA IL.LINE\_STATUS\_CODE = 'A' AND ORDER\_D ETAIL.FULFILL\_STATUS\_CODE = 'G'

Active Subscriptions (use with date range) Description:Does not include Order\_Deta il.FULFILL\_STATUS criterion, so can be used to select subscriptions that were a ctive in the past. User should include filter for Subscription Begin Date and/o r Subscription End Date.

Where Equivalent:ORDER\_DETAIL.SUBSYST EM = 'SUB' AND ORDER\_DETAIL.LINE\_STAT US\_CODE='A' AND ORDER\_DETAIL.FULFILL\_ STATUS\_CODE = 'A'

Active Future Subscriptions Description:Selects active subscriptions that have a begin date in the future (i.e., greater than today).

Where Equivalent:ORDER\_DETAIL.SUBSYST EM = 'SUB' AND ORDER\_DETAIL.CYCLE\_BEG IN\_DATE > GETDATE() AND ORDER\_DETAIL. LINE\_STATUS\_CODE = 'A' AND ORDER\_DETA IL.FULFILL\_STATUS\_CODE IN ('A','X','T')

Proforma Subscriptions Description:Selects all subscription ord ers with a proforma status. User shoul d include filter for Subscription Begin Date and/or Subscription End Date.

Where Equivalent:ORDER\_DETAIL.SUBSYSTEM = 'SUB' AND ORDER\_DETAIL.LINE\_STATUS\_CODE='P'

Renewed Subscriptions Description:Selects all subscription ord ers that have been renewed. User shoul d include filter for either Renewal Date Next Order date or for Subscription Be gin Date and/or Subscription End Date.

Where Equivalent:ORDER\_DETAIL.SUBSYST EM = 'SUB' AND ORDER\_DETAIL.LINE\_STAT US\_CODE = 'A' AND ORDER\_DETAIL.RENEWA L\_DATE\_NEXT\_ORDER IS NOT NULL

Expired Subscriptions

Description:Selects all subscription ord ers that have expired. User should incl ude filter for Subscription Begin Date a nd/or Subscription End Date.

Where Equivalent:ORDER\_DETAIL.SUBSYST EM = 'SUB' AND ORDER\_DETAIL.GRACE\_DAT E > GETDATE() AND ORDER\_DETAIL.LINE\_S TATUS\_CODE = 'A' AND ORDER\_DETAIL.FUL FILL\_STATUS\_CODE = 'E'

Current Subscriptions Terminating At End Description:Selects all current, active subscription orders that will terminate at the end of the subscription term (i.e ., they will not be renewed).

Where Equivalent:ORDER\_DETAIL.SUBSYST EM = 'SUB' AND ORDER\_DETAIL.CYCLE\_BEG IN\_DATE <= GETDATE() AND ORDER\_DETAIL .CYCLE\_END\_DATE >= GETDATE() AND ORD ER\_DETAIL.LINE\_STATUS\_CODE = 'A' AND ORDER\_DETAIL.FULFILL\_STATUS\_CODE = 'T

Canceled Subscriptions

Description:Selects all subscription ord ers with a cancelled status. User shoul d include filter for Subscription Begin Date and/or Subscription End Date.

Where Equivalent:ORDER\_DETAIL.SUBSYSTEM = 'SUB' AND ORDER\_DETAIL.LINE\_STATUS\_CODE = 'C'

#### Current Subscriptions on Hold

Description:Selects all current subscriptions that are on hold (i.e., the line status of the subscription order is set to "H").

Where Equivalent:ORDER\_DETAIL.SUBSYST EM = 'SUB' and ORDER\_DETAIL.CYCLE\_BEG IN\_DATE <= getdate() and ORDER\_DETAIL .CYCLE\_END\_DATE >= getdate() and ORDE R\_DETAIL.LINE\_STATUS\_CODE = 'H'

Class: Description: **Order Date** 

Today's Subscription Orders

Description: Where Equivalent:ORDER\_DETAIL.ORDER\_D ATE = convert (SMALLDATETIME, {fn CURD ATE()}) and ORDER\_DETAIL.SUBSYSTEM = 'SUB'

This Month's Subscription Orders Description: Where Equivalent:Month(ORDER\_DETAIL.O RDER\_DATE) = Month(getdate()) AND Year (ORDER\_DETAIL.ORDER\_DATE) = Year(getd ate()) and ORDER\_DETAIL.SUBSYSTEM = 'S UB'

Class:

**Financial Filters** 

Description:

Subscriptions with a Balance Due Description: Where Equivalent:FAR\_TXN.BASE\_AMOUNT > 0 and FAR\_TXN.SUBSYSTEM = 'SUB'

## **Hierarchies List**

Ship Address Bill Address Product Orders Rate Structure

### **Hierarchies**

Ship Address Subscription Mailing Address/Subscriber Country Code Subscription Mailing Address/Subscriber State Subscription Mailing Address/Subscriber City Subscription Mailing Address/Subscriber Zip **Bill Address** Billing Address/Bill-To Country Code Billing Address/Bill-To State Billing Address/Bill-To City Billing Address/Bill-To Zip Product Subscription Product Info/Subscription Parent Product Subscription Product Info/Subscription Product Code Orders Rate Structure Subscriber Rates & Currency Info/Rate Structure Subscriber Rates & Currency Info/Rate Code



